


Mobile
audio systems



■ ■ ■ **a/d/s/**

analog and digital systems, inc.

**a/d/s/**

analog and digital systems, inc.

Mobile audio systems

Effective from May 1st 2001 / All prices include GST

Competition Loudspeakers Series Retail

All PX and C series competition loudspeakers feature mid and midbass drivers constructed with Stiffite III cone material, 1" soft dome neodymium magnet ferrofluid cooled tweeters and cnc machined brass and aluminium crossover networks. The crossovers feature only the highest quality mil-spec and select audiophile components and have a clear perspex cover.

In addition the 641PX 6" and 4" driver frames are constructed from cnc machined brass and aluminium and the tweeter features a billet aluminium housing. The 336C and 335C feature driver frames are constructed from injection moulded Ultramid.

641PX	3 way 6.5", 4" and 1" system. Freq. resp. 40 - 22k. Sens 91.5 dB. Amp power 150w RMS. Depth 60mm.	\$6699.00
336c	2 way 6.5" and 1" system. Freq. resp. 40 - 22k. Sens 91 dB. Amp power 150w RMS. Depth 63mm.	\$3499.00
335c	2 way 5.25" and 1" system. Freq. resp. 48 - 22k. Sens 90 dB. Amp power 100w RMS. Depth 60mm.	\$3299.00

3 - Series Component Systems Retail

The 3 series range consists of both component and integrally mounted systems. All feature mid and midbass drivers constructed from injection moulded Ultramid and Stiffite III cone material. The tweeter of choice is a 1" soft dome, neodymium magnet, ferrofluid cooled unit. All models feature a separate crossover network which can be bi-amplified and contains tweeter protection and level control.

In addition the component range crossover is constructed from aluminium and features audiophile grade components and a midrange contour switch.

The integrally mounted range features rotatable tweeters.

641is	3 way 6.5", 4" and 1" system. Freq. resp. 40 - 22k. Sens 91 dB. Amp power 150w RMS. Depth 63mm.	\$1999.00
346is	Comp 6.5" and 1" system. Freq. resp. 40 - 22k. Sens 91 dB. Amp power 150w RMS. Depth 63mm.	\$1599.00
345is	Comp 5.25" and 1" system. Freq. resp. 48 - 22k. Sens 90 dB. Amp power 100w RMS. Depth 60mm.	\$1499.00
336im	Integ. 6.5" and 1" system. Freq. resp. 40 - 22k. Sens 91 dB. Amp power 150w RMS. Depth 63mm.	\$1099.00
335im	Integ. 5.25" and 1" system. Freq. resp. 48 - 22k. Sens 90 dB. Amp power 100w RMS. Depth 60mm.	\$ 999.00

2 - Series Component Systems Retail

The 2 series range also consists of both component and integrally mounted systems. All feature mid and midbass drivers constructed from injection moulded Ultramid and mineral enhanced copolymer cone material. The tweeter is the same as the 3 series. Crossovers feature tweeter protection and level control, and are also bi-ampable.

236is	Comp 6.5" and 1" system. Freq. resp. 40 - 22k. Sens 91 dB. Amp power 150w RMS. Depth 63mm.	\$ 999.00
235is	Comp 5.25" and 1" system. Freq. resp. 48 - 22k. Sens 90 dB. Amp power 100w RMS. Depth 60mm.	\$ 849.00
234is	Comp. 4" and 1" system. Freq. resp. 56 - 22k. Sens 90 dB. Amp power 100w RMS. Depth 50mm.	\$ 749.00
236im	Integ. 6.5" and 1" system. Freq. resp. 40 - 22k. Sens 91 dB. Amp power 150w RMS. Depth 63mm.	\$ 749.00
235im	Integ. 5.25" and 1" system. Freq. resp. 48 - 22k. Sens 90 dB. Amp power 100w RMS. Depth 60mm.	\$ 699.00
234im	Integ. 4" and 1" system. Freq. resp. 56 - 22k. Sens 90 dB. Amp power 100w RMS. Depth 50mm.	\$ 599.00

**a/d/s/**

analog and digital systems, inc.

Mobile audio systems

Effective from May 1st 2001 / All prices include GST

■ ■ ■ RS.2 and A Series Subwoofers **Retail**

Both the rs.2 and the A series subwoofers feature a cast aluminium frame and are optimised to work in a multitude of enclosure designs.

The rs.2 features dual 4 ohm voice coils, deep drawn aluminium cones and double stacked magnets.

The A series feature a single 4 ohm voice coil and Stiffite II injection moulded cones.

312rs.2	12" dvc subwoofer.	Fs 26.9 hz. Sens 93 dB. Amp power 300w RMS per coil. Depth 137mm.	\$ 749.00
310rs.2	10" dvc subwoofer.	Fs 29.3 hz. Sens 92 dB. Amp power 300w RMS per coil. Depth 121mm.	\$ 599.00
308rs.2	8 " dvc subwoofer.	Fs 34.3 hz. Sens 92 dB. Amp power 200w RMS per coil. Depth 102mm.	\$ 499.00
A12s	12" svc subwoofer.	Fs 26.5 hz. Sens 93 dB. Amp power 300w RMS. Depth 129mm.	\$ 499.00
A10s	10" svc subwoofer.	Fs 42.2 hz. Sens 92 dB. Amp power 200w RMS. Depth 111mm.	\$ 449.00

■ ■ ■ PowerPlate System Amplifiers **Retail**

All 2001 PowerPlate amplifier models feature Multi-Cross crossovers, fully adjustable from 45 - 5 khz.

The PH30 and PQ40 also feature a digital crossover frequency display. The P850 has a DIN input as well as RCA. (A full selection of DIN leads and adaptors are listed below) A remote sub level control is available to suit all models (AC 502). The profile of all amplifiers is a mere 2 inches high.

P450	4, 3 or 2 ch.	50w x 4 or 150w x 2 (4 ohms)	\$1499.00
P650	6, 5, 4 or 3 ch.	50w x 6 or 150w x 3 (4 ohms)	\$1999.00
P850	8, 7, 6, 5 or 4 ch.	50w x 8 or 150w x 4 (4 ohms)	\$2599.00
PQ40.2	4, 3 or 2 ch.	100w x 4 or 300w x 2 (4 ohms)	\$2999.00
PH30.2	6,5,4 or 3 ch.	75w x 6 or 220w x 2 + 300w x 1 ch 5/6 (4 ohms)	\$3699.00

■ ■ ■ System Electronics **Retail**

The EQ300 performs all signal modification in the digital domain avoiding phase shift and background noise inherent in analog designs and uses only the highest quality analog-to-digital and digital-to-analog converters. The EQ300 can cut and boost 30 bands of left and right signal and store them in four selectable presets.

The Factory Direct interface, or FDi is a high quality four channel pre-amp that mimics the audio controls of the OEM head unit. The FDi controls volume, fader, balance, bass and treble in its high quality analog pre-amp sending a clean, full bandwidth signal to the amplifier via front and rear RCA outputs.

EQ300	2 ch. digital 30 band equalizer.	\$3799.00
FDi	OEM controlled 4 ch. pre-amp.	\$1499.00

■ ■ ■ Accessories to suit Amplifiers and Subwoofers **Retail**

AC 201	Female DIN - 6 Male RCA adaptor.	\$ 59.00
AC 202	Male DIN - 6 Female RCA adaptor.	\$ 59.00
AC 204	2m DIN - DIN cable.	\$ 59.00
AC 205	4.8m DIN - DIN cable.	\$ 79.00
AC 502	Remote subwoofer level control. (requires AC 204 or AC 205)	\$ 249.00
GK 8	Subwoofer Grille kit to suit any a/d/s/ 8 inch driver.	\$ 59.00
GK 10	Subwoofer Grille kit to suit any a/d/s/ 10 inch driver.	\$ 79.00
GK 12	Subwoofer Grille kit to suit any a/d/s/ 12 inch driver.	\$ 99.00