# Stager

2023



## CONTENTS

	The state of the s	1011
A CONTRACT OF THE PARTY OF THE	HEIGH10 <sup>®</sup>	4
Stinger X	MULTIMEDIA DISPLAY ACCESSORIES  VEHICLE-SPECIFIC SOLUTIONS  JEEP WRANGLER JL/JT  JEEP WRANGLER JK  RAM TRUCK  CHALLENGER, CHARGER, 300  GM FULLSIZE TRUCK  TOYOTA TUNDRA  TOYOTA TACOMA	14 16 16 18 22 24 26 28 30
Stinger HIGH PERFORMANCE	VEHICLE-SPECIFIC ENCLOSURES  JEEP JL/JK TAILGATE TRUCK UNDERSEAT BRONCO TAILGATE	32 32 34 36 HIGH PER
E E LL GHY T 10	VEHICLE-SPECIFIC  AMP BRACKETS/WIR  JEEP AMP BRACKETS	
Stinger	BRONCO AMP BRACKETS JEEP AMP WIRING KITS BRONCO AMP WIRING KITS  STINGER X	40 42 43 44
POWER SPORTS	QUICK REFERENCE GUIDE  X3 SERIES  X2 SERIES  X1 SERIES  XLINK KITS  X DAMPING	45 48 50 52 54 58
Stinger Commine	STINGER CORE	63 64 66 69
Stinger HD MADE FOR HARLEY-DAVIDSON	SPECIALTY VEHICLES  WIRE  POWER WIRE  SPEAKER WIRE  PRIMARY WIRE	70 73 74 76 78
Stinger	INTERCONNECTS 9000 SERIES  ROADKILL SOUND DAMPING ULTIMATE EXPERT STEALTH/OVERKILL/KITS WAVE RINGS/FAST RINGS	81 82 90 91 92 93 94
	WILL HILLS THE	





#### 10" FLOATING MULTIMEDIA DISPLAY SYSTEM




Stinger's radio platform is designed for modular installation, meaning the display and receiver are two separate pieces. This makes it universal for any vehicle, even where space is limited or nonexistent behind the OEM radio being replaced. You can mount the display and reciever in two different locations, giving you flexibility to install HEIGH10® in any vehicle with a standard single or double DIN dash kit. (optional SE-DIN needed for single DIN installations)

PAC-Link and RadioPRO compatible for vehicle-specific integration.

#### **FEATURES**










- 10-inch 1024 x 600 HD digital capacitive touch screen featuring 16.7 million colors
- Apple CarPlay<sup>®</sup>
- Google Android Auto™
- SiriusXM-Ready® with Replay (SiriusXM Connect vehicle tuner and subscription required)
- AM/FM radio PTY / RT information
- Built-in amplifier (16w x 4)
- 4V 6ch RCA audio outputs with subwoofer control
- Toslink (Optical) variable audio output
- 15-Band adjustable EQ with 6 user presets
- 1 HDMI rear input
- 2 USB rear inputs 1.5A output
- Hands-free Bluetooth® 4.2 A2DP with aptX™
- Built-in MicroSD card slot for (optional) iGO Navigation
- 4 camera video inputs with wired triggers (PAC RadioPRO compatible)
- Mic audio input from rear camera
- Hard-wired remote control ready (steering wheel controls)
- Customizable display backgrounds
- Shallow 1-DIN chassis mounting design
- Wireless remote and screen extension cables (optional)

#### PROPRIETARY MOUNTING DESIGN



#### **UN1810**



#### KIT CONTENTS



#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

## YOUR MEDIA, YOUR WAY



#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

#### SIRIUSXM-READY®

GET THE WIDEST VARIETY OF AD-FREE MUSIC, INCLUDING THE BEST IN SPORTS, TALK, NEWS, AND MORE.

Choose Sirius XM® for the best in audio entertainment with **over 150+ channels** of ad-free music plus sports and talk





#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

#### **MODULAR DESIGN**

HEIGH10 is engineered with a modular design. This makes it a truly universal, and versatile infotainment option. The display and receiver can be mounted separately from each other. Giving you the ability to go big with your screen, even when space behind the OEM radio you are replacing is limited. Double DIN, Single DIN and 2-piece modular mounting options make it truely have universal fitment.



#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

#### **AUDIOPHILE APPROVED SOUND VIA DSP**

HEIGH10's sonic capabilities allow for a versatile and more detailed sound experience.

- Built-in amplifier (16W RMS x 4)
- ▶ 4V, 6ch RCA audio outputs with subwoofer control
- Toslink (optical) variable audio output
- ▶15-band adjustable graphic EQ with 6 user presets
- Adjustable Hi-Pass Front/Rear and Lo-Pass subwoofer crossover with 6 user presets
- Time alignment with 6 user presets



#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

#### **FEATURES:**

- Modular multimedia infotainment display system
- Anti-glare and anti-reflection technology for best outdoor visibility
- Customizable RGB illumination to match factory illumination or create your own
- Shallow 1-DIN chassis design for installation flexibility
- ▶ 10" 1024 x 600 HD digital capacitive touchscreen with 16.7M colors

#### **AUDIOPHILE FEATURES:**

- Built-in amplifier (16W RMS x 4)
- ▶4V 6ch RCA audio outputs with subwoofer control
- Toslink (optical) variable audio output
- ▶15-Band adjustable EQ with 6 user presets
- Adjustable hi-pass front/rear and low-pass subwoofer crossover with 6 user presets
- Time alignment with 6 user presets

#### MEDIA:

- ► Apple CarPlay®
- ►Google Android Auto™
- SIRIUSXM-Ready™ with Replay
- Built-in MicroSD card slot for optional iGo Navigation
- AM/FM radio with PTY
- ▶2 USB rear inputs, 1.5-AMP output
- ► Hands-free Bluetooth® 4.2
- ►A2DP with aptX<sup>™</sup> (for hands-free calling and music streaming)
- ►HDMI input

#### SAFETY:

- ▶ 4 Camera inputs with on-screen switching and wire triggers
- Rear camera microphone input

#### **OEM INTEGRATION:**

RadioPRO and PAC-Link compatible for vehicle-specific integration

#### **ADDITIONAL FEATURES:**

- Turn-Signal trigger override (touch display)
- Millisecond adjustment on time correction
- Graphical audio settings (X-over, factory EQ)
- Gain adjustment on crossover
- ► EQ-band level indicator (pop-up)
- Camera identification icons
- Vehicle integration (PAC Link)
- ▶ RGB tuning for color matching illumination



**UN1810** 

## HEIGH10°

#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS


#### **GRAPHICAL USER INTERFACE**



















#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

#### A SAFER RIDE

In a world where road accidents are commonplace, HEIGH10 can help reduce risk, increase safety and protect your precious cargo.

**4 camera inputs**, selectable via camera mode display, turn-signal for blind spot viewing or simply by adding a rocker switch for trailer or tow viewing.

Rear camera audio input enables the driver to hear sound from an optional style RV camera microphone.



#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

#### INTEGRATED NAVIGATION READY (optional)

Optional on-board iGo navigation enhances your HEIGH10's driving experience by placing 1000's of built-in waypoints as well as landscape data at your fingertips. Detailed landmarks, lane guidance & complex road junctions are easy to navigate from the intuitive, easy-to-use touch panel control.

No phone reception required!

With iGo on-board navigation, you don't have to rely on your phone for navigation. Out of cell range? No phone data? No problem, the on-board map database doesn't require a data connection, so whether you are high in the mountains or out in the open desert, you can be confident your route guidance is safe and accurate.

Optional iGo Navigation Card Sold Separately (Part Number: SE-P14)



## HEIGH10°

#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

#### **ACCESSORIES**

#### SE-P14

- ▶ iGo Navigation Card
- Doptional on-board iGo navigation enhances your HEIGH10's driving experience by placing 1000's of built-in waypoints and landscape data at your fingertips. Detailed landmarks, lane guidance, and complex road junctions are simple to navigate using the intuitive touch panel control.






#### **SE-HFDK**

▶ Preformed ABS plastic housing for easy flush mounting in your next custom install including classic cars, RV's, displays, and other nonstandard applications.

Decrease fabrication time while adding fast serviceability.











#### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

## **SE-SDIN**


Single DIN ISO Mountable Installation Assembly

## **Engineered to Alleviate the Installation Challenges of Single DIN Openings**

Instructions & Hardware included.

SE-SDIN attaches to the main chassis, simplifying the installation especially when 1DIN kits are the only option for an aftermarket radio. No more mounting three separate pieces, now you just mount 2!

Single DIN ISO Mountable Installation Assembly, Used with Stinger HEIGH10 Multimedia System (UN1810).



Rubber Boot

## INTEGRATION & INSTALLATION KIT FOR:

**SRK-JWEH18** 

2018 - 2023 Jeep Wrangler JL 2020 - 2023 Jeep Gladiator JT HEIGH1 \*\* SOLD SEPARATELY





#### **KIT CONTENTS:**





Fully Integrated JEEP Experience from Your New Radio:

Retains Factory High-Definition Backup and Front Cameras (If Equipped)

- Access and Adjust Your Climate Controls from Your Radio Screen
- Easily View Live Vehicle Status and Information from Your Radio Screen Including:
  - Off-Road (Even in Unequipped Vehicles) & Drivetrain Screens
  - Automotive Performance Gauges
  - Door Open and Door Removed Status
- Safety Alerts: Parking Sensors, Blind Spot, Forward Collision, Lane Sense, and Other Safety Alerts (If Equipped)
- Retains Steering Wheel Controls
- Retains Auxiliary Switch Panel (If Equipped)
- Supports OEM USB Hubs
- Complete Plug-N-Play System: No Vehicle Modifications Needed!

## KIT INCLUDES EVERYTHING NEEDED FOR THE INSTALLATION\* INCLUDING:

Factory-Matched Radio Mounting Panels for HEIGH10 Electronic Vehicle Integration Interfaces Factory-Matched Installation Harness HD Camera Retention Module (Supports 2 HD Inputs) Antenna Adapter

\*HEIGH10 sold separately

PAC

## INTEGRATION & INSTALLATION KIT FOR:

SRK-JK11H

2011 - 2018 Jeep Wrangler JK HEIGHID SOLD SEPARATELY





#### **KIT CONTENTS:**







Fully Integrated JEEP Experience from Your New Radio:

Retains Factory High-Definition Backup and Front Cameras (If Equipped)

- Access and Adjust Your Climate Controls from Your Radio Screen
- Easily View Live Vehicle Status and Information from Your Radio Screen Including:
  - Off-Road (Even in Unequipped Vehicles) & Drivetrain Screens
  - Automotive Performance Gauges
  - Door Open and Door Removed Status
- Safety Alerts: Parking Sensors, Blind Spot, Forward Collision, Lane Sense, and Other Safety Alerts (If Equipped)
- Retains Steering Wheel Controls
- Retains Auxiliary Switch Panel (If Equipped)
- Supports OEM USB Hubs
- Complete Plug-N-Play System: No Vehicle Modifications Needed!

#### KIT INCLUDES EVERYTHING NEEDED FOR THE INSTALLATION\* **INCLUDING:**

Factory-Matched Radio Mounting Panels for HEIGH10 **Electronic Vehicle Integration Interfaces** Factory-Matched Installation Harness HD Camera Retention Module (Supports 2 HD Inputs)

\*HEIGH10 sold separately

Antenna Adapter



## **VEHICLE-SPECIFIC SOLUTIONS** INTEGRATION & INSTALLATION KIT FOR:

SR-JK11H / CH1AJKIT

**2011 - 2018 Jeep Wrangler J** HEIGH 10 SOLD SEPARATELY







Fully Integrated Wrangler Experience From Your New HEIGH10 Radio:

- Flush-Mounted Plastics for a Seamless OEM Experience
- Complete Feature Retention: Warning Chimes, Steering Wheel Mounted Radio Controls, Factory Amplifier (if equipped)
- Vehicle-to-Radio Connectivity: Vehicle Speed, Illumination, Reverse, and Parking Brake Signals
- Dual USB Connection Ports
- Complete Plug-N-Play System: No Vehicle Modifications Needed!

## KIT INCLUDES EVERYTHING NEEDED FOR THE INSTALLATION\* INCLUDING:

- Factory-Matched Radio Mounting Panels for HEIGH10
- RP4-CH11 RadioPRO for Jeep Vehicles
- Complete Plug-N-Play Installation Harnesses
- Dash-Mount Dual USB Cable
- Antenna Adapters for Satellite and AM/FM Radio

#### \*HEIGH10 sold separately

Due to continual development, features and specifications are subject to change.

#### **CH1AJKIT**

Add off-road integration to your existing SR-JK11H kit!



## INTEGRATION & INSTALLATION KIT FOR:

SRK-RAM13H

2013 - 2018 RAM Truck 2019 "Classic" Body Style

HEIGH1 OF SOLD SEPARATELY







Fully Integrated RAM Experience From Your New HEIGH10 Radio:

- Flush-Mounted Plastics for a Seamless OEM Experience
- Retained OEM Features: Steering Wheel Controls, Factory Amplifier, Factory Backup (if equipped)
- Vehicle to Radio Connectivity: Vehicle Speed, Illumination, Reverse, Parking Brake Signals and Turn Signals
- View and Adjust Vehicle Information through Customized Screens:
  - Complete Climate Controls
  - Real-Time Performance Gauges
  - Tire Pressures, Door Statuses, Engine Status, and Other Vehicle Information
  - Access to Over 70+ Customizable Vehicle Settings (when equipped)
- Complete Plug-N-Play System: No Vehicle Modifications Needed!

#### KIT INCLUDES EVERYTHING NEEDED FOR THE INSTALLATION\* INCLUDING:

- Factory-Matched Radio Mounting Panels for HEIGH10
- CH4A-SRK RadioPRO for RAM Vehicles
- Complete Plug-N-Play Installation Harnesses
- Dash-Mount Dual USB Cable
- Antenna Adapters for Satellite and AM/FM Radio

#### \*HEIGH10 sold separately

Due to continual development, features and specifications are subject to change.



## INTEGRATION & INSTALLATION KIT FOR:

SRK-CHR15H

2015-2021 Dodge Challenger, Charger, and Chrysler 300

HEIGHI SOLD SEPARATELY







#### Fully Integrated Experience From Your New HEIGH10 Radio:

- Flush-Mounted Plastics for a Seamless OEM Experience
- Complete Feature Retention: Steering Wheel Controls, Factory Amplifier, Factory Backup Camera (if equipped)
- Vehicle to Radio Connectivity: Vehicle Speed, Illumination, Reverse, and Parking Brake Signals
- Retains Factory USB connections
- View and Adjust Vehicle Information through Customized Screens:
  - Complete Climate Controls
  - Real-Time Performance Gauges
  - Tire Pressures, Door Statuses, Engine Status, and Other Vehicle Information
  - Access to Over 70+ Customizable Vehicle Settings (when equipped)
- Complete Plug-N-Play System: No Vehicle Modifications Needed!

#### KIT INCLUDES EVERYTHING NEEDED FOR THE INSTALLATION\*:

- Factory-Matched Radio Mounting Panels for HEIGH10
- CH4A-SRK RadioPRO for Chrysler / Dodge Vehicles
- PAC-LINK Communication Module
- Complete Plug-N-Play Installation Harnesses
- Replacement USB Hub (Dual-USB, HDMI, Aux-Input)
- RPA-SPK Safety Chimes Speaker
- Antenna Adapters for Satellite and AM/FM Radio

\*HEIGH10 sold separately



#### INTEGRATION & INSTALLATION KIT FOR:

SR-GM14H

2014 - 2018 Silverado/Sierra 1500 Trucks 2015 - 2019 Silverado/Sierra 2500 & 3500 Trucks

HEIGH1 OF SOLD SEPARATELY





Stinger Infotainment Products



#### Fully Integrated GM Experience From Your New HEIGH10 Radio:

- Flush-Mounted Plastics for a Seamless OEM Experience
- Complete Feature Retention: Warning Chimes, OnStar, Factory WiFi, SWC
- OEM Safety: Front Park Assist, Rear Park Assist, Reverse Camera (if equipped)
- Custom-Tuned Vehicle Settings with PAC-UP USB Adapter (sold separately)
- Complete Plug-N-Play System: No Vehicle Modifications Needed!

## KIT INCLUDES EVERYTHING NEEDED FOR THE INSTALLATION\* INCLUDING:

- Factory-Matched Radio Mounting Panels for HEIGH10 (for any previous size of OEM radio)
- RP5-GM51 RadioPRO for GM Vehicles
- PAC CMX Chime Module
- Complete Installation Harnesses
- Dash-Mount Dual USB Cable
- Antenna Adapters for Satellite and AM/FM Radio
- \*Not compatible with BOSE-equipped vehicles
- \*\*HEIGH10 sold separately

Due to continual development, features and specifications are subject to change.



# VEHICLE SPECIFIC SOLUTIONS INTEGRATION & INSTALLATION KIT FOR:

SR-TUN14H

2014-2021 TUNDRA HEIGH1 \*- SOLD SEPARATELY





#### **KIT CONTENTS:**





#### Fully Integrated TUNDRA Experience From Your New HEIGH10 Radio:

- Flush-Mounted Plastics for a Seamless OEM Experience
- Complete Feature Retention: Warning Chimes, Steering Wheel Mounted Radio Controls, JBL Amplified Audio System (if equipped)
- Vehicle to Radio Connectivity: Vehicle Speed, Illumination, Reverse, and Parking Brake Signals
- Retains Factory USB connections
- Complete Plug-N-Play System: No Vehicle Modifications Needed!

#### KIT INCLUDES EVERYTHING NEEDED FOR THE INSTALLATION\*:

- Factory-Matched Radio Mounting Panels for HEIGH10
- RP4.2-TY11 RadioPro for Toyota Vehicles
- Complete Plug-N-Play Installation Harnesses
- Adapters for AM/FM, GPS, USB, and Sirius XM (SXV Module Required)
- \*HEIGH10 sold separately

Due to continual development, features and specifications are subject to change.



# VEHICLE SPECIFIC SOLUTIONS INTEGRATION & INSTALLATION KIT FOR:

SR-TAC16H

2016-2021 TACOMA **HEIGH1** • SOLD SEPARATELY









Fully Integrated TACOMA Experience From Your New HEIGH10 Radio:

- Flush-Mounted Plastics for a Seamless OEM Experience
- Complete Feature Retention: Warning Chimes, Steering Wheel Mounted Radio Controls, JBL Amplified Audio System (if equipped) ◆ Vehicle to Radio Connectivity: Vehicle Speed, Illumination, Reverse, and Parking Brake Signals
- Retains Factory USB connections
- Complete Plug-N-Play System: No Vehicle Modifications Needed!

#### KIT INCLUDES EVERYTHING NEEDED FOR THE INSTALLATION\*:

- Factory-Matched Radio Mounting Panels for HEIGH10
- RP4.2-TY11 RadioPro for Toyota Vehicles
- Complete Plug-N-Play Installation Harnesses
- Adapters for AM/FM, GPS, USB, and Sirius XM (SXV Module Required)
- \*HEIGH10 sold separately

Due to continual development, features and specifications are subject to change.



# SWING GATE-MOUNTED 12-INCH SUBWOOFER ENCLOSURE

## **TXJWB12** FOR JEEP WRANGLER 2-DOOR AND 4-DOOR JK/JL MODELS 2011-2021 AND UP

Built tough and made to fit your Jeep Wrangler's tailgate, this 12" bass enclosure offers a quick and easy way to add a high-powered subwoofer to your audio system. The subwoofer enclosure utilizes the tailgate for mounting, saving space, while also being rugged and weatherproof. AudioControl designed a subwoofer specifically for this enclosure to maximize performance and deliver deep, accurate bass. Get ready to enhance your next adventure with the addition of this custom subwoofer solution.







#### **ENCLOSURE FEATURES:**

- Roadkill-Armor Coat
- Permanent Heat Bonded EPM Enclosure Coating (Elastomeric Polyurethane Molecule)
- Weather-Resistant for Harsh Outdoor Environments
- Sound Dampening Properties for Resonance Reduction
- Scratch, Crack, and Peel-Resistant
- Chemical and Stain-Resistant
- Impact Absorption
- UV Protection
- Provides Leak and Corrosion Prevention
- Heavy Duty 11-Layer High Density Plywood Construction
- Poly-Fill Included to Absorb Standing Waves and Reduce Distortion
- Durable, Coated Steel Subwoofer Grill for Extra Protection



6.1in/155mm enclosure depth 7.32in/186mm overall depth

#### **SUBWOOFER FEATURES:**

- 12" 2○ Space Series Subwoofer
- 200W-600W Power Range (400W Ideal)
- Weather-Resistant Design
- Fiber Matrix Injection Molded Polypropylene Cone for Optimum Sound Reproduction
- Durable Isoprene Polymer Surround
- Powder-Coated Frame
- Wrap-Sealed Rubber Gasket to Protect Enclosure Interior

#### Thermal & Mechanical Elements

- 2.5" Black Anodized Voice Coil Former for Superior Heat Dissipation
- Air-Cooled Ventilated Motor Topology for Providing Optimal Thermal Efficiency

- High Tension Stitched Lead Wires for Increased Flexibility at High Excursion
- Shallow Cone Design
- Efficient Motor Design via Magentic FEA Technology
- Micro Level Bonding Adhesive for Increased Strength
- High-Density Ferrite Magnet
- Push Type Terminals Provide Consistent Tension for a Reliable Connection
- Grille Included
- High-Quality Mounting Hardware



#### **VEHICLE SOLUTIONS**

# TRUCK UNDERSEAT ENCLOSURE 10-INCH SUBWOOFER ENCLOSURE

## TXTRB10BB

Built tough and made to fit many under-seat truck installations, this 10" bass enclosure offers a quick and easy way to add a high-powered subwoofer solution to your audio system. designed a subwoofer specifically for this enclosure to maximize the performance and deliver deep, accurate bass. Want more output? Add a bass expansion module that adds the correct airspace and a 37-Hz tuned port that gives you over 6-dB of extended bass; that's like adding another subwoofer! Measure your vehicle and get some bass in that wasted space.



#### **ENCLOSURE FEATURES:**

- Roadkill-Liquid Coat
- Durable Texture UAT (Urethane Acrylic Terpolymer) Enclosure Coating
- Weather-Resistant for Harsh Outdoor Environments
- Sound Dampening Properties for Resonance Reduction
- Impact Absorption
- Scratch, Crack, and Peel-Resistant
- Chemical and Stain-Resistant
- Provides Leak and Corrosion Prevention

- UV Protection
- Heavy Duty MDF Construction
- Poly-Fill Included to Absorb Standing Waves and Reduce Distortion
- Durable, Coated Steel Subwoofer Grille for Extra Protection
- Double the output Add the optional modular port enclosure (TXTRB10BB) for an extra 6dB bass entension



## **VEHICLE SOLUTIONS**


#### **SUBWOOFER FEATURES:**

- 10" 2∩ Space Series Subwoofer
- 200W-600W Power Range (400W Ideal)
- Weather-Resistant Design
- Fiber Matrix Injection Molded Polypropylene Cone for Optimum Sound Reproduction
- Durable Isoprene Polymer Surround
- Powder-Coated Frame
- Wrap-Sealed Rubber Gasket to Protect Enclosure Interior

#### **Thermal & Mechanical Elements**

- 2.5" Black Anodized Voice Coil Former for Superior Heat Dissipation
- Air-Cooled Ventilated Motor Topology for Providing Optimal Thermal Efficiency

- High Tension Stitched Lead Wires for Increased Flexibility at High Excursion
- Shallow Cone Design
- Efficient Motor Design via Magentic FEA Technology
- Micro Level Bonding Adhesive for Increased Strength
- High-Density Ferrite Magnet
- Push Type Terminals Provide Consistent Tension for a Reliable Connection
- Grille Included
- High-Quality Mounting Hardware





## SWING GATE-MOUNTED 12-INCH SUBWOOFER ENCLOSURE

#### TXFBB12

Built tough and made to fit your Ford Bronco's tailgate, this 12" bass enclosure offers a quick and easy way to add a high-powered subwoofer to your audio system. The subwoofer enclosure utilizes the tailgate for mounting, saving space while also being rugged and weatherproof. AudioControl designed a subwoofer specifically for this enclosure to maximize performance and deliver deep, accurate bass, Get ready to enhance your next adventure with the addition of this custom subwoofer



#### **ENCLOSURE FEATURES:**

- Roadkill-Armor Coat
- Permanent Heat Bonded EPM (Elastomeric Polyurethane Molecule) Enclosure Coating
- Weather-Resistant for Harsh Outdoor Environments
- Sound Dampening Properties for Resonance Reduction
- Scratch, Crack, and Peel-Resistant
- Chemical and Stain-Resistant
- Impact Absorption
- UV Protection
- Provides Leak and Corrosion Prevention



- Heavy Duty 11-Layer High Density Plywood Construction
- Poly-Fill Included to Absorb Standing Waves and Reduce Distortion
- Durable, Coated Steel Subwoofer Grill for Extra Protection



# **VEHICLE SPECIFIC SOLUTIONS**

## **SUBWOOFER FEATURES:**

- 12" 2Ω Space Series Subwoofer
- 200W-600W Power Range (400W Ideal)
- Weather-Resistant Design
- Fiber Matrix Injection Molded Polypropylene Cone for Optimum Sound Reproduction
- Durable Isoprene Polymer Surround
- Powder-Coated Frame
- Wrap-Sealed Rubber Gasket to Protect Enclosure Interior

#### Thermal & Mechanical Elements

- 2.5" Black Anodized Voice Coil Former for Superior Heat Dissipation
- Air-Cooled Ventilated Motor Topology for Providing Optimal Thermal Efficiency

- High Tension Stitched Lead Wires for Increased Flexibility at High Excursion
- Shallow Cone Design
- Efficient Motor Design via Magentic FEA Technology
- Micro Level Bonding Adhesive for Increased Strength
- High-Density Ferrite Magnet
- Push Type Terminals Provide Consistent Tension for a Reliable Connection
- Grille Included
- High-Quality Mounting Hardware



# UNDERSEAT AMPLIFIER INSTALLATION BRACKET FOR:

2018 - 2022 Jeep Wrangler JL Unlimited (4-door) 2020 - 2022 Jeep Gladiator JT

Built tough and made specifically for Wrangler and Gladiator, this amplifier mounting bracket makes it easy to mount an Audio Control, Stinger, Phoenix Gold, or other amplifier under the seat in your Jeep.

# Features:

- Predrilled and threaded amplifier mounting holes with supplied hardware simplify amplifier installation for select Audio Control, Stinger or Phoenix Gold amplifiers.
- Can be custom drilled to universally mount other amplifiers or Jeep accessories under the seat.
- Made with 16-gauge corrosion-resistant steel with a corrosion-resistant powder coating to withstand harsh elements and prevent rusting
- Uses the rear legs of the seat to secure the bracket into position.
- Available for both driver side and passenger side seats.
- Lifetime Warranty





Driver Side

JLUAMPBRKTD



Passenger Side **JLUAMPBRKTP** 

# UNDERSEAT AMPLIFIER INSTALLATION BRACKET FOR:

# 2007-2018 Jeep Wrangler JK Unlimited (4-door)

Built tough and made specifically for Wrangler JK Unlimited, this amplifier mounting bracket makes it easy to mount an Audio Control, Stinger, Phoenix Gold, or other amplifier under the seat in your Jeep.

- Predrilled and threaded amplifier mounting holes with supplied hardware simplify amplifier installation for select Audio Control, Stinger or Phoenix Gold amplifiers.
- Can be custom drilled to universally mount other amplifiers or Jeep accessories under the seat.
- Uses the rear legs of the seat to secure the bracket into position.
- Available for both driver side and passenger side seats.
- Lifetime Warranty







# UNDERSEAT AMPLIFIER INSTALLATION BRACKET FOR:

# 2021+ Full-Size 4-Door Bronco

Built tough and made specifically for Wrangler and Gladiator, this amplifier mounting bracket makes it easy to mount an Audio Control, Stinger, Phoenix Gold, or other amplifier under the seat in your Jeep.

- Predrilled and threaded amplifier mounting holes with supplied hardware simplify amplifier installation for select Audio Control, Stinger or Phoenix Gold amplifiers.
- Can be custom drilled to universally mount other amplifiers or Jeep accessories under the seat.
- Made with 16-gauge corrosion-resistant steel with a corrosion-resistant powder coating to withstand harsh elements and prevent rusting
- Uses the legs of the seat to secure the bracket into position.
- Available for both driver side and passenger side seats.
- Lifetime Warranty









# UNDERSEAT AMPLIFIER INSTALLATION WIRING KIT FOR:

2007 - 2022 Jeep Wrangler Unlimited (4-door) 2020 - 2022 Jeep Gladiator JT

Made specifically for Wrangler and Gladiator, this amplifier wiring kit makes it easy to install an Audio Control, Stinger, Phoenix Gold, or other amplifier under the seat in your Jeep.

- High Current OFC Copper Power and Ground Wire.
- Element Ready Jacket for Extreme Environments.
- Pre-cut, Terminated and Loomed wire for Professional Results.
- Expandable X-Link Fuseholder with Custom Mounting Bracket.
- 2 Channel 4000 Series Directional Twisted-Pair RCA.
- Wire Ferrules, Remote Turn-On Wire and Hardware Packet.



# UNDERSEAT AMPLIFIER INSTALLATION WIRING KIT FOR:

# 2021+ Ford Bronco

Made specifically for Wrangler, this amplifier wiring kit makes it easy to install an Audio Control, Stinger, Phoenix Gold, or other amplifier under the seat in your Jeep.

- High Current OFC Copper Power and Ground Wire.
- Element Ready Jacket for Extreme Environments.
- Pre-cut, Terminated and Loomed wire for Professional Results.
- Expandable X-Link Fuseholder with Custom Mounting Bracket.
- 2 Channel 4000 Series Directional Twisted-Pair RCA.
- Wire Ferrules, Remote Turn-On Wire and Hardware Packet.





Stinger X was developed for the professional installer and premier Stinger partners. MAP (minimum advertised price) protection ensures that the retail price you set won't be challenged by your customers, because they won't find it online or anywhere else cheaper. Allowing you to install with trusted accessories, while preserving your margin.



	PART NUMBER	<b>CHANNELS</b>	LENGTH	TYPE
	XI3220	2	20'/6.1m	Audio Interconnect
X3 Series	XI3217	2	17'/5.2m	Audio Interconnect
	XI3212	2	12'/3.7m	Audio Interconnect
	XI326	2	6'/1.8m	Audio Interconnect
	XI323	2	3'/0.9m	Audio Interconnect
	XI32YM	2	2YM	Audio Interconnect
	XI32YF	2	2YF	Audio Interconnect
	XI3417	4	17'/5.2m	Audio Interconnect
	XI2220	2	20'/6.1m	Audio Interconnect
	XI2217	2	17'/5.2m	Audio Interconnect
	XI2212	2	12'/3.7m	Audio Interconnect
	XI226	2	6'/1.8m	Audio Interconnect
	XI223	2	3'/0.9m	Audio Interconnect
V2	XI221.5	2	1.5'/0.5m	Audio Interconnect
X2 Series	XI22YM	2	2YM	Audio Interconnect
Selles	XI22YF	2	2YF	Audio Interconnect
	XI2420	4	20'/6.1m	Audio Interconnect
	XI2417	4	17'/5.2m	Audio Interconnect
	XI2412	4	12'/3.7m	Audio Interconnect
	XI269	6	9'/2.7m	Audio Interconnect
	XI2617	6	17'/5.2m	Audio Interconnect
	XI1117		17'/5.2m	Toslink Interconnect
	XI116		6'/1.8m	Toslink Interconnect
	XI113		3'/0.9m	Toslink Interconnect
	XI1220	2	20'/6.1m	Audio Interconnect
	XI1217	2	17'/5.2m	Audio Interconnect
	XI1212	2	12'/3.7m	Audio Interconnect
	XI126	2	6'/1.8m	Audio Interconnect
X1	XI123	2	3'/0.9m	Audio Interconnect
Series	XI121.5	2	1.5'/0.5m	Audio Interconnect
	XI12YM	2	2YM	Audio Interconnect
	XI12YF	2	2YF	Audio Interconnect
	XI1420	4	20'/6.1m	Audio Interconnect
	XI1417	4	17'/5.2m	Audio Interconnect
	XI1617	6	17'/5.2m	Audio Interconnect
	XI2LINE	2	8"/0.2m	RCA LINE INPUTS (BULK PAIRS)

# FOR AUTHORIZED DEALERS ONLY MAP PROTECTED • EXCLUSIVE PRODUCT Developed for the Professional Installer and Premier Stinger Partners





# **AUDIOPHILE GRADE**

# CTION QUA REJ Ō



Available in: 2ch, 4ch





construction uses 3 tightly twisted conductor bundles (+,

-, signal drain) per channel to create a directional noise canceling architecture



**Body Armor Protection utilizes high** strength nylon fibers that are woven tightly around the ultra-flexible PVC cable jacket, ensuring cable integrity when contending with sharp metal, vibration, and moisture

Lock Tip's rotational locking end

with Quad-Clamp-Precision 4-cut connectors provides the ultimate in locking and clamping force with

unsurpassed connection integrity



Dynamic Signal Flow uses finely stranded silver-plated, pure OFC copper to optimize signal vs. frequency interaction for a dynamic listening experience

unwanted noise and interference

copper mesh, eliminating



Continuous Connection Construction (C3 Tech) provides unmatched signal transfer



Available in: 2ch, 4ch and 6ch



**Continuous Connection** Construction (C3 Tech) provides unmatched signal transfer

Quad-Clamp's machined



**Noise Shield directional** construction uses 3 tightly twisted conductor bundles (+, -, signal drain) per channel to create a directional noise canceling architecture



I.D. Interference Defense doubles the shielding efforts by combining two layers of EMI rejecting Mylar foil, eliminating unwanted noise and interference



4-cut RCA connector allows for maximum clamping force and connection integrity



Dynamic Signal Flow uses finely stranded pure OFC copper to optimize signal vs. frequency interaction for a dynamic listening experience



Available in: 2ch, 4ch, 6ch, Line-in and Toslink





Dynamic Signal Flow uses finely stranded pure OFC copper to optimize signal vs. frequency interaction for a dynamic listening experience



**Continuous Connection** Construction (C3 Tech) provides unmatched signal transfer

-15





**Noise Shield Directional** Construction uses 3 tightly twisted conductor bundles (+, -, signal drain) per channel to create Noise Shield a directional noise canceling Directional architecture
Construction



# X3 SERIES



Continuous Connection Construction (C3 Tech) provides unmatched signal transfer

C3 Tech



Dynamic Signal Flow

Dynamic Signal Flow uses finely stranded silver-plated, pure OFC copper to optimize signal vs. frequency interaction for a dynamic listening experience



RCA Connectors integrity

Lock Tip's rotational locking end with Quad-Clamp-Precision 4-cut RCA provides the ultimate in locking and clamping force with unsurpassed connection integrity



Noise Shield Directional Construction

Noise shield directional construction uses 3 tightly twisted conductor bundles (+, -, signal drain) per channel to create a directional noise canceling architecture



I.D. Interference Defense

I.D. Interference Defense doubles the shielding efforts by combining two layers of EMI rejecting Mylar foil and radiated noise absorbing copper mesh, eliminating unwanted noise and interference



**Body Armor** 

Body Armor Protection utilizes high strength nylon fibers that are woven tightly around the ultra-flexible PVC cable jacket, ensuring cable integrity when contending with sharp metal, vibration, and moisture





2 & 4 CHANNEL



# X3 Series Lineup AUDIO INTERCONNECTS

XI3220: 2 Channels, Length: 20ft/6.1m

XI3217: 2 Channels, Length: 17ft/5.2m

**XI3212:** 2 Channels, Length: 12ft/3.7m

XI326: 2 Channels, Length: 6ft/1.8m


XI323: 2 Channels, Length: 3ft/0.9m

XI32YM: 2 Channels, Y-2 Male, 1 Female

XI32YF: 2 Channels, Y-2 Female 1 Male

XI3417: 4 Channels, Length: 17ft/5.2m







# X2 SERIES



Continuous Connection Construction (C3 Tech) provides unmatched signal transfer



Dynamic Signal Flow Dynamic Signal Flow uses finely stranded pure OFC copper to optimize signal vs. frequency interaction for a dynamic listening experience



Quad Clamp

Quad-Clamp's machined 4-cut RCA connector allows for maximum clamping force and connection integrity



Noise Shield
Directional
Construction

Noise shield directional construction uses 3 tightly twisted conductor bundles (+, -, signal drain) per channel to create a directional noise canceling architecture



I.D. Interference

I.D. Interference Defense doubles the shielding efforts by combining two layers of EMI rejecting Mylar foil, eliminating unwanted noise and interference



2, 4, 6 CHANNEL



# X2 Series Lineup AUDIO INTERCONNECTS

XI2220: 2 Channels, Length: 20ft/6.1m

XI2217: 2 Channels, Length: 17ft/5.2m

**XI2212:** 2 Channels, Length: 12ft/3.7m

XI226: 2 Channels, Length: 6ft/1.8m

XI223: 2 Channels, Length: 3ft/0.9m

XI221.5: 2 Channels, Length: 1.5ft/0.5m

XI22YM: 2 Channels, Y-2 Male, 1 Female

XI22YF: 2 Channels, Y-1 Male, 2 Female

**XI2420:** 4 Channels, Length: 20ft/6.1m


XI2417: 4 Channels, Length: 17ft/5.2m

XI2412: 4 Channels, Length: 12ft/3.7m

XI269: 6 Channels, Length: 9ft/2.7m

**XI2617:** 6 Channels, Length: 17ft/5.2m







# X1SERIES



Continuous Connection Construction (C3 Tech) provides unmatched signal transfer





Dynamic Signal Flow uses finely stranded pure OFC copper to optimize signal vs. frequency interaction for a dynamic listening experience



Noise Shield Directional Construction Noise shield directional construction uses 3 tightly twisted conductor bundles (+, -, signal drain) per channel to create a directional noise canceling architecture



# 2, 4, 6 CHANNEL TOSLINK, LINE INPUT

# X1 SERIES

# X1 Series Lineup

# **AUDIO INTERCONNECTS**

**XI1220:** 2 Channels, Length: 20ft/6.1m **XI1217:** 2 Channels, Length: 17ft/5.2m

**XI1212:** 2 Channels, Length: 12ft/3.7m

XI126: 2 Channels, Length: 6ft/1.8m

XI123: 2 Channels, Length: 3ft/0.9m

**XI121.5:** 2 Channels, Length: 1.5ft/0.5m

XI12YM: 2 Channels, Y-2 Male, 1 Female

XI12YF: 2 Channels, Y-2 Female 1 Male

XI1420: 4 Channels, Length: 20ft/6.1m

XI1417: 4 Channels, Length: 17ft/5.2m

XI1617: 6 Channels, Length: 17ft/5.2m



Noise shield directional construction uses 3 tightly twisted conductor bundles (+, -, signal drain)



# **TOSLINK INTERCONNECT**

XI1117: Fiber Optic Cable with TosLink Connectors, Length: 17ft/5.2m



# LINE LEVEL to RCA

XI2LINE: Line Level to RCA, Sold in Bulk Pairs Length: 8in/0.2m







# **EXPERIENCE PURE POWER**



# **DISTRIBUTION BLOCKS**




# XFDB108

# UNIVERSAL 0 - 8GA POWER OR GROUND LINKABLE FUSED DISTRIBUTION BLOCK





Stinger XLINK is designed to provide the highest power transfer with system flexibility for no compromise installations. Expertly engineered to unleash the maximum performance from your system. The power distribution block to rule them all: X-LINK; with its ability to transform from an inline Fuse-Holder to an expandable power, ground, or power and ground distribution block, while able to accept 0, 4, or 8GA input/outputs and either ANL or MIDI/AFS fuses. Your imagination is the only limit to what you can configure with the XLINK block.



# **ULTIMATE WIRING KITS**

Stinger X Ultimate Wiring Kits are designed to provide the highest power transfer and system flexibility for no compromise installations. Engineered to unleash the maximum performance from your system. First, is the power distribution block to rule them all: X-LINK. With its ability to transform from an inline fuse holder to an expandable power, ground, or power and ground distribution block, while able to accept 0, 4, or 8GA input/outputs and either ANL or MIDI/AFS fuses. The X-LINK block is accompanied by Hyper-Twist Tru-Spec Wire, Expert Ground Terminals, Power Terminals, Wire Ferrules Remote Turn-on and an accessories pack to complete the installation.

Power delivery, and just as important but often overlooked, ground integrity, are the main goals of this kit. So, to make sure the ground potential is as equally robust as the power delivery, we have included a ground reinforcement cable to be used from the battery to the chassis, and on the amplifier side the Expert Ground Terminal for a large footprint, low resistance, non-rotating grounding terminal.

All these elements add up to the ULTIMATE wiring kit and system performance from Stinger X.

To complement the power and ground delivery performance, we would recommend utilizing other leading products from Stinger X: including interconnects, optical cables and sound damping products for the best power and sound available.



WIRE FERRULES

Professional Wire Ferrules for Amplifier Connections to Maximize Contact and Connection Integrity



XLINK X-PANSION BLOCK

Unlimited System
Flexibility and System
X-Pansion is Achievable
with the XLINK Block.
Create Single, Multiple o
Combination Power and
Ground Blocks by Using
Multiple Units.



MAXIMUM PERFORMANCE

Every Component Is Designed to Enhance the Ability of the Kit Transfer Power and Improve Connection Integrity



XLINK MULTI-FUSE

Utilize ANL and/or Mini-ANL/AFS Fuses for a Wide Range of Amperage Capability, 20-475A



ENHANCED POWER DELIVERY

Heavy Gauge Terminals, Pure Coppor and Hydraulic Compressed Connections for Ultra-Low Resistance and High Current Transfer



#### EXPERT GROUND TERMINATION

Expert Ground Terminal Features a Large Footprint, Low Resistance, Non-Rotating with Intertocking Screws Connection for an Unsurpassed Ground. Also Included is a Battery Ground Upgrade Cable to Ground Is as Robust as the Power for Maximum Performance

# X2K01

## **OGA ULTRA-PREMIUM POWER DELIVERY AND GROUND UPGRADE KIT**



## DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 3000 WATTS OR 300 AMPS

Ultimate Wiring Kit Includes:

18ft/5.5m Matte Red Hyper-Twist 0GA Power Wire

- (2) 3ft/0.9m Matte Clear Hyper-Twist 0GA Ground Wire
- 17ft/5.2m Matte Clear 18GA Remote Turn-On Wire
- (1) XFDB108 XLINK Fuse-Holder
- (1) 300-AMP Shoc-Krome ANL Fuse
- (3) OGA Crimp Ring Terminals Pre-Installed (2 Ground, 1 Power)
- (3) OGA Ferrules with Stinger Heat Shrink Tubing
- (2) 0GA Crimp Ring Terminals

- (1) 0GA Expert Ground Terminal
- (2) Red and Gray OGA Boots (1each)
- (1) 16GA Blue Butt Connector
- (1) 18 GA Ferrule
- (1) 18GA Fork Terminal
- (6) Self-Drilling Mounting Screws
- (10) 7"/17.8cm Wire Ties
- (1) 0GA Fire wall Grommet
- (1) XLINK X-Pansion Jumper

# X2K41

## 4GA ULTRA-PREMIUM POWER DELIVERY AND GROUND UPGRADE KIT



# DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1750 WATTS OR 175 AMPS

Ultimate Wiring Kit Includes:

18ft/5.5m Matte Red Hyper-Twist 4GA Power Wire (2) 3ft/0.9m Matte Clear Hyper-Twist 4GA Ground Wire 17ft/5.2m Matte Clear 18GA Remote Turn-On Wire

- (1) XFDB108 XLINK Fuse-Holder
- (1) 175-AMP Shoc-Krome Mini-ANL (MIDI) Fuse
- (3) 4GA Crimp Ring Terminals Pre-Installed (2 Ground, 1 Power)
- (3) 4GA Ferrules with Stinger Heat Shrink Tubina
- (2) 4GA Crimp Ring Terminals

- (1) 4GA Expert Ground Terminal
- (2) Red and Gray 4GA Boots (1 each)
- (1) 16GA Blue Butt Connector
- (1) 18GA Ferrule
- (1) 18GA Fork Terminal
- (6) Self-Drilling Mounting Screws
- (10) 7"/17.8cm Wire Ties
- (1) 4GA Fire wall Grommet
- (1) XLINK X-Pansion Jumper

## 8GA ULTRA-PREMIUM POWER DELIVERY AND GROUND UPGRADE KIT



#### DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 800 WATTS OR 70 AMPS

Ultimate Wirina Kit Includes:

18ft/5.5m Matte Red Hyper-Twist 8GA Power Wire

- (2) 3ft/0.9m Matte Clear Hyper-Twist 8GA Ground Wire 17ft/5.2m Matte Clear 18GA Remote Turn-On Wire
- (1) XFDB108 XLINK Fuse-Holder
- (1) 70-AMP Shoc-Krome Mini-ANL (MIDI) Fuse
- (3) 8GA Crimp Ring Terminals Pre-Installed (2 Ground, 1 Power)
- (3) 8GA Ferrules with Stinger Heat Shrink Tubing
- (2) 8GA Crimp Ring Terminals

- (1) 8GA Expert Ground Terminal
- (2) Red and Gray 4GA Boots (1 each)
- (1) 16GA Blue Butt Connector
- (1) 18GA Ferrule
- (1) 18GA Fork Terminal
- (6) Self-Drilling Mounting Screws
- (10) 7"/17.8cm Wire Ties
- (1) 8GA Fire wall Grommet
- (1) XLINK X-Pansion Jumper





# **Increased Strength**

Improves the vehicle's audio acoustic characteristics which includes improved frequency response and better bass reproduction.



# **Overall Performance**

Stinger X Damping Material is superior in weight, thickness of material and aluminum layer, which results in overall better bonding and dampening performance.



# Workabillity

The initial tackiness of the product allows you to peel and reapply if needed, which allows for easy application. No surface prep needed.



# **Better Sound**

Improves bass response and increases amplifier output, while absorbing annoying squeaks, rattles, and vibrations, resulting in enhanced sound reproduction.



# **Excellent Insulation**

Premium grade aluminum improves thermal conductivity in the vehicle's cabin by changing the temperature transfer coefficients of the vehicle's factory internal panels.



# **No Vibration**

Reduces engine noise and vibration caused by noisy roads and vehicle wear & tear over time.



# Easy to Install

Time released self-adhesives allow for easy installation and provide a secure bond.



# **Enhanced Safety**

Decreases driver fatigue by canceling out road noise.




# Sunger

# **Sound Damping Materials**

# **DESTROYS** NOISE AND VIBRATION

Kill noise and vibration in any vehicle. Stinger X sound damping is constructed of premium materials, making it the densest sound damping product you can buy. Available in 7 kit styles to accommodate any install, Stinger X sound damping is the easiest way to upgrade a sound system.



#### **FEATURES**

- Black Coated, Automotive Grade (AA1100)
   Aluminum Constraining Layer
- Offers the Maximum Damping Coefficient Gain for a Dual-Layer Material
- Highest Damping vs. Weight Ratio of any Material Available
- Proprietary Butyl Layer is Odorless and Free Off-Gassing. Non-Asphalt
- Advanced Adhesion Properties Allow for Initial Installation Adjustment Followed by Complete Bond to Substrates within 24-48hrs
- Exceeds In-Vehicle Thermal Requirements,
   Withstands Temperatures >200°F



# **Specifications Comparison**

Stinger X Damping	HushMat	Dynamat
	Min Thickness 0.059in Min Weight 0.45lbs/ft2 Aluminum Layer- 2 mils	Min Thickness 0.067in Min Weight 0.45lbs/ft2 Aluminum Layer- 4 mils



**Better Sound** 



**Easy Installation** 



No Vibration



**Enhance Safety** 



**Excellent Insulation** 

SKU	DESCRIPTION	DIMENSIONS
XIDFP	FLOORBOARD KIT	12 sq. feet
X2DBK9	BULK KIT	36 sq. feet
X2DDR	DOOR KIT	12 sq. feet
X2DSP	SPEAKER KIT	1.7 sq. feet
X2DTF	TAG FRAME KIT	0.42 sq. feet
X2DTR	trunk kit	20 sq. feet
X2DUV1	universal kit	4 sq. feet
RKROLLER2	INSTALLATION ROLLER	N/A

# X SERIES SOUND DAMPING

# DEVELOPED FOR THE PROFESSIONAL INSTALLER AND PREMIER STINGER PARTNERS, STINGER X SOUND DAMPING IS THE DENSEST MATERIAL CONSTRUCTION AVAILABLE, MAP PROTECTED



- · Dual layer construction
- · Dense rubber barrier
- · Dense foam isolation

## X1DFP

Floorboard Kit (12sq feet) 1/pack (46" x 38")



#### X2CBK9

Bulk Kit (36sq feet) 9/pack (18" x 32")



#### X2DDR

Door Kit (12sq feet) 6/pack (12" x 24")



#### X2DSP

Speaker Kit (1.7sq feet) 2/pack (10" x 12")



#### X2DTF

Tag Frame Kit includes frame (4" x 12" + 2" x 6")



#### X2DTR

Trunk Kit (20sq feet) 10/pack (12" x 24")





#### X2DUV1

Universal Kit (4sq feet) 2/pack (12" x 24")



# Stager

# HIGH PERFORMANCE

The core line of Stinger offers audiophiles the accessories they demand to build the high performance systems they live for. A focus on quality, Stinger is designed and engineered to achieve the highest performance from audio components, for precision sound reproduction no matter where the road takes you.

Our merchandising and dealer programs are developed to not only give your stores the products you desire, but also the profit you need to be successful.

# THE STINGER LINEUP

- Wiring Kits
- Wire
- Interconnects
- RoadKill Sound Damping
- Batteries
- Installation Accessories

# **WIRING KITS 6000 SERIES**

#### **6000 SERIES WIRING KITS**

Available in Power and Complete (power + signal) Kits, Stinger's 6000 Series Wiring kits have all the essentials for a professional installation. Featuring 100% oxygen-free tinned copper for a pure, uninterrupted transfer of power. Tru-spec cables/wires meet or exceed the industry standard of copper required for the gauge size.

# SK6201 1/0GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 4000 WATTS OR 300 AMPS





#### Kit Includes:

- ▶ 18ft./5.5m Matte Blue Hyper-Twist 1/0GA Power Wire
- ▶3ft./0.9m Matte Clear Hyper-Twist 1/0GA Ground Wire
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- ▶SHD201 Water-Resistant ANL Fuse-Holder
- ▶300-AMP Shoc-Krome ANL Fuse
- ▶1/0GA Crimp Ring Terminals Pre-Installed
- ▶Stinger Metal Installation Badge
- ▶16GA Blue Butt Connector
- ▶1/0GA Snap-In Protective Fire wall Grommet
- ▶ Self-Drilling Mounting Screws
- ▶(10) 7"/17.8cm Wire Ties

# SK6241 4GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1750 WATTS OR 175 AMPS





- ▶18ft./5.5m Matte Blue Hyper-Twist 4GA Power Wire
- ▶3ft./0.9m Matte Clear Hyper-Twist 4GA Ground Wire
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- ▶SHD801 Water-Resistant Mini-ANL (MIDI) Fuse-Holder
- ▶175-AMP Shoc-Krome Mini-ANL (MIDI) Fuse
- ▶4GA Crimp Ring Terminals Pre-Installed
- ▶Stinger Metal Installation Badge
- ▶16GA Blue Butt Connector
- ▶4GA Snap-In Protective Fire wall Grommet
- ▶ Self-Drilling Mounting Screws
- ▶(10) 7"/17.8cm Wire Ties

# **WIRING KITS 6000 SERIES**

**POWER KITS: POWER + SIGNAL** 

# SK6281 8GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 800 WATTS OR 70 AMPS



- ▶ 18ft./5.5m Matte Blue Hyper-Twist 8GA Power Wire
- ▶3ft./0.9m Matte Clear Hyper-Twist 8GA Ground Wire
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- ▶SHD801 Water-Resistant Mini-ANL (MIDI) Fuse-Holder
- ▶70-AMP Shoc-Krome Mini-ANL (MIDI) Fuse
- ▶8GA Crimp Ring Terminals Pre-Installed
- ▶Stinger Metal Installation Badge
- ▶16GA Blue Butt Connector



# **COMPLETE WIRING KITS 6000 SERIES**

**COMPLETE KITS: POWER + SIGNAL** 

# SK6641 4GA Complete Wiring Kit (power + signal + speaker wire)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1750 WATTS OR 175 AMPS





#### Kit Includes:

- ▶ 18ft./5.5m Matte Blue Hyper-Twist 4GA Power Wire
- ▶3ft./0.9m Matte Clear Hyper-Twist 4GA Ground Wire
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- ▶(1) 17ft./5.2m 6000 Series 2-Channel Audio Interconnect (SI6217)
- ▶30ft./9.1m Matte Blue Hyper-Twist 16 Gauge Speaker Wire
- SHD801 Water-Resistant Mini-ANL (MIDI) Fuse-Holder
- ▶175-AMP Shoc-Krome Mini-ANL (MIDI) Fuse
- ▶4GA Crimp Ring Terminals Pre-Installed
- ▶Stinger Metal Installation Badge
- ▶16GA Blue Butt Connector
- ▶4GA Snap-In Protective Fire wall Grommet
- ► Self-Drilling Mounting Screws
- ▶ Pre-Installed techflex tubing
- ▶(10) 7"/17.8cm Wire Ties

# SK6681 8GA Complete Wiring Kit (power + signal + speaker wire)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 800 WATTS OR 70 AMPS



- ▶ 18ft./5.5m Matte Blue Hyper-Twist 8GA Power Wire
- ▶3ft./0.9m Matte Clear Hyper-Twist 8GA Ground Wire
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- ▶(1) 17ft./5.2m 6000 Series 2-Channel Audio Interconnect (SI6217)
- SHD801 Water-Resistant Mini-ANL (MIDI) Fuse-Holder
- ▶70-AMP Shoc-Krome Mini-ANL (MIDI) Fuse
- ▶8GA Crimp Ring Terminals Pre-Installed
- ▶Stinger Metal Installation Badge
- ▶16GA Blue Butt Connector
- ▶8GA Snap-In Protective Fire wall Grommet
- ▶ Self-Drilling Mounting Screws
- ▶Pre-Installed techflex tubing
- ▶(10) 7"/17.8cm Wire Ties

# **WIRING KITS 4000 SERIES**

## **4000 SERIES WIRING KITS**

Available in Power and Complete (power + signal) Kits, Stinger's 4000 Series Wiring kits have all the essentials for a professional installation. Featuring 100% oxygen-free tinned copper for a pure uninterrupted transfer of power. Tru-spec cables/wires meet or exceed the industry standard of copper required for the gauge size.

# SK4201 1/0GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 3400 WATTS OR 250 AMPS





#### **Kit Includes:**

- ▶ 18ft./5.5m Matte Red Hyper-Twist 1/0GA Power Wire
- ▶3ft./0.9m Matte Black Hyper-Twist 1/0GA Ground Wire
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- SPD5201 ANL Fuse-Holder
- ▶250-AMP Shoc-Krome ANL Fuse
- ▶1/0GA Crimp Ring Terminals Pre-Installed
- ▶16GA Blue Butt Connector
- ▶1/0GA Snap-In Protective Fire wall Grommet
- ► Self-Drilling Mounting Screws
- ▶(10) 7"/17.8cm Wire Ties

# SK4241 4GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1500 WATTS OR 150 AMPS





- ▶18ft./5.5m Matte Red Hyper-Twist 4GA Power Wire
- ▶3ft./0.9m Matte Black Hyper-Twist 4GA Ground Wire
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- SPD5801 Mini-ANL (MIDI) Fuse-Holder
- ▶150-AMP Shoc-Krome MIDI Fuse
- ▶4GA Crimp Ring Terminals Pre-Installed
- ▶16GA Blue Butt Connector
- ▶4GA Snap-In Protective Fire wall Grommet
- ▶ Self-Drilling Mounting Screws
- ▶(10) 7"/17.8cm Wire Ties

# **WIRING KITS 4000 SERIES**

# SK4281 8GA Power Wiring Kit

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 600 WATTS OR 60 AMPS





#### Kit Includes:

- ▶ 18ft./5.5m Matte Red Hyper-Twist 8GA Power Wire
- ▶3ft./0.9m Matte Black Hyper-Twist 8GA Ground Wire
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- SPD5101 AGU Fuse-Holder
- ▶60-AMP AGU Fuse
- ▶8GA Crimp Ring Terminals Pre-Installed
- ▶16GA Blue Butt Connector
- ▶8GA Snap-In Protective Fire wall Grommet
- ► Self-Drilling Mounting Screws
- ▶(10) 7"/17.8cm Wire Ties

**COMPLETE KITS: POWER + SIGNAL** 

# SK4641 4GA Complete Wiring Kit (power + signal)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 1500 WATTS OR 150 AMPS





- ▶18ft./5.5m Matte Red Hyper-Twist 4GA Power Wire
- ▶3ft./0.9m Matte Black Hyper-Twist 4GA Ground Wire
- ▶ (1) 17ft./5.2m 4000 Series 2-Channel Audio Interconnect (SI4217)
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- SPD5801 Mini-ANL (MIDI) Fuse-Holder
- ▶ 150-AMP Shoc-Krome MIDI Fuse
- ▶4GA Crimp Ring Terminals Pre-Installed
- ▶16GA Blue Butt Connector
- ▶4GA Snap-In Protective Fire wall Grommet
- ► Self-Drilling Mounting Screws
- ▶(10) 7"/17.8cm Wire Ties

# **WIRING KITS 4000 SERIES**

# SK4681 8GA Complete Wiring Kit (power + signal)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 600 WATTS OR 60 AMPS





#### Kit Includes:

- ▶ 18ft./5.5m Matte Red Hyper-Twist 8GA Power Wire
- ▶3ft./0.9m Matte Black Hyper-Twist 8GA Ground Wire
- (1) 17ft./5.2m 4000 Series 2-Channel Audio Interconnect (SI4217)
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- SPD5101 AGU Fuse-Holder
- ► 60-AMP AGU Fuse
- ▶8GA Crimp Ring Terminals Pre-Installed
- ▶16GA Blue Butt Connector
- ▶8GA Snap-In Protective Fire wall Grommet
- ► Self-Drilling Mounting Screws
- ▶(10) 7"/17.8cm Wire Ties

# SK46101 10GA Complete Wiring Kit (power + signal)

DESIGNED SPECIFICALLY FOR CAR AUDIO SYSTEMS UP TO 300 WATTS OR 30 AMPS





- ▶18ft./5.5m Matte Red Hyper-Twist 10GA Power Wire
- ▶3ft./0.9m Matte Black Hyper-Twist 10GA Ground Wire
- ►(1) 17ft./5.2m 4000 Series 2-Channel Audio Interconnect (SI4217)
- ▶17ft./5.2m Matte Blue 18GA Remote Turn-On Wire
- ▶Water-Resistant ATC Fuse-Holder
- ▶30-AMP ATC Fuse
- ▶10GA Crimp Ring Terminals Pre-Installed
- ▶16GA Blue Butt Connector
- ▶10GA Snap-In Protective Fire wall Grommet
- ► Self-Drilling Mounting Screws
- ▶(10) 7"/17.8cm Wire Ties

# WIRING KITS QUICK REFERENCE GUIDE



	PART NUMBER	PRODUCT
	SK6201	1/0 GA Power Wiring Kit
	SK6641	4 GA Complete Wiring Kit
	SK6241	4 GA Power Wiring Kit
6000	SK6681	8 GA Complete Wiring Kit
SERIES	SK6281	8 GA Power Wiring Kit
	SK4201	1/0 GA Power Wiring Kit
	SK4641	4 GA Power + Signal Wiring Kit
	SK4241	4 GA Power Wiring Kit
	SK4681	8 GA Power + Signal Wiring Kit
4000	SK4281	8 GA Power Wiring Kit
SERIES	SK46101	10 GA Power + Signal Wiring Kit

# WIRING KITS SPECIALTY

## MARINE POWER WIRING INSTALLATION KIT

- ➤ Power wiring kit utilizing Marine-Grade jacket. True copper for current transfer and tinned conductors for reliability in the harsh marine environment
- ▶ Industry first Siamese Pair dual power and ground wire
- ▶ High strand count OFC hyper-twist tinned conductors
- ➤ Highest Marine-Grade Type III BC5W2 compliant marine PVC Jacket,1050C dry, 750C wet, salt, fog, oil, water-resistant; exceeds UL1426 marine standards
- ► Element-resistant MIDI Fuse-Holder

**SEA4247** - 4GA 7 meter / 23 feet / 80-AMP MIDI fuse **SEA4243** - 4GA 3 meter / 9.8 feet / 175-AMP MIDI fuse **SEA4287** - 8GA 7 meter / 23 feet / 40-AMP MIDI fuse **SEA4283** - 8GA 3 meter / 9.8 feet / 80-AMP MIDI fuse





**SEAK4247** 

SEAK4287

▶ Spooled wire available SEASW4125 4GA - SEASW8125 8GA

# SPXRZR4242

# UNIVERSAL 2/4 CHANNEL AMP INSTALLATION KIT FOR OFF-ROAD VEHICLES

Plug-and-Play for 2014+ Polaris RZR

- ▶ Kit includes under dash amplifier mounting bracket
- ▶ Pre-cut and loomed power/ground & speaker wire harnesses
- ► Fusing and pre-terminated wiring
- ▶ Compatible with 2-seat and 4-seat models
- ▶4GA into dual 8GA power/ground wire
- ▶16GA speaker wire
- ▶150-AMP MIDI fuse



# WIRING KITS SPECIALTY

# **SVTK4681**

# HARLEY-DAVIDSON 2/4-CHANNEL UNIVERSAL AMPLIFIER WIRING KIT

Plug-and-Play for 1998+ Harley-Davidson Touring Motorcycles

- ▶ Pre-cut and loomed power/ground & speaker wire harnesses
- ▶ Direct fit wiring and fusing with pre-terminated ends with Ferrule connectors
- ▶ Includes OEM connections for interfacing with 1998 and up models
- ▶ Works on Street/Electra Glide and Road Glide models
- ▶ 8GA OFC power and ground
- ▶ 16GA speaker wire
- ► 60-AMP MAXI fuse







# **MERCHANDISING**






## SGM1V2 Slatwall Wire Rack 7" H x 22.5" W x 14" D



Standing Wire Rack with Locking Wheels 52" H x 24" W x 21" D



Stinger's power and speaker wire is made of True-Spec, tinned, oxygen-free copper for oxidation prevention, making Stinger one of the best conductors available. Our wire boasts Hyper-Twist construction, creating a dense yet incredibly flexible wire that's easy to install & provides outstanding



Why Stinger Only Uses OFC Copper

100% Copper															
COPPER WIRE AMPERAGE in Feet															
		10	20	30	40	50	60	75	100	150	200	350	500	750	1000
GAUGE	000							95	72	48	36	22	15	10	8
	1/0							61	45	30	23	15	9		
	3				57	45	38	29	20	15	12	7			
	4			60	45	36	30	24	18	12	9				
	8		36	24	18	14	12	9							
	10	22	15	11	9										
					Conserv	ative Los	s Adjustr	nent for	CCA 45%	76					
					C	CA WIRE	AMPER	AGE in Fe	eet						
		10	20	30	40	50	60	75	100	150	200	350	500	750	1000
	000							52	40	26	20	12	8	6	4
GAUGE	1/0							34	25	17	13	8	5		
	3				31	25	21	16	11	8	7	4			
	4			33	25	20	17	13	10	7	5				
	8		20	13	10	8	7	5							
	10	12	8	6	5										

# **WIRE: POWER WIRE**

# **POWER WIRE**



#### 1/0GA

\$\frac{\text{SHW10B}}{\text{ (50ft/15.2m Roll): Blue}}\$\$\$\$SHW10G (50ft/15.2mRoll): Gray \$\$\$SHW10C (50ft/15.2m Roll): Clear \$\$\$\$\$\$\$PW10TR (50ft/15.2m Roll): Matte Red \$\$\$\$\$\$\$\$\$PW10TB (50ft/15.2m Roll): Matte Black \$\$\$\$\$\$\$\$\$\$\$

**SHW14B20** (20ft/6.1 m Blister): Blue

#### 4GA

SHW14C7 (7ft/2.1m Blister): Clear SHW14B (100ft/30.5m Roll): Blue SHW14G (100ft/30.5m Roll): Gray SHW14C (100ft/30.5m Roll): Clear SPW14TR (100ft/30.5m Roll): Matte Red SPW14TB (100ft/30.5m Roll): Matte Black SPW14TB250 (250ft/76.2m Roll): Matte Black SPW14TB250 (250ft/76.2m Roll): Matte Black

#### 8GA

SHW18B20 (20ft/6.1m Blister): Blue SHW18C7 (7ft/2.1m Blister): Clear SHW18B (250ft/76.2m Roll): Blue SHW18G (250ft/76.2m Roll): Gray SHW18C (250ft/76.2m Roll): Clear SPW18TR (250ft/76.2m Roll): Matte Red SPW18TB (250ft/76.2m Roll): Matte Black SPW18TR500 (500ft/152.4m Roll): Matte Red SPW18TB500 (500ft/152.4m Roll): Matte Black

#### **10GA**

**SPW110TR** (250ft/76.2m Roll): Matte Red **SPW110TR500** (500ft/152.4m. Roll): Matte Red **SPW110TB** (250ft/76.2m Roll): Matte Black **SPW110TB500** (500ft/152.4m. Roll): Matte Black

# 1/0GA POWER WIRE



1/0GA Matte Blue (50ft/15.2m Roll) 4214 strands



1/0GA Matte Gray (50ft/15.2m Roll) 4214 strands



1/0GA Matte Clear (50ft/15.2m Roll) 4214 strands



1/0GA Matte Red (50ft/15.2m Roll) 4214 strands

# **4GA POWER WIRE**



SPW10TB 1/0GA Matte Black (50ft/15.2m Roll) 4214 strands



4GA Matte Blue (100ft/30.5m Roll) 1666 strands



SHW14G 4GA Matte Gray (100ft/30.5m Roll) 1666 strands



4GA Matte Clear (100ft/30.5m Roll) 1666 strands



4GA Matte Red (100ft/30.5m Roll) 1666 strands



SPW14TR250 4GA Matte Red (250ft/76.2m Roll) 1666 strands



SPW14TB

4GA Matte Black
(100ft/30.5m Roll)
1666 strands



SPW14TB250 4GA Matte Black (250ft/76.2m Roll) 1666 strands

# **WIRE: POWER WIRE**

#### **8GA POWER WIRE**



8GA Matte Blue (250ft/76.2m Roll) 665 strands



SHW18G 8GA Matte Gray (250ft/76.2m Roll) 665 strands



SHW18C 8GA Matte Clear (250ft/76.2m Roll) 665 strands



8GA Matte Red (250ft/76.2m Roll) 665 strands



**SPW18TR500** 8GA Matte Red (500ft/152.4m Roll) 665 strands



8GA Matte Black (250ft/76.2m Roll) 665 strands



SPW18TB500 8GA Matte Black (500ft/152.4m Roll) 665 strands

# **10GA POWER WIRE**



SPW110TR 10GA Matte Red (250ft/76.2m Roll) 413 strands



10GA Matte Red (500ft/152.4m Roll) 413 strands



SPW110TB 10GA Matte Black (250ft/76.2m Roll) 413 strands



SPW110TB500 10GA Matte Black (500ft/152.4m Roll) 413 strands

# **WIRE: SPEAKER WIRE**

# SPEAKER WIRE

**10 GA SHW510G** (50 ft Roll): Gray

12 GA SPW512BK(250ft/76.2m Roll): Black SPW512B (100ft/30.5m Roll): Blue SPW512B250 (250ft/76.2m Roll): Blue SHW512G (100ft/30.5m Roll): Gray SHW512G250 (250ft/76.2m Roll): Gray

**14GA SHW514B15** (15ft/4.6m Blister): Blue **SPW514BK** (500ft/152.4m Roll): Black

**16 GA SHW516B50** (50ft/15.2m Blister): Blue **SHW516B** (250ft/76.2m Roll): Blue

16 GA Cont'd SHW516B500 (500ft/152.4m Roll): Blue SHW516G (250ft/76.2m Roll): Gray SHW516G500 (500ft/152.4m Roll): Gray SPW516GY (500ft/152.4m Roll): Gray SPW516BK (500ft/152.4m Roll): Black SPW516WH (500ft/152.4m Roll): White SPW516RB (1000ft/304.8m Roll): Red / Black SPW516C500 (500ft/152.4m Roll): Clear SPW516C (1000ft/304.8m Roll): Clear

**18 GA SPW518BK1** (1000ft/304.8m Roll): Black **SPW518C**(1000ft/304.8m Roll): Clear

**20 GA SPW520RB** (500ft/152.4m Roll): Red/Black

#### **10GA SPEAKER WIRE**



10GA Matte Gray (50ft/15.2m Roll) 462 strands

### **12GA SPEAKER WIRE**



12GA Black (250ft/76.2m Roll) 238 strands



12GA Matte Blue (100ft/30.5m Roll) 238 strands



12GA Matte Blue (250ft/76.2m Roll) 238 strands



SHW512G 12GA Matte Gray (100ft/30.5m Roll) 238 strands

SHW512G250 12GA Matte Gray (250ft/76.2m Roll) 238 strands



SPW514BK 14GA Black (500ft/152.4m Roll) 182 strands

# **16GA SPEAKER WIRE**



SHW516B 16GA Matte Blue (250ft/76.2m Roll) 65 strands



SHW516B500 16GA Matte Blue (500ft/152.4m Roll) 65 strands



SHW516G 16GA Matte Gray (250ft/76.2m Roll) 65 strands

# **WIRE: SPEAKER WIRE**



16GA Matte Gray (500ft/152.4m Roll) 65 strands



16GA Gray (500ft/152.4m Roll) 65 strands



16GA Black (500ft/152.4m Roll) 65 strands



16GA White (500ft/152.4m Roll) 65 strands



16GA Red/Black (1000ft/304.8m Roll) 26 strands



16GA Clear (500ft/152.4m Roll) 26 strands



16GA Clear (1000ft/304.8m Roll) 26 strands



18GA Black (1000ft/304.8m Roll) 41 strands




18GA Clear (1000ft/304.8m Roll) 16 strands



20GA Red/Black (500ft/152.4m Roll)



6 Conductor Speaker w/ RGB Roll Wire (120') 16GA Speaker Wire (red/black) 20GA Control Wire (red/green/blue/black)



# 9 ConductorSpeedwire

18GA

EIA Standard Color Codes SGW9920: 20ft/6.1m Blister SGW991: 100ft/30.5m Roll SGW992: 250ft/76.2m Roll



# 5 Conductor Speedwire

18GA


EIA Standard Color Codes **SGW951:** 100ft/30.5m Roll



# **WIRE: PRIMARY WIRE**

Our primary installation wire is constructed of OFC copper for high current transfer. With a wide variety of colors and applications, Stinger has your installation needs covered.

- · High-Temp/Flexible/PVC Jacket
- ·Ranging from 12GA to 18GA
- · Interior or Under Hood Applications





Standing Wire Rack with Locking Wheels 52" H x 24" W x 21" D



Slatwall Wire Rack 7" H x 22.5" W x 14" D

# **WIRE: PRIMARY WIRE**

# **12GA PRIMARY WIRE**



SPW312RD 12GA Red (500ft/152.4m Roll)



SPW312BK 12GA Black (500ft/152.4m Roll)





SPW314RD 14GA Red (500ft/152.4m Roll)



SPW314BK 14GA Black (500ft/152.4m Roll)





SPW316RD 16GA Red (500ft/152.4m Roll)



SPW316BK 16GA Black (500ft/152.4m Roll)





SPW316BL 16GA Blue (500ft/152.4m Roll)



SPW316YL 16GA Yellow (500ft/152.4m Roll)



SPW516RB 16GA Red/Black (500ft/152.4m Roll)

# **WIRE: PRIMARY WIRE**

18GA + 20GA PRIMARY WIRE



**SPW318BL** 18GA Blue (500ft/152.4m Roll)



**SPW318BL1** 18GA Blue (1000ft/304.8m Roll)



**SPW318BK** 18GA Black (500ft/152.4m Roll)



**SPW318BK1** 18GA Black (1000ft/304.8m Roll)



**SPW318BR** 18GA Brown (500ft/152.4m Roll)



**SPW318GR** 18GA Green (500ft/152.4m Roll)



**SPW318GY** 18GA Gray (500ft/152.4m Roll)



**SPW318OR** 18GA Orange (500ft/152.4m Roll)



**SPW318PK** 18GA Pink (500ft/152.4m Roll)



**SPW318PU** 18GA Purple (500ft/152.4m Roll)



**SPW318RD** 18GA Red (500ft/152.4m Roll)



**SPW318WH** 18GA White (500ft/152.4m Roll)



**SPW318YL** 18GA Yellow (500ft/152.4m Roll)




**SPW318TU** 18GA Trans. Blue (500ft/152.4m Roll)



**SPW520RB** 20GA Red/Black (500ft/152.4m Roll)

# Interconnects

Stinger offers peak performance interconnects that are flexible and look great even in highly complicated installations.




NOTES:		

# **INTERCONNECTS: 9000 SERIES**

# 9000 SERIES OF INTERCONNECTS - MAP PROTECTED


Made to deliver the best bass response, openness, tonality, and accuracy possible while drastically reducing electrical resistance and interference.



Rhodium-plated machined copper, locking RCA end

Rhodium-plated, high conductivity copper interconnect with electrically neutral carbon fiber inserts

#### 12 CONDUCTORS PER 2CH CABLE



Separate drain leads for +/-

Pure silver conductors for full midrange & detailed high frequencies

Ultra OFC long grain copper conductors for deep bass

Dual Mylar foil for EMI noise rejection

Metal braided shielding for immunity to raidiated noise

PVC ultra compound for flexibility and durability

#### Electrically neutral carbon fiber cosmetic transition stopper

Cotton mesh protective cover

#### 2-CHANNEL INTERCONNECTS

**SI9220:** Length: 20ft/6.1m

SI9217: Length: 17ft/5.2m

**SI9212:** Length: 12ft/3.7m

**SI926:** Length: 6ft/1.8m


**SI923:** Length: 3ft/0.9m

SI91.5: Length: 1.5ft/0.5m

SI92YM: 2 male - 1 female



# **INTERCONNECTS: 8000 SERIES**





#### **FEATURES**

- ► Stinger Audiophile Grade Design Improves Sound Quality, Noise Rejection, and Offers Easy Installation
- Oversized Silver-Plated Copper Conductors Provide Tight Bass Response, and Crystal Clear Highs
- ► Combination of Copper and Silver Allows for Extended Frequency Response
- ▶ Mono Cable Design with Undersized Stopper
- ► Molded Strain Reliefs for Excellent Durability
- ▶ Locking Split-Tip Connectors Allow Better Signal Transfer
- No Solder Joints for True Channel Separation and Connection Reliability
- Precision Machined "Twisting" Metal Ends with Channel Identification
- ► Twisted Pair Winding Patterns Improve Clarity and Ensure Consistent Timing
- ▶ Pewter Finished Ends for High-End Installs
- ▶ Black Mesh Protective Jacket Looks Great and Minimizes Friction for Easy Install
- ▶ Directional High Rate Double Twisted-Pair Construction Provides Protection against Interference
- ▶ Triple Braided Shielding Construction for Increased Noise Rejection
- ► Mylar Shielding for Increased Noise Rejection
- ▶ 3 Conductors per Channel for a Total of 6 Conductors (2 Channels)
- ► Continuous Connection Construction (C3 Tech) Provides Unmatched Signal Transfer

# Split-Tip Ends Precision Machined, Locking, Metal RCA Ends Continuous Connection Construction (C3 Tech) Silver-Plated OFC Conductors Directional Drain Wire Dual Mylar and Braided Shield Mesh Protective Layer

#### 2-CHANNEL INTERCONNECTS

#### 4-CHANNEL INTERCONNECTS

**\$18420:** Length: 20ft/6.1m

**SI8220:** Length: 20ft/6.1m **SI8217:** Length: 17ft/5.2m


**SI8217:** Length: 17ft/5.2m **SI8417:** Length: 17ft/5.2m **SI8212:** Length: 12ft/3.7m **SI8412:** Length: 12ft/3.7m

**\$1826:** Length: 6ft/1.8m **\$1823:** Length: 3ft/0.9m

**\$182YF:** 2 female - 1 male **\$182YM:** 2 male - 1 female

Y CONNECTORS

# **INTERCONNECTS: 6000 SERIES**





#### **FEATURES**

- ► Stinger Audiophile Grade Design Improves Sound Quality, Noise Rejection, and Offers Easy Installation
- ▶ Oversized OFC Conductors Provide Excellent Sound Quality
- ► Continuous Connection Construction (C3 Tech) Provides Unmatched Signal Transfer
- ► Mylar Shielding for Increased Noise Rejection
- ▶ Directional Twisted-Pair Construction Provides Protection against Interference
- ▶ Split-Tip Machined Metal Connector Allows Better Signal Transfer
- ► Twisted Pair Winding Patterns Improve Clarity and Broaden Dynamic Range
- ▶ Blue Protective Jacket Looks Great and Minimizes Friction for Easy Install
- ► Molded Strain Reliefs for Excellent Durability
- ▶ 3 Conductors per Channel for a Total of 6 Conductors (2 Channels)
- ► Color Coded Channel Identification



# 2-CHANNEL INTERCONNECTS 4-CHANNEL INTERCONNECTS Y CONNECTORS


 \$16220: Length: 20ft/6.1m
 \$16420: Length: 20ft/6.1m
 \$162YF: 2 female - 1 male

 \$16217: Length: 17ft/5.2m
 \$16417: Length: 17ft/5.2m
 \$162YM: 2 male - 1 female

**SI6212:** Length: 12ft/3.7m **SI6412:** Length: 12ft/3.7m

**SI626:** Length: 6ft/1.8m **SI623:** Length: 3ft/0.9m

# **INTERCONNECTS: 4000 SERIES**





#### **FEATURES**

- ► Stinger Audiophile Grade Design Improves Sound Quality, Noise Rejection, and Offers Easy Installation
- ▶ Oversized OFC Conductors Provide Excellent Sound Quality
- ► Continuous Connection Construction (C3 Tech) Provides Unmatched Signal Transfer
- ► Split-Tip Connector Allows Better Signal Transfer
- ► Stinger Audiophile Grade Design Improves Sound Quality, Noise Rejection, and Offers Easy Installation
- ► Compact Connector Design for Easy Installation
- ▶ Twisted Pair Winding Patterns Improve Clarity and Broaden Dynamic Range
- Minimalistic Clear Protective Jacket Looks Great and Minimizes Friction for Easy Install
- ▶ Molded Strain Reliefs for Extra Durability
- ▶ Directional Twisted-Pair Construction Provides Protection against Interference
- ▶ Stingers Proprietary Shoc-Krome-Plated Connectors for Excellent Signal Transfer
- ► Color Coded Channel Identification

## 2-CHANNEL INTERCONNECTS

**SI4220:** Length: 20ft/6.1m **SI4217:** Length: 17ft/5.2m **SI4215:** Length: 15ft/4.6m **SI4212:** Length: 12ft/3.7m **SI429:** Length: 9ft/2.7m **SI426:** Length: 6ft/1.8m **SI423:** Length: 3ft/0.9m **SI421.5:** Length: 1.5ft/0.5m

SI42YF: Length: 2 female - 1 male

SI42YM: 2 male - 1 female

4-CHANNEL INTERCONNECTS

**SI4420:** Length: 20ft/6.1m **SI4417:** Length: 17ft/5.2m **SI4412:** Length: 12ft/3.7m

#### **6-CHANNEL INTERCONNECTS**


**\$14620**: Length: 20ft/6.1m **\$14617**: Length: 17ft/5.2m **\$14612**: Length: 12ft/3.7m

3.5mm TO RCA

**SI436:** Length: 6ft/1.8m **SI433:** Length: 3ft/0.9m

3.5mm TO 3.5mm

**SI416:** Length: 6ft/1.8m **SI413:** Length: 3ft/0.9m



#### AUDIO/VIDEO


**SI4917:** Length: 17Ft/5.2m

**\$\$1493:** Length: 3Ft/0.9m

VIDEO

**SI4820**: Length: 20Ft/6.1m **SI4817**: Length: 17Ft/5.2m **SI4812**: Length: 12Ft/3.7m **SI486**: Length: 6Ft/1.8m **SI483**: Length: 3Ft/0.9m

# **INTERCONNECTS: 1000 SERIES**





#### **FEATURES**

- ▶ Audiophile Grade Performance on a Budget
- ► Co-Axial Construction with Two Conductors per Channel
- ► Compact Molded Ends with Colored Channel Identifiers
- ▶ Noise Rejecting Coaxial Construction
- ▶ Heavy Gauge Conductors Provide Great Sound Quality
- ▶ High Strength Molded Strain Reliefs for Excellent Durability
- ▶ Continuous Connection Construction (C3 Tech) Provides Unmatched Signal Transfer

SI12YM: 2 male - 1 female

▶ Shoc-Krome Ends for High Quality Performance without Corrosion

# Color Coded Channel Identification Channel Gentifiers I Quality Durability Provides Unmatched Signal Transfer without Corrosion Y CONNECTORS S112YF: 2 female - 1 male

#### 2-CHANNEL INTERCONNECTS


\$I1220: Length: 20ft/6.1m \$I1217: Length: 17ft/5.2m \$I1215: Length: 15ft/4.6m \$I1212: Length: 12ft/3.7m \$I129: Length: 9ft/2.7m \$I126: Length: 6ft/1.8m \$I123: Length: 3ft/0.9m \$I121.5: Length: 1.5ft/0.5m

# **INTERCONNECTS: SPECIALTY VEHICLES**

Stinger marine interconnect cables are specifically designed to thrive in the marine environment, enhancing your audio experience at the dock or off-shore.

- ► Comprised of Tinned OFC Copper Conductors with Polyethylene Dielectrics Assembled in a High Rate Twisted-Pair Configuration for Ultimate Noise Rejection
- ▶ The White Outer PVC Jacket is Flexible for Easy Routing through Tight Spaces
- ▶ Molded Connectors with Machined, Nickel-Plated, Brass Contacts Offer Superior Connection Integrity, Signal Transfer and Maximum Corrosion Resistance
- ▶ SMRAUX Input Utilizes a Splash-Proof Cover to Keep the Connections Intact\*

\*Only Available on SMRAUX and SMAUXUSB3











# Stinger\* ROAMIII

# OBLITERATE UNWANTED NOISE WITH ROADKILL SOUND DAMPING SOLUTIONS

- ▶ Kills panel resonance, squeaks, and rattles
- ▶ Improves overall audio frequency response and bass output
- ▶ For use on all metal panels, doors, roof, floor, fire wall, & trunk
- ► Self-adhesive for easy installation

SOLUTIONS ENGINEERED FOR SPECIFIC APPLICATIONS DELIVERING ULTIMATE PERFORMANCE

**ULTIMATE-** Joining our Expert and Overkill materials for the Ultimate noise killer, comprised of an acoustic foam outer layer, aluminum middle layer, and a proprietary, ultra-dense butyl blend bottom layer

**EXPERT-** Unlimited uses, material built from an aluminum outer layer (6 mils), and an ultra-dense butyl blend bottom layer (0.65 lbs/ft²)

**STEALTH-** When you want premium sound damping without the weight, at 0.45 lbs/ft<sup>2</sup>. Stealth is comprised of a black aluminum layer at 4 mils with a lightweight butyl layer

**HOOD LINER-** Isolates engine noise and heat, comprised of a heat reflecting aluminum layer with heat-resistant and sound absorbing foam layer

**OVERKILL-** Dense 1/4" foam for interior door panel damping, decimates high frequency noise and commonly used as a barrier/gasket material

**CARPET PAD-** Used under carpet for a massive reduction in low frequency road noise, a dual layer construction with a dense rubber barrier and foam isolation

**SPEAKER WAVE RINGS-** Installed behind door speakers to reduce distortion, acoustic foam disperses standing waves for enhanced sound quality



**FAST RINGS-** Increases speaker output, improves the projection of the audio into the car cabin, and reduces unwanted rear reflections that can degrade the sound. Includes gasket for speaker mounting to the baffle plate surface, middle ring to mount around the outer edge of the speaker, and circular foam pad that goes behind the speaker to absorb unwanted reflections.

# RoadKill ULTIMATE

**RoadKill Ultimate** combines the benefits of our Expert aluminum/butyl material and Overkill acoustic foam to create the Ultimate noise killer. The combination of these two products will more than double the results than when used on their own.

Reduce a massive amount of unwanted resonating noise (panel vibrations, road noise, exhaust, engine noise & vibration) allowing your audio system to sound even louder and with more clarity and definition.

#### **FEATURES:**

- Improves overall audio frequency response and bass output
- ▶ Kills panel resonance, squeaks and rattles
- > Self-adhesive for easy installation
- ▶ Use on all metal panels, doors, roof, floor, fire wall & trunk
- ▶ Highest damping vs. weight ratio of any material available
- Waterproof

	RoadKill Ultimate				
Minimum Thickness	5.5mm				
Weight	0.55lbs/ft²				
Aluminum Layer	3 mil				
Foam Layer	2 mil				

# ROADKILL ULTIMATE DNA Acoustic foam outer layer that absorbs and diffuses high frequency sounds, acts as a thermal barrier, and absorbs sound waves that are otherwise trapped inside the empty space behind door panels. Aluminum middle layer helps with heat dissipation. Proprietary, ultra-dense butyl blend bottom layer absorbs acoustical energy that causes unwanted rattles and reduces vibrations.





# RoadKill

#### RoadKill Expert

0.080in	Minimum Thickness
0.65lbs/ft²	Weight
6 mil	Aluminum Layer

#### **ROADKILL EXPERT FEATURES:**

- Aluminum outer layer
- Self-adhesive
- Easy installation
- Use on all metal panels, doors, roof, floor, fire wall & trunk
- Kills panel resonance, squeaks and rattles
- Highest damping vs. weight ratio of any material available
- Improves overall audio frequency response and bass output







Bulk Pack **RKX36B**36 sq-ft. total

9/pack (18" x 32")



**RKXTK** 20 sq-ft total 10/pack (12" x 24")

Trunk Kit



Door Kit **RKXDK** 

12 sq-ft total 6/pack (12" x 24")



Speaker Kit

RKXSK

1.7 sq-ft 2/pack (10" x 12")



Universal Kit

RKX4

4 sq-ft total 2/pack (12" x 24")



License Plate Kit

**RKXLIC** 

Includes frame (4" x 12" + 2" x 6")

# RoadKill Stealth

- · Stealth black aluminum
- · Lightweight construction
- · Self-adhesive
- · Easy installation
- · Similar performance to Expert Series
- · 25% Less weight

RoadKill Stealth

Minimum Thickness

1.55mm

Weight

0.45lbs/ft<sup>2</sup>

Aluminum Layer

2 mil

Stealth Bulk Pack

#### RKST36B

36 sq-ft. total 9/pack (18" x 32")

Stealth Speaker Kit

#### **RKSTSK**

1.7 sq-ft. 2/pack (10" x 12")



# RoadKill Overkill

- · Self-adhesive
- · Dense 1/4" foam
- · Easy conformability
- · Interior panel damping
- · Recommended for any installation that requires removal of panels
- · Eliminates annoying interior squeaks and rattles

OverKill Foam Mat **RKO12** 12 sq-ft. total 1/pack (46" x 38")



6mm





Minimum Thickness

Weight

0.25lbs/ft<sup>2</sup>

# RoadKill Carpet Pad

- · Dual layer construction
- · Dense mass loaded vinyl
- · Dense foam isolation
- · Easy cut & apply for installation under factory carpet
- · Insulates vehicle for more efficient HVAC
- · Huge reduction in low frequency road noise, which reduces driving fatigue

Carpet Pad Pack

#### RKCP12

12 sq-ft. total 1/pack (46" x 38") .365" thick

Carpet Pad

Minimum Thickness

Weight

7.8mm

0.41lbs/ft<sup>2</sup>



# RoadKill Hood Liner

- ·Temp Rating: 105°C/221°F
- · Isolates engine noise & heat
- · Lightweight construction
- · Self-adhesive
- · Easy installation
- · Diesel, turbocharged, or supercharged engines will benefit from RoadKill Hood Liner
- · Conforms easily to particular hood applications

Hood Liner Kit

#### **RKXHL**

12 sq-ft. total 1/pack (46" x 38") 1" Thick

Minimum Thickness





**Hood Liner** 

10mm

Weight 0.12lbs/ft<sup>2</sup>

· Reduces engine noise through hood -

# RoadKill FAST RINGS

#### FAST RINGS - Enhance the sound of any speaker!

Our patented 3-piece foam ring speaker enhancement system solves the problem of acoustically coupling aftermarket speakers to factory speaker openings. The RoadKill Fast Rings kit increases speaker output, improves the projection of the audio into the car cabin and reduces unwanted rear reflections that can degrade the sound.

**RKFR6** fits 6" and 6.5" Speakers

RKFR69 fits 6 x 9" Speakers

RKFR5 fits 5" and 5.25" Speakers

**RKFR5768** fits 5 x 7" and 6 x 8" Speakers

#### **INCLUDES:**

- Circular foam pad goes behind the speaker to absorb unwanted reflections on hard surfaces, such as inside a car door
- 2. Middle ring to mount around the outer edge of the speaker
- Gasket for speaker mounting to the baffle plate surface




#### SPEAKER STANDING WAVE RINGS

Eliminate distortion and improve bass response with one quick step by installing Stinger RoadKill Speaker Standing Wave Rings. Stinger RoadKill Speaker Standing Wave Rings absorb and deflect rear energy from the back of the speaker, keeping the energy from returning and interfering with the front wave output. The easy peel and stick adhesive allows for fast, clean installation when adding these rings to speaker installs, while the egg crate acoustic foam decreases distortion and increases bass response.

#### RKSP2

2/Pack (130mm ea) Black foil roll Waterproof






# RoadKill Tools







Stinger batteries are the heart of your sound system. They provide the quality and performance needed to run the kind of powerful system any car audio enthusiast would love.

# POWER<sup>2</sup> SERIES - SPP MARINE SERIES - SEA POWERSPORTS SERIES - SVT/SPX

# **FULL 3-Year Warranty**

**NON PRO-RATED** 

# More Power per Pound Than Any Other AGM/Lead Acid Battery



## **OEM BATTERIES GROUP SIZE QUICK REFERENCE GUIDE**

GROUP	WATTS	PART		
24F	3000+	SPP1500DCR*		
31	4300+	SPP2150		
34	3000+	SPP1500DC		
34M	3000+	SPP1500DC		
34R	3000+	SPP1500DCR		
35	3000+	SPP1500DCR*		
65	3250+	SPP1750DC		
75	2600+	SPP1300C		
78	3000+	SPP1500DC		
86	2600+	SPP1300C		

\*FITS MOST VEHICLES IN GROUP

# **Batteries**



# **Batteries**



SPP680	230	600			1800			
SPP950	438		950		1200			
SVT30L	410		925			24	00	
SPP1200	560			1200		26	600	
SPP1300C	61	0		1300		>	2700	
SPP1500DC/DCR		825			1500			
SPP1700			1050			1700		
SPP1750DC			1070			1750		
SPP2150			1050			21	150	
SPP2250			1	420			2250	

# **HCA POWER RATING**

HCA stands for Hot Cranking Amps. The HCA rating of a battery is it's ability to produce cranking power (to start your vehicle) at a temperature of 80 degrees Fahrenheit for 30 seconds.

HCA rating is a more real world test of power and this is where the SPP Power batteries really excel. The high density, thin-plate design allows the battery to "warm-up" after an initial cranking cycle, allowing it to produce up to 2.5x more power after the initial start attempt.

# ADVANCED ABSORBED GLASS MAT BATTERY DESIGNED FOR UNMATCHED POWER DELIVERY

# **CCA POWER RATING**

CCA stands for Cold Cranking Amps. The CCA rating of a battery is it's ability to produce cranking power (to start your vehicle) at a temperature of 32 degrees Fahrenheit for 30 seconds.

You want to choose a replacement battery that meets or exceeds the recommended CCA rating for your vehicle. Rest assured SPP Power batteries will meet or exceed CCA ratings for like sized standard batteries.

HCA rating is a more real world test of power and this is where the SPP Power batteries really excel.

3100

3150

3250

5000

5000

# PHCA POWER RATING

PHCA stands for PEAK Hot Cranking Amps. The PHCA (PEAK) rating of a battery is it's ability to produce maximum power (AMPS) in 5 second bursts at a temperature of 80 degrees Fahrenheit. The SPP Power batteries internal construction and high quality components allow for exponential PEAK power production. The thin pure lead plates and high conductivity terminals combine to lower internal resistance so the battery can unleash immense power when it is needed most. With SPP Power, your vehicle and it's electronics will perform at their fullest potential.

# **BATTERIES: POWER<sup>2</sup> SERIES**

# **SPP2250**



- CCA: 1420A
- ▶ Peak Discharge: 5000+ AMPS
- ▶ 5 Second Cranking AMPS: 2250A
- ▶ Internal Resistance: <2.2 mOhm
- ▶ 120Ah
- ▶ Includes Metal Jacket
- 3-Year Warranty

#### **Dimensions:**

- ► (8.11"H x 10.43"W x 11.02"L) (8.27" Total Height)
- ▶ (206mmH x 265mmW x 280mmL) (210mm Total Height)
- ▶ Weight: 85.32 lbs / 38.7kg

# SPP2150

# 4300+ WATTS **OEM FIT, GROUP 31**



- ▶ 5 Second Cranking AMPS: 2150A
- ▶ Internal Resistance: <2.2 mOhm
- ▶ 105Ah
- ▶ Includes Metal Jacket
- 3-Year Warranty

#### **Dimensions:**

- ► Group 31 Marine Standard
- ► (8.43"H x 6.77"W x 12.99"L) (8.66" Total Height)
- ▶ (214mmH x 172mmW x 330mmL) (220mm Total Height)
- ► Weight: 74.96 lbs / 34kg

# SPP1750DC

# 3250+ WATTS **OEM FIT, GROUP 65**



- ► Peak Discharge: 3400+ AMPS
- ▶ 5 Second Cranking AMPS: 1750A
- ▶ Internal Resistance: <3.1 mOhm
- ▶ 75Ah
- ▶ Includes Metal Jacket
- ▶ 3-Year Warranty

#### **Dimensions:**

- ► Group 65
- ► (6.67"H x 7.01"W x 11.81"L) (7.38" Total Height)
- ► (169.5mmH x 178mmW x 300mmL) (187.5mm Total Height)
- ▶ Weight: 561lbs / 25.4

# **SPP1700**



- ► Peak Discharge: 3300+ AMPS
- ▶ 5 Second Cranking AMPS: 1700A
- ▶ Internal Resistance: <3.5 mOhm
- ▶ Includes Metal Jacket
- 3-Year Warranty

## **Dimensions:**

- ► (7.05"H x 6.57"W x 13.82"L)
- ► (179mm H x 167mm W x 351mm L)
- Weight: 54.67 / 24.8kg

# **BATTERIES: POWER<sup>2</sup> SERIES**

# SPP1500DC

# **3000+ WATTS OEM FIT, GROUP 34/34M/78**



- ► CCA: 825A
- ▶ Peak Discharge: 3100+ AMPS
- ▶ 5 Second Cranking AMPS: 1500A
- ▶ Internal Resistance: <3.0 mOhm
- ▶ 65Ah
- Includes Metal Jacket
- ▶ 3-Year Warranty

#### **Dimensions:**

- ▶ OEM Mounting including GM/Ford and Other Group 34/34M/78 Vehicles
- ► (7.19"H x 7.09"W x 10.28"L) (8.15" Total Height)
- ▶ (182.5mmH x 180mmW x 261mmL) (207mm Total Height)
- ▶ Weight: 46.52lbs / 21.10kg

# **SPP1300C**

2600+ WATTS **OEM FIT, GROUP 75/86** 



#### Features:

- ► CCA: 560A
- ▶ Peak Discharge: 2600+ AMPS
- ▶ 5 Second Cranking AMPS: 1200A
- ▶ Internal Resistance: <4.0 mOhm
- Includes Metal Jacket
- ▶ 3-Year Warranty

#### **Dimensions:**

- ▶ OEM Mounting Including GM and Other Group 75/86 Vehicles
- ► (7.48"H x 6.89"W x 9.49"L)
- ► (190mmH x 175mmW x 241mmL)
- ► Weight: 42.11lbs / 19.10kg

# SPP1500DCR

**3000+ WATTS OEM FIT, GROUP 34R / MOST** 24F/35 (RIGHT HAND POSITIVE TERMINAL)



- Features: CCA: 825A
- ▶ Peak Discharge: 3100+ AMPS
- ▶ 5 Second Cranking AMPS: 1500A
- ▶ Internal Resistance: <3.0 mOhm
- ► 65Ah
- ▶ Includes Metal Jacket
- ▶ 3-Year Warranty

#### **Dimensions:**

- ▶ OEM Mounting Including Nissan/Honda and Other Group 34R (Most 24F/35) Vehicles (right hand positive terminal)
- ► (7.19"H x 7.09"W x 10.28"L) (8.15" Total Height)
- ▶ (182.5mmH x 180mmW x 261mmL) (207mm Total Height)
- ► Weight: 46.52lbs / 21.10kg

# **SPP1200**

2400+ WATTS



#### Features:

- ► CCA:560A
- ► Peak Discharge: 2600+ AMPS
- ▶ 5 Second Crankina AMPS: 1200A
- ▶ Internal Resistance: <4.0 mOhm
- ▶ 5 hour rate: 7.48A/37.4Ah ▶ Includes Metal Jacket
- ▶ 3-Year Warranty

#### **Dimensions:**

- ► (6.69"H x 6.54"W x 7.80"L)
- ► (170mmH x 166mmW x 198mmL)
- ► Weight: 33.29lbs / 15.10kg

# **BATTERIES: POWER<sup>2</sup> SERIES**

# **SPP950**

#### 1850+ WATTS



- ► CCA: 438A
- ▶ Peak Discharge: 2400+ AMPS
- ▶ 5 Second Cranking AMPS: 950A
- ▶ Internal Resistance: <5.0 mOhm
- ▶ 28Ah
- ▶ Includes Metal Jacket
- ▶ 3-Year Warranty

#### **Dimensions:**

- ► (4.92"H x 6.93"W x 6.50"L)
- ► (125.5mmH x 176mmW x 165mmL)
- ► Weight: 23.59 lbs / 10.70kg

# **SPP680**

#### 1360+ WATTS



# Features:

- ► CCA: 230A
- ▶ Peak Discharge: 1800+ AMPS
- ▶ 5 Second Cranking AMPS: 680A
- ▶ Internal Resistance: <5.5 mOhm
- ▶ 5 hour rate: 3.4A/17Ah
- ▶ Includes Metal Jacket
- ▶ 3-Year Warranty

#### **Dimensions:**

- ► (6.57"H x 3.03"W x 7.13"L)
- ► (167mmH x 77mmW x 181mmL)
- ▶ Weight: 15.43 lbs / 7kg

#### SPT55310

Adds side power hook ups to batteries that come with copper-alloy posts, Converts Stinger battery to GM Side Post. Includes short & long style.



FITS: SPP1500DC, SPP1500DCR, SPV69

# SPTG1

#### BATTERY CONDUCTANCE TESTER

Stinger's Battery Conductance Tester (SPTG1) with advanced conductance testing technology, allows you to digitally analyze the condition of your 12V battery. This unit checks voltage, cold cranking AMPS (CCA), resistance and overall battery condition. The (SPTG1) can be used to troubleshoot and find the root cause of a problem quickly and accurately.


#### **FEATURES**

- Conductance technology, simple, fast, accurate
- Vehicle battery test
- Vehicle charging system test
- Vehicle starting system test
- Use the USB interface to connect to the computer





# HARLEY-DAVIDSON AUDIO ACCESSORIES



#### **ACCESSORIZE YOUR HARLEY**

The Stinger Harley-Davidson line is built to complement any sound system upgrade, improving sound quality and component efficiency. Our direct replacement battery is just the start, discover our full line in the V-Twin section in this catalog. Sound damping, radio replacement kits and more.

# SVT30L HARLEY-DAVIDSON DIRECT REPLACEMENT BATTERY

- · Watts: 1850+
- ·CCA: 410A
- · Peak Discharge: 2400+ AMPS
- · 5 Second Cranking AMPS: 950A
- ·Internal Resistance: <5.0 mOhm
- · 28Ah
- · 3-Year Warranty

#### **Dimensions:**

- · (4.92"H x 6.93"W x 6.50"L)
- · (125.5mmH x 176mmW x 165mmL)
- · Weight: 23.59 lbs / 10.70kg

Replaces the following batteries: 66010-97C, 66010-97B, 66010-97A, 66010-97



# **BATTERIES: SPECIALTY VEHICLES**

# **POWERSPORTS BATTERIES**

# **SPX950**

**Vibration Resistant Powersports Battery** 



Features: ▶ Watts: 1850+ ► CCA: 410A

- ▶ Includes Metal Jacket
- ▶ 3-Year Warranty

#### **Dimensions:**

- ► (4.92"H x 6.93"W x 6.50"L)
- ► (125.5mmH x 176mmW x 165mmL)
- ▶ Weight: 23.59 lbs / 10.70kg

# **SPXRZRBAT2** SECOND BATTERY INSTALLATION KIT FOR 2014-2018 POLARIS RZR

- ▶ OEM style battery bracket with hardware
- ▶ 200-AMP pre-wired isolator relay
- ▶ 90° RZR battery terminals
- ► Compatible with 2-seat and 4-seat models

NOTE: Requires SPX950 - Sold Separately





# **BATTERIES: MARINE**



Ideal for trolling, starting, and for powering the many on-board electronic accessories common in today's boats and recreational vehicles.

Stinger's Advanced Absorbed Glass Mat battery will deliver the power and performance you want and the reliability you need.

- 3-year full replacement warranty
- 400+ full discharge cycles
- Sealed design can be mounted in any position



# **BATTERIES: MARINE**


# SEA27 GROUP 27




- ▶ 4000 Watts
- ▶ 12v Dry Cell Valve Regulated Lead Acid Battery (AGM)
- ► Good for over 400 full discharge cycles
- Quickly delivers power with an internal resistance of <3.0 mOhm</p>
- ▶ 20 hour rate: 3.9A/75Ah
- ▶ 5 hour rate: 12.5A/62.5Ah
- ▶ 1/2 hour rate: 109A/54.5Ah
- ▶ 5 Second Cranking AMPS: 1750A
- ► CCA: 950A
- ▶ Peak Discharge: >3400 A
- ▶ 3-Year Warranty

#### **Dimensions:**

- ► (8.31"H x 12.09"W x 6.65"D)
- Weight: 59.56 lbs



# **BATTERY ACCESSORIES: CAPACITORS**



Hybrid Caps are different than electrolytic. They combine carbon capacitors for added duration and electrolytic for quick discharge.

Fast Acting Electrolytic Cells 
High Visibility Display 
Built-in Power Distribution 
High-Power Carbon Cells 
Universal Styling





#### SPC5010

- ▶ 10 Farads
- ▶ 16V 18V Surge
- ▶ For Systems Up to 2000 Watts
- ▶ Louder & Clearer Bass Response
- ► Monitor System Voltage
- ▶ Stabilizes Battery Voltage
- ► Minimizes Headlight Dimming
- ▶ Similar to a Battery/Capacitor Combo
- ► Bright 4 Segment Red LED Display
- Accepts (2) 1/0GA or 4GA Inputs / Outputs or Combination of (1) each
- ► Unique Industrial Styling
- ▶ Black Powder-Coated Finish
- ► H 2" x L 14 1/4" x W 5 1/8"



#### **SPC505**

- ▶ 5 Farads
- ▶ 16V 18V Surge
- ▶ For Systems Up to 1000 Watts
- ▶ Louder & Clearer Bass Response
- ► Monitor System Voltage
- Stabilizes Battery Voltage
- Minimizes Headlight Dimming
- ▶ Similar to a Battery/Capacitor Combo
- Bright 4 Segment Red LED Display
- Accepts (2) 1/0GA or 4GA Inputs / Outputs or Combination of (1) each
- ▶ Unique Industrial Styling
- ▶ Black Powder-Coated Finish
- ► H 2" x L 7 1/2" x W 5 1/8"

# **BATTERY ACCESSORIES: TERMINALS**



SPT55310

Adds side power hook ups to batteries that come with copper-alloy posts, Converts Stinger battery to GM Side Post. Includes short & long style. FITS: SPP1500DC, SPP1500DCR, SPV69



SHT301
POSITIVE DIGITAL BATTERY
TERMINAL
(2) 1/0GA or (2) 4GA Outputs
Positive terminals only
Monitor system voltage



SHT303
POSITIVE OR NEGATIVE
BATTERY TERMINAL
(2) 1/0GA or (2) 4GA Outputs



SPT53102
POSITIVE BATTERY TERMINAL
(1) 1/0GA (1)4GA and (2) 8GA
Output
Multiple output design



SPT53302 NEGATIVE BATTERY TERMINAL (1) 1/OGA (1)4GA and (2) 8GA Outputs Multiple output design



SPT53103
POSITIVE BATTERY TERMINAL
Accepts (2) 5/16" Ring
terminals
Multiple output design
Works on positive battery post



SPT53303
NEGATIVE BATTERY TERMINAL
Accepts (2) 5/16" Ring
terminals
Multiple output design
Works on negative battery
post



SPT53502
POSITIVE OR NEGATIVE
BATTERY TERMINAL
(1) 1/OGA (2)4GA
Multiple output design
+/- terminals
Oversized set screws
Deep wire recesses



SPT53501
POSITIVE OR NEGATIVE
BATTERY TERMINAL
(2) 4GA (1)8GA
Multiple output design
+/- terminals
Oversized set screws
Deep wire recesses



POSITIVE OR NEGATIVE
(1) 4GA (1)8GA
Multiple output design
+/- terminals
Oversized set screws
Deep wire recesses
Accepts dual 5/16" ring
terminals



POSITIVE OR NEGATIVE
BATTERY TERMINAL
(1) 1/OGA (1)4GA and (2)
8GA Outputs
Ideal for use with GM side
posts or Stinger batteries
(Retains factory connection
on GM applications)
+/- terminals



SPT5201
BATTERY/RING TERMINAL
Dual 1/0GA Inputs to 5/16" Ring
Shoc-Krome Terminal



SPT55308
SHORT GM BATTERY POST (+/-)



SPT55309 LONG GM BATTERY POST (+/-)



SQD0
HIGH AMPERAGE QUICK
DISCONNECT OGA
Polarity identification and oneway connection for safety
Add to SPS power supplies for
versatility
Sold individually



SQD4
HIGH AMPERAGE QUICK
DISCONNECT 4GA
Polarity identification and oneway connection for safety
Add to SPS power supplies for
versatility
Sold individually

# **BATTERY ISOLATORS/RELAYS/TERMINALS**



# SQD8 HIGH AMPERAGE QUICK DISCONNECT 8GA Polarity identification and oneway connection for safety Add to SPS power supplies for versatility Sold individually



SGP35 HIGH CURRENT ISOLATOR/ RELAY 500-AMP Prevents primary battery discharge Extends battery life



SGP32
HIGH CURRENT ISOLATOR/
RELAY 200-AMP
Prevents primary battery
discharge
Extends battery life



SGP38
HIGH CURRENT ISOLATOR/
RELAY 80-AMP
Prevents primary battery
discharge
Extends battery life



SPT5101 RING TERMINAL 1/0GA, 5/16" Hole 2 Pack, (1) Red (1) Black



SPT5104 RING TERMINAL 4GA, 5/16" Hole 4 Pack, (1) Red (1) Black



SPT5108 RING TERMINAL 8 GA, 5/16" Hole 4 Pack, (2) Red (2) Black



SPT5144 RING TERMINAL 4 GA, 1/4" Hole 4 Pack, (2) Red (2) Black



RING TERMINAL 1/0GA, 5/16" Hole SPT5101R: Bulk (25) Red SPT5101B: Bulk (25) Black




4 GA, 5/16" Hole **SPT5104R:** Bulk (25) Red **SPT5104B:** Bulk (25) Black



8 GA, 5/16" Hole SPT5108R: Bulk (25) Red SPT5108B: Bulk (25) Black



**SPT520** RING TERMINAL 1/0GA Input to 5/16" Ring



# **TERMINALS / WIRE MANAGEMENT**



SPT5124 FORK TERMINAL 4GA Input with #10 Fork 4 Pack



FORK TERMINAL 8 GA Input with #8 Fork SPT5118: 4 Pack, (2) Red (2) Black SPT5118R: Bulk (25) Red

**SPT5118B:** Bulk (25) Black



**SWTOB**WIRE MANAGEMENT CLIPS
1/0GA Wires



**SWT4B**WIRE MANAGEMENT CLIPS
4GA Wires



FORK TERMINAL 4GA Input with #10 Fork **SPT5124R**: Bulk (25) Red **SPT5124B**: Bulk (25) Black



FORK TERMINAL 8 GA Input with #8 Fork SPT5118R: Bulk (25) Red SPT5118B: Bulk (25) Black



SPT5210 WIRE COUPLERS Joins 1/0GA Wire



SPT5211 WIRE COUPLERS Joins 4GA Wire



**SPT5502**DUAL BANANA TERMINAL Accepts up to 8GA wire Red



SPT5503 DUAL BANANA TERMINAL Accepts up to 8GA wire Black



PG12
GROMMET
4GA
7/8" Mounting hole
4GA waterproof fire wall bushing
Watertight seal when power
wires pass through metal
Locks securely as bushing is
tightened



GROMMET
1/0GA
1" Mounting hole
1/0GA waterproof fire wall
bushing
Watertight seal when power
wires pass through metal
Locks securely as bushing is
tightened



SPT5501 MONO BANANA PLUG 2 Pack Singer terminal Shoc-Krome, accepts up to 8GA

# **FUSES + FUSE MANAGEMENT**



**\$GI20** RCA ADAPTER Female-to-female



**\$GI21**RCA ADAPTER
Male to male



**SGI22** RCA ADAPTER Right angle male-to-female



SHD201 ANL Fuse-Holder (1) 1/0GA or 4GA Input/ (1) 1/0GA or 4GA Output



SPD5201 ANL Fuse-Holder Accepts any 5/16" Ring Terminal



SPD5202 ANL Fuse-Holder (1) 4GA Input / (1) 4GA Output



SPD5203 ANL Fuse-Holder (1) 1/0GA or 4GA Input / (1) 1/0GA or 4GA Output



SPD5204 ANL Fuse-Holder (1) 0GA Input / (1) 0GA Output



SPD5210 ANL Fuse-Holder (1) 1/0GA Input / (2) 4GA Outputs



SPD5212

ULTRA HIGH CURRENT ANL
Fuse-Holder
(1) 1/0GA Input / (1) 1/0GA
Output, Dual fused up to
600A



SHD801 MIDI Fuse-Holder (1) 4GA or 8GA Input / (1) 4GA or 8GA Output



SPD5801 MIDI Fuse-Holder (1) 4GA or 8GA Input / (1) 4GA or 8GA Output Removable base



SHD820 MIDI Fuse-Holder (1) 1/0 Gauge or 4 Gauge input / (2) 4 Gauge or 8 Gauge outputs



SHD821 MIDI Fuse-Holder (2) 1/0GA or 4GA Input / (4) 4GA or 8GA Output



SHD822
HIGH AMPERAGE MIDI Fuse-Holder
(1) 1/0G or 4GA Input / (1)
4GA or 8GA Output
Dual MIDI fusing for up to
350-AMPS of current



SHD823
HIGH AMPERAGE MIDI Fuse-Holder
(2) 1/0G or 4GA Input / (2)
4GA or 8GA Output
Dual MIDI fusing for up to
350-AMPS of current

# **FUSES + FUSE MANAGEMENT**



SPD5601 MAXI Fuse-Holder (1) 4GA or 8GA Input / (1) 4GA or 8GA Output Removable base



SFB1MAX MAXI Fuse-Holder (BULK ONLY) (1) 4GA or 8GA Input / (1) 4GA or 8GA Output



SFB1MAXPT
MAXI Fuse-Holder (BULK ONLY)
(1) 4GA or 8GA Input / (1)
4GA or 8GA Output



SPD5621 MAXI Fuse-Holder (1) 1/0GA Input / (2) 4GA Outputs



SPD5622 MAXI Fuse-Holder (1) 4GA Input / (2) 8GA Outputs



SPD5623 MAXI Fuse-Holder (2) 1/0GA Inputs / (4) 4GA Outputs



SPD5625 MAXI Fuse-Holder (2) 4GA Inputs / (4) 8GA Outputs



SPD5101 AGU Fuse-Holder (1) 4GA or 8GA Input / (1) 4GA or 8GA Output Removable base



SPD5120 AGU Fuse-Holder (1) 4GA Input / (2) 8GA Outputs



ANL Fuses (Each):
SPF5260 60-AMP
SPF5280 80-AMP
SPF52100 100-AMP
SPF52125 125-AMP
SPF52150 150-AMP
SPF52200 200-AMP
SPF52250 200-AMP
SPF52300 300-AMP





MIDI / AFS Fuses (3 Pack)
SPF5830 30-AMP
SPF5840 40-AMP
SPF5850 50-AMP
SPF5860 60-AMP
SPF5870 70-AMP
SPF5880 80-AMP
SPF58100 100-AMP
SPF58125 125-AMP
SPF58150 150-AMP
SPF58175 175-AMP



# TERMINAL ACCESSORIES

# **FERRULES**

# GET A HIGHER CURRENT CONNECTION WITH FERRULES BY STINGER

# All packs include heat shrink tubing

SPTF0125 1/0 GAUGE 25 PACK
SPTF0425 4 GAUGE 25 PACK
SPTF0825 8 GAUGE 25 PACK
SPTF1025 10 GAUGE 25 PACK
SPTF1225 12 GAUGE 25 PACK
SPTF1625 16 GAUGE 25 PACK
SPTF1825 18 GAUGE 25 PACK









# SPTFC864

Ferrule Crimper for 7-23 Gauge ferrules

- Square Ratchet Crimp Tool works with 7-23 gauge ferrules
- High crimping quality due to integral lock (self-releasing mechanism)
- Comfortable operations thanks to ergonomically shaped nylon handle
- Crimp action adjusts to the exact size of the ferrule to produce a perfect squared crimp
- Constructed of heavy-duty oil hardened steel alloy



**SPTF0125** 1/0 GAUGE WIRE FERRULES WITH HEAT SHRINK

25 Pack



**SPTF0425** 

4 GAUGE WIRE FERRULES WITH **HEAT SHRINK** 

25 Pack



#### **SPTF0825**

8 GAUGE WIRE FERRULES WITH **HEAT SHRINK** 

25 Pack



#### SPTF1025

10 GAUGE WIRE FERRULES WITH **HEAT SHRINK** 

25 Pack



#### **SPTF1225**

12 GAUGE WIRE FERRULES WITH **HEAT SHRINK** 

25 Pack



### SPTF1625

16 GAUGE WIRE FERRULES WITH **HEAT SHRINK** 

25 Pack



### **SPTF1825**

18 GAUGE WIRE FERRULES WITH **HEAT SHRINK** 

25 Pack

# SPTFC864

# **FERRULE CRIMPER**

### Features:

- 7GA to 23GA
- Self-adjusting for 7 to 23GA FerrulesAutomatic size adjustment
- Precision crimp for best possible current transfer
- Comfort grip handle
- Ratcheting mechanism for easy crimping
   Made of special metal with oil-hardened, high durability, high precision and lifelong usage

# **Specifications:**

Square Ratchet Crimp Tool works for AWG 7 to 23 (0.25 - 6.0mm<sup>2</sup>) end-sleeve ferrules



# **CIRCUIT BREAKERS / DISTRIBUTION BLOCKS**



Easy Reset / Disconnect
Ultimate Circuit Protection

Not for constant current applications



SGP901501 = 150-AMP SGP901351 = 135-AMP SGP901001 = 100-AMP



Accepts 4GA or 8GA Wire **SGP90801** = 80-AMP **SGP90501** = 50-AMP

**CIRCUIT BREAKERS** 

Easy Reset / Disconnect Ultimate Circuit Protection Not for constant current applications



MARINE CIRCUIT BREAKERS

SCBM150 = 150-AMP

SCBM100 = 100-AMP

Ultimate Circuit Protection

Easy Reset / Disconnect

Accepts 5/16 Ring Terminals

Spark free design



SHD20 DISTRIBUTION BLOCK (1) 1/0GA or 4GA Input / (2) 4GA or 8GA Outputs



SPD570
DUAL DISTRIBUTION BLOCK
(1) 4GA or 8GA Inputs for
Power and Ground
(2) 4GA or 8GA Outputs
for Power and Ground



SHD21 DISTRIBUTION BLOCK (2) 1/0GA or 4GA Inputs / (4) 4GA or 8GA Outputs



SPD514
DISTRIBUTION BLOCK
(2) 1/0GA Inputs /(4) 4GA
Outputs



SPD513 DISTRIBUTION BLOCK (2) 4GA Inputs /(4) 8GA Outputs



SPD515
DISTRIBUTION BLOCK
(1) 1/0GA Input /Output /
(3) 4GA Input/Output



**SPD510**DISTRIBUTION BLOCK
3 Way 8GA IN / OUT



**SPD511**4GA Input / 4 GA Output Distribution T-Block



SPD512 1/0GA Input / 1/0GA Output Distribution T-Block

# **POWER INVERTERS**



### **SPI1000**

- ▶ 1000W Nominal
- ▶ 2000W Surge
- > 3 Outlets
- ► H 2 5/8" x L 11" x W 6"
- ▶ Overload and Short Circuit Protection
- ▶ High Surge Output for Large Devices
- ► Audible Low Voltage Alarm and Auto Shutdown
- ▶ Temperature Regulated Cooling Fan
- Modified Sine Wave



### **SPI500**

- ▶ 500W Nominal
- ▶ 1000W Surge
- > 3 Outlets
- H 2 5/8" x L 8.5" x W 6"
- Overload and Short Circuit Protection
- ▶ High Surge Output for Large Devices
- ▶ Audible Low Voltage Alarm and Auto Shutdown
- ▶ Temperature Regulated Cooling Fan
- Modified Sine Wave



### **SPI300**

- > 300W Nominal
- ▶ 600W Surge
- Dual Outlets
- ► H 1 7/8" x L 7 1/8" x W 4"
- Overload and Short Circuit Protection
- ► High Surge Output for Large Devices
- ▶ Audible Low Voltage Alarm and Auto Shutdown
- ▶ Temperature Regulated Cooling Fan
- ► Modified Sine Wave



# **VOLTAGE DISPLAYS**



### SGP12

VOLT METER/CHARGER

- · High Visibility LED Voltage Meter
- · USB Charger
- · 12 Volt Plug · Monitor Alternator Performance



# **SVMB**

**VOLTAGE GAUGE** 

- · High Visibility LED Display
- · Auto ON/OFF
- $\cdot$  Simple Three Wire Installation
- · Flush or Surface Mountable
- ·H 5/8" x L 2 1/4" x W 1 5/8"



### **SVMR**

**VOLTAGE GAUGE** 

- $\cdot \mbox{High Visibility LED Display}$
- · Auto ON/OFF
- · Simple Three Wire Installation
- · Flush or Surface Mountable
- ·H 5/8" x L 2 1/4" x W 1 5/8"





# SGJ78

8-1/4" CROSS FLOW FAN · Draw .19A/Flow 54CFM

- ·Sound Level dBA35
- · Easy Installation
- · Low Profile Design with High Flow



# SGJ76

6" CROSS FLOW FAN


- · Draw .22A/Flow 43CFM · Sound Level dBA35
- · Easy Installation
- · Low Profile Design with High Flow



SGJ34 5" SQUARE FAN Draw .6A/Flow 105CFM



SGJ32 2.5" SQUARE FAN Draw .13A/Flow 23CFM





# STINGER SELECT

Our entry line of high performance audio accessories, Stinger Select, allows customers at any price point to enjoy the benefits of Stinger quality solutions.

# THE STINGER SELECT LINEUP

- Interconnects
- CCA Wiring Kits
- Copper Wiring Kits
- Wire
- Batteries
- Hardware Electronics
- Enclosures



# STINGER SELECT INTERCONNECTS

# **COMPETITION SERIES**

Stinger Select Competition Series Interconnects offer excellent sound quality and noise rejection for balanced systems. Tightly twisted and flexible construction with corrosion resistant chrome-plated ends. Multiple lengths and Y-connectors available.

PART #	LENGTH	TYPE
SSRCB1.5	1.5FT/0.5m	Twisted RCA Pair M2M
SSRCB3	3ft/0.9m	Twisted RCA Pair M2M
SSRCB12	12ft/3.7m	Twisted RCA Pair M2M
SSRCB15	15ft/4.6m	Twisted RCA Pair M2M
SSRCB17	17ft/5.2m	Twisted RCA Pair M2M
SSRCB20	20ft/6m	Twisted RCA Pair M2M
SSRCB2F		2 Female 1 Male
SSRCB2M		2 Male 1 Female



# **PERFORMANCE SERIES**

Stinger Select Performance Series Coaxial Interconnects offer excellent sound quality for unbalanced systems. Reliable Coaxial construction with corrosion resistant chrome-plated ends. Multiple lengths and Y-connectors available.

PART#	LENGTH	TYPE
SSPRCA1.5	1.5FT/0.5m	Coaxial RCA M2M
SSPRCA3	3ft/0.9m	Coaxial RCA M2M
SSPRCA6	6ft/1.8m	Coaxial RCA M2M
SSPRCA9	9ft/2.7m	Coaxial RCA M2M
SSPRCA12	12ft/3.7m	Coaxial RCA M2M
SSPRCA17	17ft/5.2m	Coaxial RCA M2M
SSPRCA20	20ft/6m	Coaxial RCA M2M
SSPRCA2F		2 Female 1 Male
SSPRCA2M		2 Male 1 Female



**BULK (25/PACK)**Stinger Select Bulk Coaxial Interconnects offer quality on a budget. Reliable Coaxial construction with corrosion resistant gold-plated ends. Multiple lengths and Y-connectors available.

PART#	LENGTH	TYPE
SSIB3	3ft/0.9m	Coaxial RCA M2M
SSIB6	6ft/1.8m	Coaxial RCA M2M
SSIB12	12ft/3.7m	Coaxial RCA M2M
SSIB17	17ft/5.2m	Coaxial RCA M2M
SSIB20	20ft/6m	Coaxial RCA M2M
SSIBY2F		2 Female 1 Male
SSIBY2M		2 Male 1 Female



# **INTERCONNECTS**





# SSUSB2

DUAL MALE-TO-FEMALE USB EXTENSION CABLE

Dual Male-to-Female USB Extension Cable connects to a USB port and provides a 4' extension. The female end of the cable features a flush mountable design. You can simply drill a 1.0" hole at the desired mounting location and snap the end of the cable in for an OEM look.

The SSUSB2 also features a mounting bracket that can be used to surface mount the USB connector without drilling holes in the vehicle. Snap the cable into the bracket and mount it wherever your installation demands.

- Ideal for Stinger HEIGH10 MULTIMEDIA DISPLAY SYSTEM
- Two mounting options
- 4' Long Extension perfect for decks with rear USB
- Includes optional water-resistant cover
- Allows for charging and data transfer





# **INTERCONNECTS BULK + CCA WIRING KITS**

### **SMALL FOOTPRINT PACKAGING**

# BULK Coaxial INTERCONNECTS 25/BAG

- ► Gold-Plated Ends
- ► Coaxial Cable Design

▶ Blue



**SSIB3** 3ft/0.9m

**SSIB6** 6ft/1.8m

**SSIB12** 12ft/3.7m

**SSIB17** 17ft/5.2m

**SSIB20** 20ft/6m



SSIBY2F

2 Female to 1 Male



2 Male to 1 Female Y

# **SSKO**

### 1/0GA 1500W Complete Wiring Kit

- ▶ 17ft/5.2m Matte Blue Ultra-Flexible Power Wire (CCA)
- ▶ 3ft/0.9m Matte Gray Ultra-Flexible Ground Wire (CCA)
- ▶ 17ft/5.2m Twisted Pair RCA Interconnects (OFC)
- ▶ 17ft/5.2m Blue Remote Turn-on Wire (CCA)
- ▶ 1pc High Current ANL Fuse-Holder with 150A Fuse





# **SSK4ANL**

### 4GA 1000W Complete Wiring Kit

- ▶ 17ft/5.2m Matte Blue Ultra-Flexible Power Wire (CCA)
- ▶ 3ft/0.9m Matte Gray Ultra-Flexible Ground Wire (CCA)
- ▶ 17ft/5.2m Twisted Pair RCA Interconnects (OFC)
- ▶ 17ft/5.2m Blue Remote Turn-on Wire (CCA)
- ▶ 20ft/6m Matte Blue Ultra-Flexible Speaker Wire (CCA)
- ▶ 1pc High Current ANL Fuse-Holder with 100A Fuse





# SSK8

#### 8GA 600W Complete Wiring Kit

- ▶ 17ft/5.2m Matte Blue Ultra-Flexible Power Wire (CCA)
- ▶ 3ft/0.9m Matte Gray Ultra-Flexible Ground Wire (CCA)
- ▶ 17ft/5.2m Twisted Pair RCA Interconnects (OFC)
- ▶ 17ft/5.2m Blue Remote Turn-on Wire (CCA)
- ▶ 20ft/6m Matte Blue Ultra-Flexible Speaker Wire (CCA)
- ▶ 1pc High Current Water-Resistant MIDI Fuse-Holder with 60A Fuse





### **SMALL FOOTPRINT PACKAGING**

# **SS2400XS**

### 1/0GA Copper 2400W Complete Wiring Kit

- ▶ 17ft/5.2m Translucent Blue Power Wire
- ▶ 17ft/5.2m Translucent Blue Twisted Pair RCA Interconnects
- ▶ 3ft/0.9m Translucent Silver Ground Wire
- ▶ 1pc Satin Plated Battery Terminal
- ▶ 16ft/4.9m Blue Remote Turn-on Wire
- ▶ 1pc ANL Fuse-Holder
- ▶ 250A ANL Fuse



# SS1200XS

# 4GA Copper 1200W Complete Wiring Kit

- ▶ 17ft/5.2m Translucent Blue Power Wire
- ▶ 3ft/0.9m Translucent Silver Ground Wire
- ▶ 17ft/5.2m Translucent Blue Twisted Pair RCA Interconnects
- ▶ 3ft/0.9m Black Flex Loom Tubing
- ▶ 16ft/4.9m Blue Remote Turn-on Wire
- ▶ 20ft/6m Translucent Speaker Wire
- ▶ 1pc Mini-ANL/AFS Fuse-Holder
- ▶ 80A ANL Fuse





# **SS600XS**

### 8GA Copper 600W Complete Wiring Kit

- ▶ 17ft/5.2m Translucent Blue Power Wire
- ▶ 3ft/0.9m Translucent Silver Ground Wire
- ▶ 17ft/5.2m Translucent Blue Twisted Pair RCA Interconnects
- ▶ 3ft/0.9m Black Flex Loom Tubing
- ▶ 16ft/4.9m Blue Remote Turn-on Wire
- ▶ 20ft/6m Translucent Speaker Wire
- ▶ 1pc AGU Fuse-Holder
- ▶ 60A AGU Fuse





# **SS300XS**

# 10GA Copper 300W Complete Wiring Kit

- ▶ 17ft/5.2m Translucent Blue Power Wire
- ▶ 3ft/0.9m Translucent Silver Ground Wire
- ▶ 17ft/5.2m Translucent Blue Twisted Pair RCA Interconnects
- ▶ 3ft/0.9m Black Flex Loom Tubing
- ▶ 16ft/4.9m Blue Remote Turn-on Wire
- ▶ 20ft/6m Translucent Speaker Wire
- ▶ 1pc ATC Fuse-Holder
- ▶ 30A ATC Fuse





# 0GA **POWER WIRE**



#### **SSVLPOBK**

1/0GA Matte Black Power Wire

- · CCA Construction
- · Vinyl Matte Black
- · Soft PVC Insulation
- · Heat Resistant
- · 50ft/15.2m Roll



#### **SSVLPOBL**

1/0GA Matte Blue Power Wire

- · CCA Construction
- · Vinyl Matte Blue
- · Soft PVC Insulation
- · Heat Resistant
- ·50ft/15.2m Roll



#### **SSVLPOR**

1/0GA Matte Red Power Wire

- ·CCA Construction
- · Vinyl Matte Red
- · Soft PVC Insulation
- · Heat Resistant
- ·50ft/15.2m Roll

# 4GA **POWER WIRE**



### SSVLP4BK

4GA Matte Black Power Wire

- · CCA Construction
- · Vinyl Matte Black
- · Soft PVC Insulation
- · Heat Resistant
- · 100ft/30.5m Roll



# SSVLP4BL

4GA Matte Blue Power Wire

- · CCA Construction
- · Vinvl Matte Blue
- ·Soft PVC Insulation
- · Heat Resistant
- · 100ft/30.5m Roll



#### SSVLP4R

4GA Matte Red Power Wire

- · CCA Construction
- · Vinvl Matte Red
- ·Soft PVC Insulation
- · Heat Resistant
- · 100ft/30.5m Roll

# 8GA **POWER WIRE**



### SSVLP8BK

8GA Matte Black Power Wire

- ·CCA Construction
- · Vinyl Matte Black
- · Soft PVC Insulation
- · Heat Resistant
- · 250ft/76.2m Roll



#### SSVLP8BL

8GA Matte Blue Power Wire

- · CCA Construction
- · Vinyl Matte Blue
- ·Soft PVC Insulation
- · Heat Resistant
- · 250ft/76.2m Roll



### SSVLP8R

8GA Matte Red Power Wire

- · CCA Construction
- · Vinvl Matte Red
- ·Soft PVC Insulation
- · Heat Resistant

# 12GA SPEAKER WIRE



#### SSVLS122B

- 12GA Black Speaker Wire
- · CCA Construction
- · Vinyl B lack
- · 250ft/76.2m Roll



### SSVLS12BK

- 12GA Matte Black Speaker Wire
- ·CCA Construction
- · Vinyl Matte Black
- · 250ft/76.2m Roll

# 16GA SPEAKER WIRE



### SSVLS165B

- 16GA Black Speaker Wire
- · CCA Construction
- · Vinyl Black
- · 500ft/152.4m Roll



#### SSVLS16BK

- 16GA Matte Black Speaker Wire
- ·CCA Construction
- · Vinyl Matte Black
- · 500ft/152.4m Roll

# 18GA SPEAKER WIRE



# SSVLS181B

- 18GA Black Speaker Wire
- · CCA Construction
- · Vinyl Black
- · 1000ft/304.8m Roll



## SSVLS18BK

- 18GA Matte Black Speaker Wire
- · CCA Construction
- · Vinyl Matte Black
- · 1000ft/304.8m Roll

# 18GA PRIMARY WIRE



#### SSPW18BK

- 18GA Black SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- ·500ft/152.4m Roll



#### SSPW18BL

- 18GA Blue SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- ·500ft/152.4m Roll



#### SSPW18RD

- 18GA Red SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- ·500ft/152.4m Roll



### SSPW18BR

- 18GA Brown SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- ·500ft/152.4m Roll



### SSPW18GR

- 18GA Green SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- ·500ft/152.4m Roll



### SSPW18GY

- 18GA Gray SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- · 500ft/152.4m Roll



### SSPW18OR

- 18GA Orange SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- · 500ft/152.4m Roll



### SSPW18WH

- 18GA White SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- ·500ft/152.4m Roll



### SSPW18PK

- 18GA Pink SS Primary Wire
- · Multi-Strand Copper Conductors
- $\cdot \, \text{Flexible PVC Jacket}$
- · 500ft/152.4m Roll



# SSPW18PU

- 18GA Purple SS Primary Wire
- · Multi-Strand Copper Conductors
- $\cdot \, \text{Flexible PVC Jacket}$
- · 500ft/152.4m Roll



# SSPW18YL

- 18GA Yellow SS Primary Wire
- · Multi-Strand Copper Conductors
- · Flexible PVC Jacket
- ·500ft/152.4m Roll


# **BATTERIES / CAPACITORS / TERMINALS**

## SSB2000

- ▶ 2000 Watts
- ▶ Peak Current: 600A
- ▶ Reserve Capacity: 65 minutes 33Ah
- Cyclic Charge Voltage: 14.4V 14.8V @ 25°C
- ► Float Charge Voltage: 13.5V 13.8V @ 25°C
- ► Terminal Torque: 6.8 Nm max (60 in-lb.)
- ▶ Weight: 10.86 kg (23.95 lb.)
- ► 7.72"W x 5.16"D x 6.10"H

### SSB600

- ▶ 600 Watts
- Peak Current: 375A
- ▶ Reserve Capacity: 27 minutes 20Ah
- ► Cyclic Charge Voltage: 14.4V 14.8V @ 25°C
- ▶ Float Charge Voltage: 13.5V 13.8V @ 25°C
- ► Terminal Torque: 6.8 Nm max (60 in-lb.)
- ► Weight: 5.98 kg (13.20 lb.)






Brushed Aluminum 2 Farad Digital Capacitor

- Satin Finish Terminals
- ▶ UP to 2000W





- ► Satin Finish Terminals
- ▶ UP to 5000W



**SSBTGM**GM Short Battery Terminal (+/-)

- · 100% Brass/Satin Finish
- · For Positive or Negative
- · GM Specific



(2) 8GA & (1) 4GA & (1) 1/0GA Battery Terminal (POS or NEG)



**SSBT** 

(2) 8GA & (1) Ring Terminal Battery Terminal (POS or NEG)



**SSGA104** 

0 to 4GA Adapter

- · Platinum Nickel-Plated Finish
- · Solid Brass Construction



SSGA48

4 to 8GA Adapter

- · Platinum Nickel-Plated Finish
- · Solid Brass Construction



**SSPRO** 1/0 GA Ring Terminal ·5/16-Inch Mounting Hole Set Screw



**SSPR4** 4GA Ring Terminal

·5/16-Inch Mounting Hole Set Screw



# SSRT4

4GA Ring Terminal

- · 100% Brass/Satin Finish
- ·5/16-Inch Mounting Hole Crimp Style
- · Black or Blue
- · 4 Pack



### **SSRTO**

1/0GA Ring Terminal

- · 100% Brass/Satin Finish
- · 5/16-Inch Mounting Hole Crimp Style
- · Black or Blue
- · 2 Pack


# **FUSES / FUSE MANAGEMENT**



**SSFANL** 1/0 or 4GA ANL Fuse-Holder · 100% Brass/Satin Finish



**SSFANLW** 1/0 or 4GA Water-resistant **ANL Fuse-Holder** 



· Water-resistant



SSFDB024 (1) 1/0GA Input (2) 4GA Output High-Power MIDI Fuse block · 100% Brass/Satin Finish



4 or 8GA MIDI Inline Fuse-Holder · 100% Brass/Satin Finish



Distribution Block

- · 100% Brass/Satin Finish
- ·(1) 1/0GA Input
- · (2) 4GA Output



Distribution Block

- · 100% Brass/Satin Finish
- · (2) 1/0GA Input
- · (3) 4GA Output



### **SSDB448**

Distribution Block

- · 100% Brass/Satin Finish
- ·(1) 4GA Input
- · (4) 8GA Output



Distribution Block

- · 100% Brass/Satin Finish
- · (1) 4GA Input
- · (2) 8GA Output
- · MIDI fuse



#### SSFDBA428

Distribution Block

- · 100% Brass/Satin Finish
- · (1) 4GA Input
- · (2) 8GA Output
- · AGU fuse



**SSVLBTP** 

Positive Battery Terminal (1) 1/0GA & (1) 4GA & (2) 8GA Outputs



**SSVLBTN** 

Negative Battery Terminal (1) 1/0GA & (1) 4GA & (2) 8GA Outputs



Distribution Block

- · (1) 4GA Input/Output
- · (4) 8GA Inputs/Outputs
- · Satin Silver Finish



#### **SSFAGU**

- 4 or 8GA AGU Fuse-Holder
- · 100% Brass/Satin Finish
- · Water-Resistant



#### ANL Fuse-Holder

- · Includes snap-off cover for quick access to fuse
- · Accepts ANL style fuses (not included) from 60A to 300A
- · Corrosion-Resistant Matte Satin Finish



### **SSVLANL**

1/0 or 4GA ANL Fuse-Holder · Satin Silver Finish



### SSVLANL2

1/0 or 4GA Water-Resistant ANL Fuse-Holder

- · Satin Silver Finish
- · Water-Resistant

# **FUSES / CIRCUIT BREAKERS**



#### **SSVLAGU**

4 or 8GA AGU FUSE-HOLDER Water-Resistant

### **PACKAGED ANL FUSES** 1/PACK

SSANL100S

SSANL200S

100A ANL Fuse 200A ANL Fuse · Satin Finish

· Satin Finish

SSANL120S

SSANL250S

120A ANL Fuse 250A ANL Fuse

· Satin Finish

· Satin Finish

SSANL150S 150A ANL Fuse

SSANL300S 300A ANL Fuse

· Satin Finish

· Satin Finish



### **PACKAGED AGU FUSES** 5/PACK

#### SSAGU40S

40A AGU Fuse

· Satin Finish

#### SSAGU60S

60A AGU Fuse

· Satin Finish

SSAGU80S

80A AGU Fuse · Satin Finish



#### **ANL FUSES BULK**

#### SSANL100BULK

· 100A ANL Fuse Bulk (10/Pack)

#### SSANL150BULK

· 150A ANL Fuse Bulk (10/Pack)



# **BULK PACK**

# 10/Pack SSMIDI50B

MIDI FUSES BULK

· 50AMIDI Fuse Bulk

SSMIDI60B

· 60A MIDI Fuse Bulk

SSMIDI80B · 80A MIDI Fuse Bulk

#### SSMIDI100B

· 100A MIDI Fuse Bulk

SSMIDI125B

· 125A MIDI Fuse Bulk

SSMIDI150B

· 150A MIDI Fuse Bulk



**BULK** 

**PACK** 



#### SSCB100

100A Circuit Breaker

- · Manual Trip reset
- · High Current Protection



#### SSCB150

150A Circuit Breaker

- · Manual Trip Reset
- · High Current Protection



# SSCB200

200A Circuit Breaker

- · Manual Trip Reset
- · High Current Protection



#### SSCB300

300A Circuit Breaker

- · Manual Trip Reset
- · High Current Protection

# **ENCLOSURES**



#### SSGLI

Ground Loop Isolator

- · Excellent at reducing most noise in RCA signal paths
- · Utilizes proprietary audio transformers for a 1.3dB gain



#### SSLC

Remote Level Controller

- · Adjustable RCA line level control
- · Female RCA input and output



#### SSLOCZ

2-Channel Line Output Converter

- · 10 Ohm input impedance and 10k Ohm output impedance
- · Adjustable attenuation for proper balance on both channels



#### SSLOC3

- 2-Channel Line Output Converter
- · 10 Ohm input impedance and 10k Ohm output impedance
- · Adjustable attenuation for proper balance on both channels

# **ENCLOSURES**





# SS69HBG

### **6X9 Hatchback Speaker Enclosure**

- ► Hatchback style 12" W x 8" H x 7" D
- ▶ Quick connection terminal cups
- ▶ Front loading speaker cutouts
- ▶ Enclosures are retail boxed for convenience
- Universal charcoal colored carpeting goes well with many interiors





# SS69PUG

#### **6X9 Truck Speaker Enclosure**

- ▶ Truck style 12"H x 3 1/2" D (top) 5" D (bottom) x 8.25"
- ▶ Quick connection terminal cups
- ▶ Front loading speaker cutouts
- ▶ Enclosures are retail boxed for convenience
- ▶ Universal charcoal colored carpeting goes well with many interiors







# LIGHTING

# SPXDK8

# RGB LED LIGHTING KIT APP CONTROLLED

Stinger's universal lighting kit adds dynamic RGB lighting to any area you desire. The plug-and-play installation makes adding this eye-catching feature easy, with no soldering or crimping needed. Bluetooth enabled so you can personalize your experience. You can pick from specific colors, dynamic modes, or even have the lights bounce along with music for an interactive experience.

- ► Change LED Colors and Patterns via enLIGHT10 by Stinger Smartphone App
- ▶Compatible with iOS or Android
- ▶IPX65 Waterproof Rating for Reliability in Extreme Environments
- ▶Bright and Powerful, 24 LEDs per pod
- Includes 10ft Extensions for Larger Vehicles
- ►Includes Curved and Flat Mounting Plates and Hardware
- ▶Daisy Chain Any enLIGHT10 kits Together for Simple Installation

#### Kit Includes:

8 x LED Pods

- 8 x Pod Extension Cables (10')
- 8 x Flat Rubber Mounting Pads 8 x Curved Rubber Mounting Pads
- 1 x Bluetooth RGB Control Module 1x RF Remote
- 8 x Mounting Hardware



# SPXDK4

### RGB LED LIGHTING KIT APP CONTROLLED

### Same as SPXDK8 but with only 4 pods

#### Kit Includes:

- 4 x LED Pods
- 4 x Pod Extension Cables (10')
- 4 x Flat Rubber Mounting Pads
- 4 x Curved Rubber Mounting Pads
- 4 x Mounting Hardware
- 1 x Bluetooth RGB Control Module 1x RF Remote



# SPXDE4

# **RGB LED LIGHTING ADD-ON KIT**

### Add 4 rock lights to SPXDK4 or SPXDK8

#### Kit Includes:

- 4 x LED Pods
- 4 x Pod Extension Cables (10')
- 4 x Flat Rubber Mounting Pads
- 4 x Curved Rubber Mounting Pads
- 4 x Mounting Hardware



# ENLIGHT10\*

# LIGHTING

# SPXD5

DYNAMIC RGB LIGHT STRIP

Transform your vehicle's lighting experience with these LED lighting strips. Offering bold, bright LEDs combined with a weather-resistant design giving you endless options to customize your ride as you envision it. The personalization options are endless, with variable colors, lighting patterns, and brightness.

- ▶ IP65 waterproof rating for the most extreme environments
- Personalization options are endless with variable colors, color and lighting patterns, and brightness level
- Cut to length sections for custom installs
- Good for interior or exterior configurations
- ▶ 5 Meter (16.4ft) Dynamic Light Strip
- Requires SPXDBTC controller sold separately





# **SPXDUBKIT**

DYNAMIC RGB LIGHT STRIP KIT, 6 PIECE

Take control of your ride with enLIGHT10! Personalize cars, boats, golf carts, and more to match your lifestyle. Bluetooth enabled for LEDs that you can manage from the ENLIGHT10 by Stinger app. Mix any color combination or select dynamic mode for added flash!

- ▶ IP65 waterproof rating for the most extreme environments
- Personalization options are endless with variable colors, color and lighting patterns, and brightness level

#### Kit Includes:

6 x LED Strips (Front, Rear, Sides)

6 x Extension Cables (10')

1 x SPXDBTC (Bluetooth Controller)

1 x RF Remote

18 x Mounting Brackets

43 x Mounting Screws

14 x 8" Zip Ties

1 x 1.5"x2.5" Adhesive Pad



### **SPXDMF**

DYNAMIC SOLDER-ON CONNECTORS

For use with SPXD5 and SPXDUBKIT

#### Kit Includes:

4 x Female Solder-On Connectors

4 x Male Solder-On Connectors

16 x Heat Shrink



# SOFT ENLIGHT10\*

### SPXDW4

DYNAMIC 4FT LED WHIP

- ▶ IP65 waterproof rating for the most extreme environments
- Personalization options are endless with variable colors, color and lighting patterns, and brightness level
- Quick-Release Base only takes seconds to detach whip
- Requires SPXDBTC controller sold separately

### Kit Includes:

- 1 x 4' Dynamic Whip
- 1 x Whip Base with Mounting Hardware
- 1 x Whip Base Cover
- 1 x 10' Extention
- 1 x Stinger Flag
- 2 x Zip Ties



## **SPXDBTC**

# DYNAMIC BLUETOOTH CONTROLLER W/ RF REMOTE

- RF Remote Control
- Weatherproof Bluetooth Controller
- Watertight Connectors
- For Use with the enLIGHT10 by Stinger App

### Kit Includes:

1 x Bluetooth Controller 1 x RF Remote



### **SPXYADP**

Y ADAPTER FOR SPXDBTC BLUETOOTH CONTROLLER

Add additional lights to your SPXDBTC



# SPXDEXT4/SPXDEXT10

EXTENSION HARNESSES FOR USE WITH enLIGHT

4ft and 10ft extensions for enLIGHT10



# **SPXCLA**

CIG LIGHT ADAPTER FOR ENLIGHT10 PRODUCTS

- Mating terminals to connect to SPXDBTC
- ▶ Features On/Off Switch



# SE-SXMYADP-HAR/SE-SXMEXT-HAR HARNESSES FOR USE WITH enLIGHT10

- Add an additional controller to your HEIGH10
- ► Features On/Off Switch



# SE-SXMHAR

UART HARNESS FOR HEIGH10 AND SPXDBTC

Control any enLIGHT10 SPXD lighting from your HEIGH10







enLIGHT10 Lighting Control App for Android and iOS

# STINGER SPECIALTY VEHICLES


Amazing sound isn't just for cars. With Stinger you can achieve musical realism on-the-go, no matter what moves you. Enhance your adventure with Stinger for marine, powersports, and V-twins.

Solutions include speakers, subs, amps, lighting, and the accessories to help simplify the installation.









# SVT30L

# HARLEY-DAVIDSON DIRECT REPLACEMENT BATTERY

### Features:

- Advanced Absorbed Glass Mat technology for longer life, more power & greater reliability
- Extremely low self-discharge, this battery can hold a charge for up to one year if charged up to 100% prior to storage.
- ▶ Direct replacement for easy installation
- ▶ Ultra low ESR allows easier charging and power retention
- ▶ High density construction, more power in the same space
- ▶ Brass alloy posts for higher current transfer & corrosion resistance
- ▶ Pure lead plates keep the battery charged for longer periods of time
- ▶ Thin plates allow more power on demand for easier starting, powering multiple accessories



# **Specifications:**

- ▶ Watts: 1850+
- ► CCA: 410A
- ▶ Peak Discharge: 2400+ AMPS
- ▶ 5 Second Cranking AMPS: 950A
- ▶ Internal Resistance: <5.0 mOhm
- ▶ 28Ah
- ▶ 3-Year Warranty
- Maintains charge for one year while in storage (if fully charged before storage) so you're always ready to ride

### **Dimensions:**

- ► (4.92"H x 6.93"W x 6.50"L)
- ► (125.5mmH x 176mmW x 165mmL)
- ► Weight: 23.59lbs / 10.70kg
- ▶ Replaces the following batteries:

66010-97C, 66010-97B, 66010-97A, 66010-97



# SPX1000X5

# 5-CHANNEL 1000W POWERSPORTS AMPLIFIER



# **SPX700X4**

# 4-CHANNEL 700W POWERSPORTS AMPLIFIER



- > 350 x 2 at 4 Ohm Bridged / 175 x 4 at 2 Ohm / 125 x 2 at 4 Ohm
- ▶ Dimensions: 11.5" L x 4.7" W x 1.6" H
- ► Full Range Class D
- External volume knob with MUTE, rear channels only
- ▶ Aux RCA output (to link to additional amplifiers)
- ► Unregulated power supply
- ► RCA or speaker level input
- ▶ Removable Mounting feet

# SPX350X2

# 2-CHANNEL 350W POWERSPORTS AMPLIFIER



- > 350 x 1 at 4 Ohm / 175 x 2 at 2 Ohm / 125 x 2 at 4 Ohm
- ▶ Dimensions: 4.72" L x 5.11" W x 1.6" H
- ► Full Range Class D
- Mounting feet
- External volume knob with MUTE
- Aux RCA output (to link to additional amplifiers)
- ► Unregulated power supply
- ▶ RCA or speaker level input



# HDK001X RADIO REPLACEMENT KIT WITH FAIRING CONTROL RETENTION

Designed for select 1998-2013 Harley-Davidsons (FL models with factory fairings) and includes a pre-programmed interface to retain the factory handle bar audio controls, pre-wired installation harness (requires no cutting of any factory wires), two options of frames for the aftermarket radio with or without splash guard.

# BKHDK001 RADIO REPLACEMENT KIT



SINGLE DIN w/ Optional Splash Cover for 1998-2013 HARLEY DAVIDSON

Flip up cover for protection while allowing for easy access

#### BKHSB200 SPEAKER ADAPTERS



Harley-Davidson Speaker Adapters for 1998-2013 Touring Models

Allows installation of 6.5" speakers to factory location

## **SVTK4681**

## HARLEY-DAVIDSON 2/4-CHANNEL UNIVERSAL AMPLIFIER WIRING KIT PLUG-AND-PLAY FOR 1998 & UP HARLEY-DAVIDSON TOURING MOTORCYCLES

- ▶ Pre-cut and loomed power/ground & speaker wire harnesses
- ▶ Direct fit wiring and fusing with pre-terminated ends with Ferrule connectors
- ▶ Includes OEM connections for interfacing with 2014 & up models
- ▶ Works on Street/Electra Glide and Road Glide models
- ▶ 8GA OFC power and ground
- ▶ 16GA speaker wire
- ► 60-AMP MAXI fuse









MARINE AUDIO + ACCESSORIES



## MARINE MEDIA PLAYER















## SPXM1

#### **ACCESSORY CONTROL:**

▶ 4-Channel External Accessory Control with optional SPXSH440 (sold separately)

#### GENERAL FEATURES:

- ▶ 2.7" Color Display
- ▶ Built-in Bluetooth for music streaming
- Camera input w/ external trigger
- ► Water-resistant front panel (IPX-6 rating) backlit LED buttons
- Two-piece mounting system to secure panel to mounting surface
- ▶ Built-in 25 watts x 4 power amplifier (45W peak x 4)
- ► Plays MP3/WMA files
- Rear AUX input
- ▶ 4-Channel preamp outputs (2-volt front and selectable rear/sub)
- Easy Subwoofer control
- > 7-band graphic equalizer with (8) Music genre presets
- Selectable high-pass and low-pass crossovers
- Adjustable input gain for each source
- Voltage gauge with low voltage alert



## SPXM1 + SWITCHHUB

#### 4 Channel External Accessory Control:

▶ 4-Channel External Accessory Control with optional SPXSH440 (sold separately)

With 4 switchable outputs the SPXM1 in conjunction with the SPXSH440 can power 4 external accessories while retaining a clutter free dashboard.

The SPXSH440 is a 12V solid state power distribution system, capable of flowing (1) 40-AMP and (3) 20-AMP circuits with a total of 100-AMPS of continuous power. The small footprint power module is waterproof and ideal for all applications. The SPXSH440 is powered by a microprocessor that manages thermal and over-current conditions and shuts down in the event of a short circuit to prevent potential fire hazards.

With less relays and less clutter, the SPXSH440 was designed to improve wire management on any vehicle reducing the wiring pain of bulky and messy relay systems. See page 132 for SwitchHUB information

## **SPXM1 Multimedia Player** ready



## MARINE SPEAKERS

**UV TESTED** Exceeds industry standards for years of durability

**SALT & FOG TESTED** Battle the harshest elements

PRECISION NON-CORROSIVE TERMINALS Create a solid connection in any environment

## SEA65RGB

SEA65RGBB - Black **SEA65RGWB - White SEA65RGBS - Silver** 

6.5"Coaxial SPEAKER

WITH BUILT-IN MULTI-COLOR RGB LIGHTING



- ▶ 6.5" 4-Ohm two-way speaker system
- ▶ Built-in RGB lighting providing multiple color options and wireless remote
- ▶ Element-resistant, Marine-Grade construction
- > 75W RMS / 150W peak power handling
- ▶ Poly carbon cone with resin coated cloth surround
- ► Oversized 1" KSV voice coil
- ▶ Pie dome tweeter
- ▶ Built-in crossover
- ▶ UV treated molded polymer with integrated grills
- ► Splash-resistant sealed motors
- ▶ Includes sealing gaskets & installation hardware
- RF remote included, controls up to 12 units

## SEA65

6.5" Coaxial SPEAKER SEA65B - Black

SEA65S - Silver SEA65W - White



- ▶ 6.5" 4-Ohm two-way speaker system
- ▶ Element-resistant, Marine-Grade construction
- > 75W RMS / 150W peak power handling
- Poly carbon cone with resin coated cloth surround
- Oversized 1" KSV voice coil
- ▶ Pie dome tweeter
- Built-in crossover
- ▶ UV treated molded polymer with integrated grills
- ► Splash-resistant sealed motors
- Includes sealing gaskets & installation hardware

# MARINE SUBWOOFERS UV TESTED Exceeds industry standards for years of durability

**SALT & FOG TESTED** Battle the harshest elements

PRECISION NON-CORROSIVE TERMINALS Create a solid connection in any environment

## **SEA12S4**

4-Ohm 12" SUBWOOFER





- Peak Power: 300W
- RMS Power: 150W
- ▶ Polypropylene Mica Injected Cone
- Santoprene Surround
- ▶ Grill Included
- ▶ Fully Marinized Against Salt & Fresh Water Conditions
- ▶ Free Air, Sealed, Ported

## **SEA 10S4**

4-Ohm 10" SUBWOOFER





- Peak Power: 300W
- RMS Power: 150W
- ▶ Polypropylene Mica Injected Cone
- ► Santoprene Surround
- ▶ Grill Included
- ▶ Fully Marinized Against Salt & Fresh Water Conditions
- ▶ Works well in infinite baffle
- ▶ Free Air, Sealed, Ported

## MARINE AMPLIFIERS

## SPX1000X5

**4-CHANNEL 700W MARINE AMPLIFIER** 



- ► 150W x 4 @ 2 Ohm + 500 x 1 @ 2 Ohm for Sub or 95W x 4 @ 4 Ohm + 275 x 1 @ 4 Ohm for Sub
- Dimensions: 11.85" L x 5.11" W x 1.6" H
- ► Full Range Class D
- External volume knob with MUTE, rear channels only
- ► Aux RCA output (to link to additional amplifiers)
- ▶ Unregulated power supply
- ▶ RCA or speaker level input
- ▶ Removable Mounting feet

# SPX700X4 4-CHANNEL 700W MARINE AMPLIFIER



- > 350 x 2 at 4 Ohm Bridged / 175 x 4 at 2 Ohm / 125 x 2 at 4 Ohm
- Dimensions: 11.5" L x 4.7" W x 1.6" H
- ► Full Range Class D
- External volume knob with MUTE, rear channels only
- Aux RCA output (to link to additional amplifiers)
- Unregulated power supply
- ▶ RCA or speaker level input
- Removable Mounting feet

### SPX350X2 2-CHANNEL 350W MARINE AMPLIFIER



- ▶ 350 x 1 at 4 Ohm / 175 x 2 at 2 Ohm / 125 x 2 at 4 Ohm
- ▶ Dimensions: 4.72" L x 5.11" W x 1.6" H
- ► Full Range Class D
- External volume knob with MUTE
- ► Aux RCA output (to link to additional amplifiers)
- ► Unregulated power supply
- ► RCA or speaker level input
- ► Removable Mounting feet



## MARINE / POWERSPORTS RCA INTERCONNECTS

Comprised of tinned OFC copper conductors with polyethylene dielectrics. Assembled in a high rate twisted-pair configuration for ultimate noise rejection. Outer PVC jacket is flexible for easy routing through tight spaces. Molded connectors with machined, nickel-plated, brass contacts offer superior

connection integrity. Signal transfer and maximum corrosion resistance.

Corrosion-Resistant Nickel Plating • Precision High Rate Twisted-Pair Conductors • Flexible Marine-Grade PVC Jacket • Tinned OFC Copper Conductors -















3.5mm Audio Input to Female RCA

**SMRAUX:** 21" / 0.5m

- ► Splash-Proof Cover
- ► Easy and Secure Mounting with Threaded Body
- ► Corrosion-Resistant Plated 3.5mm Audio Jack
- ► Flexible Marine-Grade PVC Jacket



3.5mm Audio Input to Male RCA & USB 3.0

**SMRAUXUSB3:** 21" / 0.5m

- ► Splash-Proof Cover
- ▶ Easy and Secure Mounting with Threaded Body
- ▶ Ultra High Speed USB 3.0
- Corrosion Resistant Plated Flexible Marine-Grade **PVC Jacket**



## **MARINE POWER**

## SEA27 GROUP 27

- ▶ 4000 Watts
- ▶ 12v Dry Cell Valve Regulated Lead Acid Battery (AGM)
- ► Good for over 400 full discharge cycles
- Quickly delivers power with an internal resistance of <3.0 mOhm</p>
- ▶ 20 hour rate: 3.9A/75Ah
- ► 5 hour rate: 12.5A/62.5Ah
- ▶ 1/2 hour rate: 109A/54.5Ah
- ▶ 5 Second Cranking AMPS: 1750A
- ► CCA: 950A
- ▶ Peak Discharge: >3400 A
- Dual Marine Style Terminals

#### **Dimensions:**

- ► (8.31"H x 12.09"W x 6.65"D)
- Weight: 59.56 lbs



#### MARINE POWER WIRING INSTALLATION KIT

- ▶ Power Wiring Kit utilizing Marine-Grade jacket. True Copper for current transfer and tinned conductors for reliability in the harsh marine environment
- Industry first Siamese Pair dual power and ground wire
- ▶ High Strand Count OFC Hyper-Twist Tinned Conductors
- ➤ Highest Marine-Grade Type III BC5W2 Compliant Marine PVC Jacket, 1050C Dry, 750C wet, salt, fog, oil, water-resistant Exceeds UL1426 Marine Standards
- ► Element-Resistant MIDI Fuse-Holder

SEAK4287

**SEA4247** - 4GA 7 meter / 23 feet / 80-AMP MIDI fuse **SEA4243** - 4GA 3 meter / 9.8 feet / 175-AMP MIDI fuse **SEA4287** - 8GA 7 meter / 23 feet / 40-AMP MIDI fuse **SEA4283** - 8GA 3 meter / 9.8 feet / 80-AMP MIDI fuse



## MARINE-GRADE POWER/GROUND WIRE SPOOLS 125FT

- ➤ Featuring Marine-Grade jacket. True Copper for current transfer and tinned conductors for reliability in the harsh marine environment
- Industry first Siamese Pair dual power and ground wire, loaded on heavy-duty wood spools
- High Strand Count OFC Hyper-Twist Tinned Conductors Highest Marine Grade - Type III BC5W2 Compliant Marine PVC Jacket, 1050C Dry, 750C wet, salt, fog, oil, water-resistant
- Exceeds UL1426 Marine Standards Red Power / Yellow Ground Marine Standard color coding












## SPXSH440

#### 4-CHANNEL 100-AMP SOLID-STATE RELAY

SwitchHUB is a solid-state, high current relay block with 4 independent outputs. One 40A and three 20A outputs, for a combined total of 100A continuous. Each output can be independently triggered by either a positive or negative trigger and those outputs can be combined for even more amperage capability. Each output has a thermal overload, and short circuit protection along with LED status indicators for the Thermal/Overload, Active/Inactive status. SwitchHUB eliminates the clutter of multiple high current relays and the accompanying wiring.

## IPX/6 RATED CORROSION RESISTANT TERMINALS / ELEMENT RESISTANT HOUSING



6.5in / 165.1mm

# SPXM1 Multimedia Player is **SUITCHIUB** ready

Want more control? Add an SPXM1 multimedia player to your favorite marine or powersports vehicle and control the SwitchHUB with the onboard accessory control interface.





SGP35

500-AMP RELAY AND ISOLATOR

Prevents primary battery discharge

Maximum current transfer Ideal for 2nd audio battery isolation from vehicle systems



#### SGP32

200-AMP RELAY AND ISOLATOR

Prevents primary battery discharge

Maximum current transfer Ideal for 2nd audio battery isolation from vehicle systems



SGP38

HIGH CURRENT ISOLATOR/ RELAY 80-AMP Prevents primary battery discharge

Extends battery life



MARINE CIRCUIT BREAKERS

SCBM150 = 150-AMP

SCBM100 = 100-AMP

Ultimate Circuit Protection

Easy Reset / Disconnect

Accepts 5/16 Ring Terminals

Spark free design



#### **HSBR**

20-18GA

Heat Shrink Butt Connectors 3M Perma-Seal, heat shrink ends lined w/ adhesive to create a Seal bond.



#### **HSBB**

16-14GA

Heat Shrink Butt Connectors 3M Perma-Seal, heat shrink ends lined w/ adhesive to create a Seal bond.



#### **HSBY**

12-10GA

Heat Shrink Butt Connectors 3M Perma-Seal, heat shrink ends lined w/ adhesive to create a Seal bond.



ATC-STYLE FUSE BLOCKS

ATCFB6 - 6-way ATCFB12 - 12-way

#### **POWER WIRE**



1/0GA SHW10B (50ft/15.2m Roll): Blue

SHW10G (50ff/15.2mRoll): Gray SHW10C (50ff/15.2m Roll): Clear SPW10TR (50ff/15.2m Roll): Matte Red

**SPW10TR** (50ft/15.2m Roll): Matte Red **SPW10TB** (50ft/15.2m Roll): Matte Black

4GA

**SHW14B20** (20ft/6.1m Blister): Blue **SHW14C7** (7ft/2.1m Blister): Clear

**SHW14B** (100ft/30.5m Roll): Blue **SHW14G** (100ft/30.5m Roll): Gray **SHW14C** (100ft/30.5m Roll): Clear

**SPW14TR** (100ft/30.5m Roll): Matte Red **SPW14TB** (100ft/30.5m Roll): Matte Black **SPW14TR250** (250ft/76.2m Roll): Matte Red **SPW14TR250** (250ft/76.2m Roll): Matte Black

8GA

**SHW18B20** (20ft/6.1m Blister): Blue **SHW18C7** (7ft/2.1m Blister): Clear

**SHW18B** (250ft/76.2m Roll): Blue **SHW18G** (250ft/76.2m Roll): Gray **SHW18C** (250ft/76.2m Roll): Clear **SPW18TR** (250ft/76.2m Roll): Matte Red

**SPW18TB** (250ff/76.2m Roll): Matte Black **SPW18TR500** (500ft/152.4m Roll): Matte Red **SPW18TB500** (500ft/152.4m Roll): Matte Black

**10GA** 

**SPW110TR** (250ft/76.2m Roll): Matte Red **SPW110TR500** (500ft/152.4m. Roll): Matte Red **SPW110TB** (250ft/76.2m Roll): Matte Black **SPW110TB500** (500ft/152.4m. Roll): Matte Black

#### **SPEAKER WIRE**



10 GA

SHW510G (50 ft Roll): Gray

12 GA

**SPW512BK**(250ft/76.2m Roll): Black **SPW512B** (100ft/30.5m Roll): Blue **SPW512B250** (250ft/76.2m Roll): Blue **SHW512G** (100ft/30.5m Roll): Gray **SHW512G250** (250ft/76.2m Roll): Gray

14GA

**SHW514B15** (15ft/4.6m Blister): Blue **SPW514BK** (500ft/152.4m Roll): Black

16 GA

**SHW516B50** (50ft/15.2m Blister): Blue **SHW516B** (250ft/76.2m Roll): Blue

#### 16 GA Cont'd

SHW516B500 (500ft/152.4m Roll): Blue SHW516G (250ft/76.2m Roll): Gray SHW516G500 (500ft/152.4m Roll): Gray SPW516GY (500ft/152.4m Roll): Gray SPW516BK (500ft/152.4m Roll): Black SPW516WH (500ft/152.4m Roll): White SPW516RB (1000ft/304.8m Roll): Red / Black SPW516C500 (500ft/152.4m Roll): Clear SPW516C (1000ft/304.8m Roll): Clear

18 GA

**SPW518BK1** (1000ft/304.8m Roll): Black **SPW518C**(1000ft/304.8m Roll): Clear

20 GA

**SPW520RB** (500ft/152.4m Roll): Red/Black

## **MARINE**

#### **MARINE ACCESSORIES**

#### **SEADASH3W**

- ▶ White OEM grade ASTM-G154-16 certified UV protected ABS
- ▶ Upgrade Single DIN to any 3" radio including SPXM1
- ➤ Incudes stainless hardware for a multitude of installation configurations




Easily add a 3-inch gauge-style aftermarket radio, even if the current opening is a single DIN rectangle, without having to modify the console in any way, and of course they also work perfectly with Stinger's new SPXM1 Radio. Constructed of thick, no-fade ASA plastic to withstand weather, shock, scratches and more.



#### **SEADASH3B**

- ▶ Black OEM grade ASTM-G154-16 certified UV protected ABS
- ▶ Upgrade Single DIN to any 3" radio including SPXM1
- Incudes stainless hardware for a multitude of installation configurations



Easily add a 3-inch gauge-style aftermarket radio, even if the current opening is a single DIN rectangle, without having to modify the console in any way, and of course they also work perfectly with Stinger's new SPXM1 Radio. Constructed of thick, no-fade ASA plastic to withstand weather, shock, scratches and more.









#### BKMCK1000B



Single DIN marine radio cover

#### BKMCK1000W



Single DIN marine radio cover

#### BKMCK2000B



Single DIN retracting marine radio cover

#### BKMCK2000W



Single DIN retracting marine radio cover



#### SPXATC16

- ► Marine certified ATC (ATM) Fuse-Holder
- ▶16 AWG OFC wire
- Heavy duty brass connector for max power transfer
- ►IPX6 Rating



#### SPXATC810

- Marine certified dual ATC fuse holder
- Accepts 8 and 10 AWG power wire
- Dual ATC fuses handle up to
- Heavy duty brass connector for max power transfer



#### SPXMANL4

- ► Waterproof mini-ANL or dual ATC fuse-holder for 4GA power wire
- Marine certified Mini ANL or dual ATC fuse-holder
- Accepts 4GA & 8GA power
- Stainless steel Allen wrench included
- ► Brass connector for max power transfer
- Screw or wire-tie mounting
- ► Silicone gasket sealing



#### SPXPP4

- Power plug (120-AMP power rating)
- Machined brass terminal block accepts up to 4GA wire and remote turn on lead
- Allows fast and safe removal of amplifier or active subwoofer





#### LIGHTING

#### **SPXRGBUBKIT8**

RGB LED LIGHTING KIT APP CONTROLLED


FOR IN-BOAT USE ONLY, NOT TO BE SUBMERGED - Stinger's universal lighting kit adds illuminated RGB lighting to any area you desire. The plug-and-play installation makes adding this eye-catching feature easy, with no soldering or crimping needed. Bluetooth enabled so you can control the lights via a mobile app choosing specific colors, dynamic modes, or really get the party started with the music-controlled mode which sets the LEDs to change with your music.



- ► Change LED Colors and Patterns via Smartphone App
- ▶ Compatible with iOS or Android
- ▶IPX65 Waterproof Rating for Reliability in Extreme Environments
- ▶Bright and Powerful CREE LED
- ▶Includes 4ft Extensions for Larger Vehicles
- ▶Includes Curved and Flat Mounting Plates and Hardware
- ▶Perfect for Most 4x4 Off-road, Cars, Trucks, SUVs, ATVs, Boats and More

#### Kit Includes:

- 8 x CREE LED Pods
- 4 x Pod Extension Cables (48")
- 8 x Flat Rubber Mounting Pads
- 8 x Curved Rubber Mounting Pads 1 x Bluetooth RGB Control Module
- 8 x Mounting Hardware



#### **SPXRGBUBKIT**

## RGB LED LIGHTING KIT APP CONTROLLED Same as SPXRGBUBKIT8 but with only 4 modules

#### Kit Includes:

- 4 x CREE LED Pods
- 2 x Pod Extension Cables (48")
- 4 x Flat Rubber Mounting Pads
- 4 x Curved Rubber Mounting Pads 1 x Bluetooth RGB Control Module
- 4 x Mounting Hardware



#### SPXUBEXT48

2 x Pod Extension Cables (48") For use with SPXRGBUBKIT8 or SPXRGBUBKIT Limited to 1 extension per output



Lighting Control App Android and iOS



## **MARINE**

#### LIGHTING

#### SPXULED1

UNIVERSAL UNDERBODY/DOME (PAIR)

#### FOR IN-BOAT USE ONLY, NOT TO BE SUBMERGED

See clearly, whatever the conditions. Bright white CREE LED pods can be used anywhere you need light. Water and dust-proof aluminum housing make them perfect for off-road, under body, interior, engine compartment.

#### **Key Features:**

- Universal LED underbody/dome light
- IPX65 waterproof rating for reliability in extreme environments
- Bright and powerful CREE LEDs

#### **INCLUDES**

1 Pair of LEDs and both flat and curved mounting hardware

#### Choose your color:

**SPXULED1** - WHITE SPXULED1G - GREEN **SPXULED1R** - RED **SPXULED1A** - AMBER **SPXULED1B** - BLUE







#### LIGHTING

#### SPXRGB5D

#### MARINE-GRADE DYNAMIC RGB LIGHT STRIP

Vibrant, multi-color patterns flow through these LED lighting strips in an element-resistant housing, allowing you to create enhanced lighting experiences in any vehicle. Create the ambiance you are looking for in your car's interior, add visual appeal to the exterior, or enhance an audio install with 360° of bold, bright LEDs, with vibrant, customizable color patterns. The personalization options are endless, with 273 variable colors, color and lighting patterns, and brightness. The Stinger Bluetooth Smart RGB LED controller (SPXRGBCD) offers both smartphone-app and the RF remote control in one package.

- Marine-Grade RGB 300 LED flexible light strip
- Personalization options are endless with 273 variable colors, color and lighting patterns, and brightness level
- Cut to length sections for custom installs
- ▶ 60 LEDs per meter
- Requires SPXRGBCD controller sold separately



#### **SPXRGBCD**

SMART RGB DYNAMIC LED CONTROLLER

- App: Smart LED (iOS and Android)
- Use App or included controller
- Operating temperature: -20~80°
- Voltage: DC12V/24V
- Distance: 10-20M maximum length
- 10A 4 outputs

#### Works with SPXRBG5D









User Guide

Lighting Control App Android and iOS



#### SPXRGB5

MARINE-GRADE RGB LIGHT STRIP

Customize any lighting installation with 5 meters of Marine-Grade RGB LED strips. Adjust the RGB LED's to virtually any color via the lighting control app and the SPXRGBC controller. Sold separately, the Bluetooth smart RGB LED controller (SPXRGBC) allows consumers to control their experience through a Stinger Lighting app via their smartphone or tablet.

- Marine-Grade RGB 300 LED flexible light strip
- DC 12V to 5V power supply included
- Cut to length sections for custom installs
- Wireless remote included
- 60 LEDs per meter
- Add SPXRGBC for smartphone app control
- Marine-Grade RGB 300 LED flexible light strip
- DC 12V to 5V power supply included
- Cut to length sections for custom installs
- Wireless remote included
- 60 LEDs per Meter
- Add SPXRGBC for Smartphone App Control



## **MARINE**

#### LIGHTING

#### **SPXRGBC**

SMART RGB LED CONTROLLER

- App: Smart LED (iOS and Android)Operating temperature: -20~80°
- Voltage: DC12V/24V
- Distance: 10 20M maximum length
- ▶ 18A 4 outputs

#### Works with SPXRBG5





Lighting Control App Android and iOS



#### SEASRGB120

120' Roll Wire 16G Speaker w/ RGB

- 6 Conductor
- ▶ 16GA Speaker Wire (red/black)
- 20GA Control Wire (red, green, blue, black)





#### **SPXRGBMF**

▶ 8 pack (4M/4F) RGB solder on connectors with heat shrink For use with SPXRGB5 LED strips







# HARDCORE OFFROAD AUDIO



## **POWERSPORTS SUBWOOFERS**

PEAK POWER: 300W RMS POWER: 150W

POLYPROPYLENE MICA INJECTED CONE

BUTYL RUBBER SURROUND

REMOVABLE GRILL

## **POWERSPORTS SPEAKERS**

**UV TESTED** Exceeds industry standards for years of durability **SALT & FOG TESTED** Battle the harshest elements PRECISION NON-CORROSIVE TERMINALS Create a solid connection in any environment

## SEA65RGBS

SEA65RGBB - Black SEA65RGWB - White **SEA65RGBS - Silver** 

6.5"Coaxial SPEAKER WITH BUILT-IN **MULTI-COLOR RGB LIGHTING** 



- ▶ 6.5" 4-Ohm two-way speaker system
- ▶ Built-in RGB lighting providing multiple color options and wireless remote
- ▶ Element-resistant, marine-grade construction
- ▶ 75W RMS / 150W peak power handling
- ▶ Poly carbon cone with resin coated cloth surround
- ► Oversized 1" KSV voice coil
- ▶ Pie dome tweeter
- ▶ Built-in crossover
- ▶ UV treated molded polymer with integrated grills
- ► Splash-resistant sealer motors
- ▶ Includes sealing gaskets & installation hardware
- ▶ RF remote included, controls up to 12 units

## SEA65S

SEA65B - Black SEA65S - Silver SEA65W - White



- ▶ 6.5" 4-Ohm two-way speaker system
- ▶ Element-resistant, marine-grade construction
- > 75W RMS / 150W peak power handling
- ▶ Poly carbon cone with resin coated cloth surround
- ► Oversized 1" KSV voice coil
- Pie dome tweeter
- ▶ Built-in crossover
- ▶ UV treated molded polymer with integrated grills
- ► Splash-resistant sealer motors
- ▶ Includes sealing gaskets & installation hardware



# POWERSPORTS SUBWOOFERS UV TESTED Exceeds industry standards for years of durability

**SALT & FOG TESTED** Battle the harshest elements

PRECISION NON-CORROSIVE TERMINALS Create a solid connection in any environment

# SEA 12S4 4-Ohm 12" SUBWOOFER





- ▶ Peak Power: 300W
- ▶ RMS Power: 150W
- ▶ Polypropylene Mica Injected Cone
- ► Santoprene Surround
- ► Grill Included
- ▶ Fully Marinized Against Salt & Fresh Water Conditions
- ► Free Air, Sealed, Ported



SEA 10S4 4-Ohm 10" SUBWOOFER





- ▶ Peak Power: 300W
- RMS Power: 150W
- ▶ Polypropylene Mica Injected Cone
- ► Santoprene Surround
- ► Grill Included
- ► Fully Marinized Against Salt & Fresh Water Conditions
- ► Free Air, Sealed, Ported



## **POWERSPORTS AMPLIFIERS**

# SPX1000X5 4-CHANNEL 700W MARINE AMPLIFIER



- ► 150W x 4 @ 2 Ohm + 500 x 1 @ 2 Ohm for Sub or 95W x 4 @ 4 Ohm + 275 x 1 @ 4 Ohm for Sub
- ▶ Dimensions: 11.85" L x 5.11" W x 1.6" H
- ► Full Range Class D
- External volume knob with MUTE, rear channels only
- ► Aux RCA output (to link to additional amplifiers)
- ► Unregulated power supply
- ▶ RCA or speaker level input
- ▶ Removable Mounting feet

## **SPX700X4**4-CHANNEL 700W MARINE AMPLIFIER



- ightharpoonup 350 x 2 at 4 Ohm Bridged / 175 x 4 at 2 Ohm / 125 x 2 at 4 Ohm
- ▶ Dimensions: 11.5" L x 4.7" W x 1.6" H
- ► Full Range Class D
- ▶ External volume knob with MUTE, rear channels only
- ► Aux RCA output (to link to additional amplifiers)
- ► Unregulated power supply
- ▶ RCA or speaker level input
- ▶ Removable Mounting feet

### SPX350X2 2-CHANNEL 350W MARINE AMPLIFIER



- ▶ 350 x1 at 4 Ohm / 175 x 2 at 2 Ohm / 125 x 2 at 4 Ohm
- ▶ Dimensions: 4.72" L x 5.11" W x 1.6" H
- ► Full Range Class D
- ▶ External volume knob with MUTE
- ► Aux RCA output (to link to additional amplifiers)
- ► Unregulated power supply
- ▶ RCA or speaker level input
- ▶ Removable Mounting feet

















## SPXM1

#### **ACCESSORY CONTROL:**

▶ 4-Channel External Accessory Control with optional SPXSH440 (sold separately)

#### **GENERAL FEATURES:**

- ▶ 2.7" Color Display
- ▶ Built-in Bluetooth for music streaming
- Camera input w/ external trigger
- ► Water-resistant front panel (IPX-6 rating) backlit LED buttons
- ► Two-piece mounting system to secure panel to mounting surface
- ▶ Built-in 25 watts x 4 power amplifier (45W peak x 4)
- ► Plays MP3/WMA files
- Rear AUX input
- ▶ 4-Channel preamp outputs (2-volt front and selectable rear/sub)
- ► Easy Subwoofer control
- ▶ 7-band graphic equalizer with (8) Music genre presets
- ▶ Selectable high-pass and low-pass crossovers
- ▶ Adjustable input gain for each source
- ▶ Voltage gauge with low voltage alert



## SPXM1 + SWITCHHUB

#### 4 Channel External Accessory Control:

▶ 4-Channel External Accessory Control with optional SPXSH440 (sold separately)

With 4 switchable outputs the SPXM1 in conjunction with the SPXSH440 can power 4 external accessories while retaining a clutter free dashboard.

The SPXSH440 is a 12V solid state power distribution system, capable of flowing (1) 40-AMP and (3) 20-AMP circuits with a total of 100-AMPS of continuous power. The small footprint power module is waterproof and ideal for all applications. The SPXSH440 is powered by a microprocessor that manages thermal and over-current conditions and shuts down in the event of a short circuit to prevent potential fire hazards.

With less relays and less clutter, the SPXSH440 was designed to improve wire management on any vehicle reducing the wiring pain of bulky and messy relay systems.

#### **SPXM1 Multimedia Player** is SUIT ready












## SPXSH440

## 4-CHANNEL 100-AMP SOLID-STATE RELAY

SwitchHUB is a solid-state, high current relay block with 4 independent outputs. One 40A and three 20A outputs, for a combined total of 100A continuous. Each output can be independently triggered by either a positive or negative trigger and those outputs can be combined for even more amperage capability. Each output has a thermal overload, and short circuit protection along with LED status indicators for the Thermal/Overload, Active/Inactive status. SwitchHUB eliminates the clutter of multiple high current relays and the accompanying wiring.

## IPX/6 RATED CORROSION RESISTANT TERMINALS / ELEMENT RESISTANT HOUSING



# SPXM1 Multimedia Player is **SUITCHHUB** ready

Want more control? Add an SPXM1 multimedia player to your favorite marine or powersports vehicle and control the SwitchHUB with the onboard accessory control interface.





Stinger

#### SPXRZRDASH UNIVERSAL 3" GAUGE RADIO INSTALLATION DASH KIT FOR

2014-2018 Polaris RZR

- ▶ Replaces factory storage pocket
- ▶ Works with all 3" gauge style radios including SPXM1
- Incudes universal wire harness

#### Works with:

2019 - Present Non XP Models w/Classic Dash

2014 - 2018 RZR XP/XP4 1000, 2016 - 2018 RZR XP/XP4 Turbo

2015 - 2018 RZR XP/XP4 900

Models not equipped with storage pocket can be purchased through Polaris authorized retailers.



#### SPXRZRDASH2 UNIVERSAL 3" GAUGE RADIO INSTALLATION DASH KIT FOR

Select 2019 – Up Polaris RZR

- ▶ Secure mounting for today's most popular 3" gauge style powersports media players
- ► Easy install in less than 30 minutes!
- Integrates with factory dash panel for an OE appearance
- ► Constructed of thick, no-fade ASA plastic
- ▶ Requires NO modifications to the vehicle

#### Works with:

2019+ Polaris RZR XP1000

2019+ XP Turbo

Will NOT fit the TURBO S or Ride Command equipped Polaris RZR models



#### **SPXRNGDASH**

#### Plug-and-Play for 2013 - 2019 Classic Polaris RANGER

- ▶ Installs into factory dash panel (requires cutting)
- ▶ Works with all 3" gauge style radios including SPXM1
- ▶ Incudes all mounting hardware
- ▶ Works on models with HVAC installed
- ▶ Constructed of thick, no-fade ASA plastic to withstand weather, shock, scratches, and more

#### Works with:

2013-2019 Classic Polaris RANGER



## SPXRZR4242 UNIVERSAL 2/4 CHANNEL AMP INSTALLATION KIT FOR OFF-ROAD VEHICLES

- ▶ Kit Includes under dash amplifier mounting bracket
- ▶ Pre-cut and loomed power/ground & speaker wire harnesses

Plug-and-Play for 2014 - 2018 Polaris RZR

- ► Fusing and pre-terminated wiring
- ► Compatible with 2-seat and 4-seat models
- ▶4GA into dual 8GA power/ground wire
- ▶16GA speaker wire
- ▶150-AMP MIDI fuse


#### Works with:

2014 - 2018 Polaris RZR



## MARINE / POWERSPORTS RCA INTERCONNECTS

Comprised of tinned OFC copper conductors with polyethylene dielectrics. Assembled in a high rate twisted-pair configuration for ultimate noise rejection. Outer PVC jacket is flexible for easy routing through tight spaces. Molded connectors with machined, nickel-plated, brass contacts offer superior connection integrity, signal transfer and maximum corrosion resistance.















## **POWER SPORTS**

2-Channel Interconnects

SMRCA2: 2 Meters

SMRCA6: 6 Meters

Corrosion Resistant Nickel Plating
Precision High Rate Twisted-Pair Conductors
Flexible Marine-Grade PVC Jacket
Tinned OFC Copper Conductors

3.5mm Audio Input to Female RCA

**SMRAUX:** 21"

- ▶ Splash-Proof Cover
- ▶ Easy and Secure Mounting with Threaded Body
- ► Corrosion Resistant Plated 3.5mm Audio Jack
- ▶ Flexible Marine-Grade PVC Jacket



3.5mm Audio Input to Female RCA & USB 3.0

SMRAUXUSB3: 21"

- ▶Splash-Proof Cover
- ▶Easy and Secure Mounting with Threaded Body
- ▶Ultra High Speed USB3
- ▶ Corrosion Resistant Plated Flexible Marine Grade
- ▶PVC Jacket



#### **POWERSPORTS ACCESSORIES**



#### SPXATC16

- ► Marine certified ATC (ATM) fuse-holder
- ▶16 AWG OFC wire
- ► Heavy duty brass connector for max power transfer
- ►IPX6 Rating



#### SPXATC810

- ► Marine certified dual ATC fuse-holder
- ► Accepts 8 and 10 AWG power wire
- ▶Dual ATC fuses handle up to 80A
- ► Heavy duty brass connector for max power transfer



#### SPXMANL4

- ► Waterproof Mini-ANL or dual ATC fuse-holder for 4GA power wire
- ► Marine certified Mini ANL or dual ATC fuse-holder
- ►Accepts 4GA & 8GA power wire
- ► Stainless steel Allen wrench included
- ► Brass connector for max power transfer
- ▶Screw or wire tie mounting
- ►Silicone gasket sealing



#### SPXPP4

- ► Power plug (120-AMP power rating)
- ► Machined brass terminal block accepts up to 4GA wire and remote turn on lead
- ► Allows fast and safe removal of amplifier or active subwoofer

## **POWERSPORTS BATTERIES**

## **SPX950**



#### **Features:**

- ▶ Watts: 1850+
- ► CCA: 410A
- ▶ Peak Discharge: 2400+ AMPS
- ▶ 5 Second Cranking AMPS: 950A
- ▶ Internal Resistance: <5.0 mOhm
- ▶ 28Ah
- ▶ Includes Metal Jacket

#### **Dimensions:**

- ► (4.92"H x 6.93"W x 6.50"L)
- ► (125.5mmH x 176mmW x 165mmL)
- ► Weight: 23.59lbs / 10.70kg

#### SPXRZRBAT2 SECOND BATTERY INSTALLATION KIT FOR 2014 - 2018 POLARIS RZR



- ▶ OEM style battery bracket with hardware
- ▶ 200-AMP pre-wired isolator relay
- ▶ 90° RZR battery terminals
- ► Compatible with 2-seat and 4-seat models

NOTE: Requires SPX950 Sold Separately



MARINE CIRCUIT BREAKERS **SCBM150** = 150-AMP

**SCBM100** = 100-AMP

Marine-Certified Ignition Protection Easy Reset / Disconnect Accepts 5/16 Ring Terminals Spark Free Design



#### **POWER WIRE**



#### 1/0GA

SHW10B (50ff/15.2m Roll): Blue SHW10G (50ff/15.2m Roll): Gray SHW10C (50ff/15.2m Roll): Clear SPW10TR (50ff/15.2m Roll): Matte Red SPW10TB (50ff/15.2m Roll): Matte Black

#### 4GA

SHW14B20 (20ft/6.1m Blister): Blue SHW14C7 (7ft/2.1m Blister): Clear SHW14B (100ft/30.5m Roll): Blue SHW14G (100ft/30.5m Roll): Gray SHW14C (100ft/30.5m Roll): Clear SPW14TR (100ft/30.5m Roll): Matte Red SPW14TB (100ft/30.5m Roll): Matte Black SPW14TR250 (250ft/76.2m Roll): Matte Red SPW14TB250 (250ft/76.2m Roll): Matte Black

#### 8GA

SHW18C7 (7ft/2.1m Blister): Clear SHW18B (250ft/76.2m Roll): Blue SHW18G (250ft/76.2m Roll): Gray SHW18C (250ft/76.2m Roll): Clear SPW18TR (250ft/76.2m Roll): Matte Red SPW18TB (250ft/76.2m Roll): Matte Black SPW18TR500 (500ft/152.4m Roll): Matte Red SPW18TB500 (500ft/152.4m Roll): Matte Black

SHW18B20 (20ft/6.1m Blister): Blue

#### **10GA**

**SPW110TR** (250ft/76.2m Roll): Matte Red **SPW110TR500** (500ft/152.4m. Roll): Matte Red **SPW110TB** (250ft/76.2m Roll): Matte Black **SPW110TB500** (500ft/152.4m: Roll): Matte Black

#### SPEAKER WIRE



#### 10 GA

**SHW510G** (50 ft Roll): Gray

#### 12 GA

**SPW512BK**(250ft/76.2m Roll): Black **SPW512B** (100ft/30.5m Roll): Blue **SPW512B250** (250ft/76.2m Roll): Blue **SHW512G** (100ft/30.5m Roll): Gray **SHW512G250** (250ft/76.2m Roll): Gray

#### **14GA**

**SHW514B15** (15ft/4.6m Blister): Blue **SPW514BK** (500ft/152.4m Roll): Black

#### 16 GA

**SHW516B50** (50ft/15.2m Blister): Blue **SHW516B** (250ft/76.2m Roll): Blue

#### 16 GA Cont'd

\$HW516B500 (500ft/152.4m Roll): Blue \$HW516G (250ft/76.2m Roll): Gray \$HW516G500 (500ft/152.4m Roll): Gray \$PW516GY (500ft/152.4m Roll): Gray \$PW516BK (500ft/152.4m Roll): Black \$PW516WH (500ft/152.4m Roll): White \$PW516KB (1000ft/304.8m Roll): Red / Black \$PW516C500 (500ft/152.4m Roll): Clear \$PW516C (1000ft/304.8m Roll): Clear

#### 18 **GA**

**SPW518BK1** (1000ft/304.8m Roll): Black **SPW518C**(1000ft/304.8m Roll): Clear

#### 20 GA

**SPW520RB** (500ft/152.4m Roll): Red/Black





## **POWER SPORTS**



#### SPXWPRGB4D

360° Wrapped LED whip lights with quick-release are super bright from all angles. The spiral wrapped construction features more LED's per foot of whip to provide over 250 different lighted patterns to customize your experience.

Dynamic 50-50 LED chips offer a much larger range of color and show operations over the standard 50/50 chipset.

The IP67-rated silicone coating provides super heavy-duty, waterproof, shockproof protection for your Jeep or off-road vehicle from water, mud, sand, dirt, wind, etc.

Light settings can be controlled using RF or Bluetooth remote control (sold separate) or with a smart phone app (supports both Android and iOS). You can create patterns of colors, movement of color up and down, chase patterns, fade colors into each other. Additionally, using the smart phone app, you can enable Music Mode and Microphone Mode to sync your lightshow with your favorite playlist.

Once the fun is done, a quick-release connector makes disconnecting the whips for the ride home super simple.

#### What's Included:

4' Dynamic LED Whip, Mounting Base, Stinger Flag, Mounting Base Dust Cap

**Requires SPXWPRFCD or SPXWPBTCD Controller (sold separately)** 2 Whips can be controlled by the optional weatherproof controller and be fully synced. Controllers are not universal and only work with SPXWPRGB4D

#### **SPXWPBTCD**

Bluetooth Dynamic Whip Controller



#### SPXWPRFCD

Bluetooth Dynamic Whip Controller







#### LIGHTING

#### **SPXRGBUBKIT8**

RGB LED LIGHTING KIT APP CONTROLLED

If you are looking to give your off-road vehicle a little extra sex appeal, Stinger's universal underbody kit adds illuminated RGB lighting to any area you desire. The plug-and-play installation makes adding this eye-catching feature easy, with no soldering or crimping needed. Bluetooth, enabled you can control the lights via a mobile app choosing specific colors, dynamic modes, or really get the party started with the music-controlled mode which sets the LEDs to change with your music.

- ▶ Change LED Colors and Patterns via Smartphone App
- ▶Compatible with iOS or Android
- ►IPX65 Waterproof Rating for Reliability in Extreme Environments
- ▶Bright and Powerful CREE LED
- ▶Includes 4ft Extensions for Larger Vehicles
- ▶Includes Curved and Flat Mounting Plates and Hardware
- ▶Perfect for Most 4x4 Off-road, Cars, Trucks, SUVs, ATVs, Boats and More



Lighting Control App Android and iOS

#### Kit Includes:

8 x CREE LED Pods

4 x Pod Extension Cables (48")

8 x Flat Rubber Mounting Pads

8 x Curved Rubber Mounting Pads 1 x Bluetooth RGB Control

8 x Module 8 x Mounting Hardware



#### SPXUBEXT48

2 x Pod Extension Cables (48") For use with SPXRGBUBKIT8 or SPXRGBUBKIT Limited to 1 extension per output



#### LIGHTING

#### **SPXRGBUBKIT**

WHEEL WELL / UNDERBODY RGB LED LIGHTING KIT

Like its big brother the SPXRGBUBKIT8, the Stinger SPXRGBUBKIT has all the same great features, but with only 4 light modules included. Perfect for smaller projects or interior applications.

# ►IPX65 WATERPROOF RATING reliable in the most extreme environments

#### **▶BRIGHT CREE LEDS**

colorfully illuminate the vehicle with bright, powerful LEDs


#### ▶APP CONTROLLED

change LED colors and patterns with an Android or iOS smartphone

#### Kit Includes:

- 4 x CREE LED Pods
- 2 x Pod Extension Cables (48")
- 4 x Flat Rubber Mounting Pads
- 4 x Curved Rubber Mounting Pads 1 x Bluetooth RGB Control Module





## **POWER SPORTS**

#### LIGHTING

#### SPXULED1

UNIVERSAL UNDERBODY/DOME (PAIR)

See clearly, whatever the conditions. Bright CREE LED pods can be used anywhere you need light. Water and dust-proof aluminum housing make them perfect for off-road and marine use- under body, interior, and engine compartment.

#### **Key Features:**

Universal LED underbody/dome light

► IPX65 waterproof rating for reliability in extreme environments

Bright and powerful CREE LEDs

#### **INCLUDES**

1 Pair of LEDs and both flat and curved mounting hardware

#### Choose your color:

**SPXULED1** - WHITE


SPXULED1G - GREEN

SPXULED1R - RED

**SPXULED1A** - AMBER

**SPXULED1B** - BLUE





#### LIGHTING ACCESSORIES





#### **SPXRGBMF**

▶8 pack (4M/4F) RGB solder on connectors with heat shrink
For use with SPXRGB5 LED strips

#### **SPXWPBTCD**

Bluetooth Dynamic Whip Controller

- Use your smartphone to simultaneously control the colors and flash pattern of LEDs installed on your 4x4, Jeep, motorcycle, ATVs, and more.
- Weatherproof RGB controller links via Bluetooth for total lighting control and customization.
- ▶ Up to (2) SPXWPRGB4D whips can be controlled and fully synced.

NOT A UNIVERSAL REMOTE ONLY WORKS WITH SPXWPRGB4D



#### **SPXWRFTCD**

RF Remote Whip Controller

- RF remote for Dynamic Whips controls the colors and flash pattern of the whips installed on your 4x4, Jeep, motorcycle, ATVs, and more.
- Weatherproof RGB controller links via radio frequency for total lighting control and customization
- Access brightness, speed, patterns and colors to create thousands of different variations.
- Up to (2) SPXWPRGB4D whips can be controlled and fully synced.

NOT A UNIVERSAL REMOTE
ONLY WORKS WITH SPXWPRGB4D



## **POWER SPORTS**

#### LIGHTING

#### SPXRGB5D

MARINE-GRADE DYNAMIC RGB LIGHT STRIP

Vibrant, multi-color patterns flow through these LED lighting strips in an element-resistant housing, allowing you to create enhanced lighting experiences in any vehicle. Create the ambiance you are looking for in your car's interior, add visual appeal to the exterior, or enhance an audio install with 360° of bold, bright LEDs, with vibrant, customizable color patterns. The personalization options are endless, with 273 variable colors, color and lighting patterns, and brightness. The Stinger Bluetooth Smart RGB LED controller (SPXRGBCD) offers both smartphone-app and the RF remote control in one package.

- Marine-Grade RGB 300 LED flexible light strip
- ▶ Personalization options are endless with 273 variable colors, color and lighting patterns, and brightness level
- Cut to length sections for custom installs
- 60 LEDs per meter
- Requires SPXRGBCD controller sold separately



#### **SPXRGBCD**

SMART RGB DYNAMIC LED CONTROLLER

- App: Smart LED (iOS and Android)
- Use App or included controller
- ► Operating temperature: -20~80°
- ▶ Voltage: DC12V/24V
- ▶ Distance: 10-20M maximum length
- ▶ 10A 4 outputs

Works with SPXRBG5D



Group— Device List







#### LIGHTING



#### SPXRGB5

MARINE-GRADE RGB LIGHT STRIP

Customize any lighting installation with 5 meters of Marine-Grade RGB LED strips. Adjust the RGB LED's to virtually any color via the lighting control app and the SPXRGBC controller. Sold separately, the Bluetooth smart RGB LED controller (SPXRGBC) allows consumers to control their experience through a Stinger Lighting app via their smartphone or tablet.

- ▶ Marine-Grade RGB 300 LED flexible light strip
- ▶ DC 12V to 5V power supply included
- ► Cut to length sections for custom installs
- Wireless remote included
- ▶ 60 LEDs per meter
- ▶ Add SPXRGBC for smartphone app control

#### Works with SPXRBG5



#### **SPXRGBC**

SMART RGB LED CONTROLLER

- App: Smart LED (iOS and Android)
- Operating temperature: -20~80°
- ► Voltage: ĎC12V/24V
- ▶ Distance: 10 20M maximum output current
- ▶ 18A 4 outputs



Lighting Control App Android and iOS





