

# TUNED FOR YOUR SOUL

2024 FEB

WWW.DRAGSTERAUDIOART.COM



**Dragster**  
AUDIO ART

academy  
D R A G S T E R

dragsteraudio.it





**LOUDER  
THAN  
EVER**



# AMPLIFIER

## DAK-200.4D

*Class D / 4 Channel*  
220Wx4, 4 Ohm  
350Wx4, 2 Ohm  
750Wx2, 4 Ohm  
RMS@14.4V



# CLASSIC

## DAK-1000.1D *Class D / Mono* with Remote Control

500Wx1, 4 Ohm  
800Wx1, 2 Ohm  
1200Wx1, 1 Ohm  
RMS@14.4V



## DAK-1000.2D *Class D / 2 Channel* with Remote Control

420Wx2, 4 Ohm  
720Wx2, 2 Ohm  
1000Wx2, 1 Ohm  
1300Wx1, 4 Ohm Bridged  
RMS@14.4V



## DAK-2600.1D *Class D / Mono* with Remote Control

1000Wx1, 4 Ohm  
1500Wx1, 2 Ohm  
2500Wx1, 1 Ohm  
RMS@14.4V



## DAK-1500.5 *Class AB (4 Channel), Class D (1 Channel / Mono) with Remote Control*

70Wx4 + 200Wx1, 4 Ohm  
100Wx4 + 350Wx1, 2 Ohm  
500Wx1, 1 Ohm  
200Wx2, 4 Ohm Bridged  
RMS@14.4V



## DAK-600.2D Class D / 2 Channel

600Wx2CH, 4 Ohm  
900Wx2CH, 2 Ohm  
1700Wx1CH, 4 Ohm  
RMS@14.4V



## DAK-300.2AB Class AB / 2 Channel

300Wx2, 4 Ohm  
500Wx2, 2 Ohm  
800Wx2, 1 Ohm  
1000Wx1, 4 Ohm Bridged  
2000Wx1, 2 Ohm Bridged  
RMS@14.4V



## DAK-150.4AB Class AB / 4 Channel

150Wx4, 4 Ohm  
250Wx4, 2 Ohm  
500Wx2, 4 Ohm Bridged  
RMS@14.4V



## DAK-60.4AB Class AB / 4 Channel

60Wx4, 4 Ohm  
100Wx4, 2 Ohm  
200Wx2, 4 Ohm Bridged  
RMS@14.4V



## DAK-225.4AB Class AB / 4 Channel

220Wx4CH, 4 OHM  
320Wx4CH, 2 OHM  
660Wx2CH, 4 OHM  
RMS@14.4V



## DEQ-7 Parametric Equalizer

POWER SUPPLY : 11-15V DC NEG. GROUND  
MAX. OUTPUT VOLTAGE : 7V RMS  
EQUALIZATION RANGE : +/-12dB  
INPUT IMPEDANCE : 15K OHMS  
S/N RATIO : 90dB  
T.H.D. : 0.05%  
CHANNEL SEPARATION : 80dB



## DAD-1005 Class D / 5 Channel

100Wx4CH, 4 OHM + 500Wx1CH, 1 OHM  
160Wx4CH, 2 OHM  
320Wx2CH, 4 OHM  
RMS@14.4V



## DAD-70.4 Class D / 4 Channel

70Wx4CH, 4 OHM  
110Wx4CH, 2 OHM  
220Wx2CH, 4 OHM BRIDGED  
RMS@14.4V



## DAD-500.1 Class D / Mono

220Wx1CH, 4 OHM  
360Wx1CH, 2 OHM  
500Wx1CH, 1 OHM  
RMS@14.4V

## DAC-48DSP 8 Channel DSP

Active Range : >110dB  
S/N Ratio : >110dB  
Freq. Response : 20Hz - 20kHz  
Input Imp. : Low level 20K OHM, High level 240 OHM  
RMS Power : @4 OHM 4CHx35W, Peak 4CHx70W  
Sampling Rate : 48kHz / 24 Bit  
Bluetooth 5.0



# DSP

**DAE-70.4AB** Class AB / 4 Channel  
70Wx4CH, 4 Ohm  
130Wx4CH, 2 Ohm  
200Wx2CH, 4 Ohm Bridged



**DAE-110.4AB** Class AB / 4 Channel  
110Wx4CH, 4 Ohm  
200Wx4CH, 2 Ohm  
260Wx2CH, 4 Ohm Bridged



**DAE-1000.1D** Class D / Mono  
625Wx1CH, 2 Ohm  
1000Wx1CH, 1 Ohm



**DAE-100.2AB** Class AB / 2 Channel  
100Wx2CH, 4 Ohm  
160Wx2CH, 2 Ohm  
320Wx1CH, 4 Ohm Bridged



**DDM-5000.1** Class D / Mono  
3230Wx1CH, 2 Ohm  
5050Wx1CH, 1 Ohm



**DAE-2500.5** Class AB (4 Channel),  
Class D (1 Channel / Mono) with Remote Control  
80Wx4, 4 Ohm + 300Wx1, 1 Ohm  
120Wx4, 2 Ohm  
240Wx2, 4 Ohm Bridged



**DDM-10500.1** Class D / Mono  
7000Wx1CH, 2 Ohm  
10500Wx1CH, 1 Ohm



**DDM-8000.1** Class D / Mono  
4500Wx1CH, 2 Ohm  
8000Wx1CH, 1 Ohm



**DAF-1004** Class AB / 4 Channel

100Wx4, 4 Ohm  
180Wx4, 2 Ohm  
360Wx2, 4 Ohm Bridged  
RMS@14.4V



**DAF-1752** Class AB / 2 Channel

175Wx2, 4 Ohm  
290Wx2, 2 Ohm  
580Wx1, 4 Ohm Bridged  
RMS@14.4V



# COLORFUL JOURNEY

# SUBWOOFER

dragsteraudio.it

**DWL-10D4F** 10" Shallow Subwoofer  
**DWL-10D2F**  
300W RMS - 600W MAX



**DWE-8** 8" Subwoofer  
200W RMS - 400W MAX



**DWE-12** 12" Subwoofer  
250W RMS - 500W MAX



**DWC-15D2** 15" Subwoofer  
4000W RMS - 8000W MAX



# SUBWOOFER

dragsteraudio.it

**DWZ-15D2/D4** 15" Subwoofer  
1500W RMS - 3000W MAX



**DWZ-12D2/D4** 12" Subwoofer  
1500W RMS - 3000W MAX



**DWY-15D1/D2** 15" Subwoofer  
2000W RMS - 4000W MAX



**DWY-12D1/D2** 12" Subwoofer  
2000W RMS - 4000W MAX



**DWQ-12D2** 12" Subwoofer  
1500W RMS - 3000W MAX



# WOOFER

dragsteraudio.it

**DWP-6.5 D2&D4** 6.5" Woofer  
250W RMS - 500W MAX



**DWP-8 D2&D4** 8" Woofer  
400W RMS - 800W MAX



**DWP-10 D2&D4** 10" Woofer  
700W RMS - 1400W MAX



**DWP-12 D2&D4** 12" Woofer  
700W RMS - 1400W MAX



**DWP-15 D2&D4** 15" Woofer  
700W RMS - 1400W MAX



**DRIVE THE  
PLEASURE**



# MIDRANGE & MIDBASS SPEAKER

dragsteraudio.it

## DMZ-102H 10" Pro Midrange

Woofer: 300W RMS - 600W MAX  
Tweeter: 50W RMS - 100W MAX  
Woofer: 49Hz - 4kHz / 92dB - 4 Ohm  
Tweeter: 700Hz - 19kHz / 102dB - 8 Ohm



## DMZ-82H 8" Pro Midrange

Woofer: 250W RMS - 500W MAX  
Tweeter: 50W RMS - 100W MAX  
Woofer: 125Hz - 5.5kHz / 95.7dB - 4 Ohm  
Tweeter: 700Hz - 17.5kHz / 106dB - 8 Ohm



Perfect

## DMZ-62H 6.5" Pro Midrange

Woofer: 150W RMS - 300W MAX  
Tweeter: 50W RMS - 100W MAX  
Woofer: 120Hz - 6kHz / 91.8dB - 4 Ohm  
Tweeter: 700Hz - 17.5kHz / 100dB - 8 Ohm



## DMX-10.1 10" Midrange

200W RMS - 400W MAX  
99Hz-11kHz / 97.8dB - 4 Ohm



## DMX-82 8" Midrange

150W RMS - 300W MAX  
148Hz - 11kHz / 95.5dB - 4 Ohm



## DMX-62 6.5" Midrange

100W RMS - 200W MAX  
170Hz - 10kHz / 93.5dB - 4 Ohm



# MIDRANGE & MIDBASS SPEAKER

dragsteraudio.it

## DMN-52 5.25" Neo Midrange

75W RMS POWER  
150W MAX POWER  
4 Ohm, 92dB SENSITIVITY



## DMN-62 6.5" Neo Midrange

100W RMS POWER  
200W MAX POWER  
4 Ohm, 92.6dB SENSITIVITY



## DMN-82 8" Neo Midrange

150W RMS POWER  
300W MAX POWER  
4 Ohm, 95.2dB SENSITIVITY



## DME-69 6.9" Midrange

100W RMS - 200W MAX  
96Hz - 13.4kHz / 92dB - 4 Ohm



## DME-82 8" Midrange

100W RMS - 200W MAX  
109Hz - 12.2kHz / 95dB - 4 Ohm



## DME-62 6.5" Midrange

80W RMS - 160W MAX  
163Hz - 9.8kHz / 92dB - 4 Ohm



## DME-52 5.25" Midrange

70W RMS - 140W MAX  
173Hz - 14kHz / 89dB - 4 Ohm



## DMQ-65N 6.5" Neo Midrange

125W RMS - 250W MAX  
100 - 10kHz / 89.5dB - 4 Ohm



## DMQ-80N 8" Neo Midrange

200W RMS - 400W MAX  
70 - 9.3kHz / 90.2dB - 4 Ohm



MISS

AUDIO ART



DESIGNED &  
ENGINEERED IN ITALY



# COAXIAL SPEAKER

dragsteraudio.it

**DC-692** 6x9" 2-Way Coaxial  
100W RMS - 200W MAX  
46Hz - 20kHz / 90.2dB - 4 Ohm



**DC-602** 6.5" 2-Way Coaxial  
50W RMS - 100W MAX  
58Hz - 20kHz / 89.3dB - 4 Ohm



**DC-502** 5.2" 2-Way Coaxial  
40W RMS - 80W MAX  
105Hz - 20kHz / 86dB - 4 Ohm



**DC-402** 4" 2-Way Coaxial  
35W RMS - 70W MAX  
105Hz - 20kHz / 86dB - 4 Ohm



# COAXIAL SPEAKER

dragsteraudio.it

**DCA-943** 6x9" 3-Way Coaxial  
50W RMS - 100W MAX  
52Hz - 20kHz / 86.2dB - 4 Ohm



**DCA-642** 6.5" 2-Way Coaxial  
50W RMS - 100W MAX  
61Hz - 20kHz / 86.4dB - 4 Ohm



**DCA-542** 5.2" 2-Way Coaxial  
35W RMS - 70W MAX  
84Hz - 20kHz / 84.5dB - 4 Ohm



**DCA-442** 4" 2-Way Coaxial  
30W RMS - 60W MAX  
112Hz - 20kHz / 85dB - 4 Ohm



Good

Stuff


# TWEETER

dragsteraudio.it

**DTX-372 Tweeter**  
50W RMS POWER / 100W MAX POWER  
2K - 20kHz / 105dB - 4 Ohm



**DTX-366 Tweeter**  
50W RMS POWER / 100W MAX POWER  
2K-20kHz / 102dB - 4 Ohm



TREBLE  
CREW

**DTX-206N Neo Tweeter**  
100W RMS - 200W MAX  
2.5kHz - 30kHz / 106dB - 4 Ohm



**DTX-202N Neo Tweeter**  
50W RMS - 100W MAX  
2kHz - 20kHz / 105dB - 4 Ohm



**DTX-28 Neo Tweeter**  
35W RMS - 75W MAX  
3kHz - 22kHz / 90dB - 4 Ohm



**DTX-20T Tweeter**  
20W RMS - 60W MAX  
3kHz - 22kHz / 90dB - 4 Ohm



MAKE YOUR  
JOURNEY  
ENJOYABLE

www.dragsteraudio.it

## **DSC-52SQ** 5.25" Component Speaker

60W RMS POWER  
120W MAX POWER  
87dB SENSITIVITY  
58 - 20kHz FREQ. RESPONSE  
4 Ohm IMPEDANCE



**RIDE IN**

## **DSC-62SQ** 6.5" Component Speaker

80W RMS POWER  
150W MAX POWER  
87dB SENSITIVITY  
49 - 20kHz FREQ. RESPONSE  
4 Ohm IMPEDANCE



**PLEASURE**



AMPLIFIER

DRAGSTER

DRAGSTER

DRAGSTER

DRAGSTER



**DA-2** Hi-End Class AB Amplifier  
2 Channel 250Wx2



**AW-10SQ** Hi-End Class 10" Subwoofer  
400W RMS - 800W MAX  
33Hz - 300Hz / 84.5dB - Dual 2 Ohm





### DA-2.175SQ Amplifier

Class AB / 2 Channel  
175W x 2CH, 4 Ohm  
250W x 2CH, 2 Ohm  
400W x 1CH, 4 Ohm



### DA-4.120SQ Amplifier

Class AB / 4 Channel  
120Wx4CH, 4 Ohm  
180Wx4CH, 2 Ohm  
300Wx2CH, 4 Ohm



### DA-130.4AB Hi-End Amplifier

Class AB / 4 Channel  
RMS POWER @4 Ohm 130W x 4CH  
RMS POWER @2 Ohm 190W x 4CH  
RMS POWER @4 Ohm 320W x 2CH



### DA-180.2AB Hi-End Amplifier

Class AB / 2 Channel  
RMS POWER @4 Ohm 180 x 2CH  
RMS POWER @2 Ohm 270 x 2CH  
RMS POWER @1 Ohm 450 x 1CH

## DA-4 Hi-End Class AB Amplifier

4 Channel 135W x 4





**DA-1 HIFI Hi-End Amplifier**  
 RMS POWER @4 Ohm 300W  
 RMS POWER @2 Ohm 530W  
 FREQUENCY RESPONSE 10Hz-27.4KHz



**DA-4 HIFI Hi-End Amplifier**  
 RMS POWER @4 Ohm 50W x 4CH  
 FREQUENCY RESPONSE 10Hz-35KHz



**DA-4860DSP DSP Amplifier**  
 POWER OUTPUT 4 Ohm  
 RMS 25W x 4CH + 90W x 2  
 PEAK 60W x 4CH + 230W x 2



**DA-12DSP DSP Amplifier**  
 POWER OUTPUT 4 Ohm  
 RMS 25W x 12CH  
 PEAK 60W x 12CH



**DA-810DSP DSP Amplifier**  
 8 Channel High Level Input / 2 Channel Low Level Input  
 RMS Power Output @4 Ohm 35W x 4 CH + 80W x 4CH  
 RMS Power Output @4 Ohm 50W x 4 CH + 120W x 4CH  
 Peak Power Output @4 Ohm 70W x 4 CH + 150W x 4CH  
 Active Range:  $\geq 110\text{dB}$  / S/N Ratio  $\geq 100\text{dB}$

**DAD-1500.1 Amplifier**  
 MONO POWER AMPLIFIER  
 RMS POWER @4 Ohm 400W  
 RMS POWER @2 Ohm 800W  
 RMS POWER @1 Ohm 1500W  
 FREQUENCY RESPONSE 15Hz-220Hz



**DAD-200.4 Amplifier**  
 4 CH CLASS D AMPLIFIER  
 RMS POWER @4 Ohm 200W x 4CH  
 RMS POWER @2 Ohm 320W x 4CH  
 RMS POWER @4 Ohm 650W x 2CH  
 FREQUENCY RESPONSE 10Hz-30KHz



**DAD-2000.5 Amplifier**  
 5 CH CLASS D AMPLIFIER  
 RMS POWER @4 Ohm 105W x 4CH + 350W  
 RMS POWER @2 Ohm 160W x 4CH + 530W  
 RMS BRIDGED POWER @ 4Ω 330W x 2CH  
 FREQUENCY RESPONSE 10Hz-20KHz



# HI-END SERIES



**AT-28** 2" Silk Dome Tweeter (NEO)  
50W RMS - 100W MAX  
12kHz - 20kHz / 92dB - 4 Ohm



**AF-3** 3" Full Range  
20W RMS - 40W MAX  
190Hz - 20kHz / 90.3dB - 4 Ohm



**AMW-6** 6.5" Midbass  
150W RMS - 300W MAX  
60Hz - 10kHz / 87.8dB - 4 Ohm



**AW-8** 8" Subwoofer  
250W RMS - 500W MAX  
30Hz - 300Hz / 84.6dB - Dual 2 Ohm



**AW-8NEO** 8" Subwoofer  
300W RMS - 600W MAX  
36Hz - 300Hz / 84dB - 4 Ohm



**AC-3W** Crossover  
SQ CROSSOVER  
3 Way competition sound quality Crossover  
with finest electronic parts



**AMW-6NEO** 6.5" Midbass  
150W RMS - 300W MAX  
50Hz - 12kHz / 91dB - 4 Ohm



# HI-END SERIES



**AMW-65SQ** 6.5" Midrange  
80W RMS - 150W MAX  
62 - 8kHz / 89dB - 4 Ohm



**AM-3SQ** 3.5" Midrange  
50W RMS - 100W MAX  
169 - 20kHz / 85dB - 4 Ohm



**ATW-28SQ** 28mm Tweeter  
20W RMS - 40W MAX  
1750 - 20kHz / 88dB - 4 Ohm



**AMW-65CNC** 6.5" Midbass  
50W RMS - 100W MAX  
65Hz - 7kHz / 89dB - 3 Ohm



**AM-35CNC** 3" Midrange  
30W RMS - 60W MAX  
92Hz - 10kHz / 87dB - 4 Ohm



**ATW-25CNC** Dome Tweeter  
20W RMS - 40W MAX  
15 - 20kHz / 87dB - 4 Ohm



**AW-12SQ** 12" Subwoofer  
400W RMS - 800W MAX  
30Hz - 300Hz / 85.1dB - Dual 2 Ohm



**AW-10SQ** 10" Subwoofer  
400W RMS - 800W MAX  
33Hz - 300Hz / 84.5dB - Dual 2 Ohm



**AM-4BMW**  
4" Midwoofer Crossover Tweeter  
60W RMS Power  
120W MAX Power



**DAT-25BMW**  
25mm Silk Dome Tweeter For BMW  
20W RMS Power  
40W MAX Power  
88dB SENSITIVITY  
17 - 20kHz FREQ. RESPONSE  
4 Ohm IMPEDANCE



**AM-4MB**  
4" Midwoofer Crossover Tweeter  
60W RMS Power  
120W MAX Power



**AA-82A** 8" Component Set  
Suitable For Audi A3/A4/A6/Q3/Q5/A7  
2 - WAY SPEAKER SYSTEM  
100W RMS POWER  
200W MAX POWER  
EFFICIENCY 1W/1M 87dB  
FREQ. RESPONSE 47 - 10KHz



**AV-72VW** 7" Component Set  
Suitable For Volkswagen  
2 - WAY SPEAKER SYSTEM  
100W RMS POWER  
200W MAX POWER  
EFFICIENCY 1W/1M 87dB  
FREQ. RESPONSE 47 - 10KHz



**AW-8BMW** 8" BMW Subwoofer  
100W RMS POWER  
200W MAX POWER



**AW-8MB R+L** 8" Mercedes Woofer  
100W RMS POWER  
200W MAX POWER



## AC-5

5.25" Component Set  
60W RMS POWER  
120W MAX POWER  
SENSITIVITY 84dB  
FREQ. RESPONSE 58 - 20kHz  
4 OHM IMPEDANCE



## AC-6

6.5" Component Set  
80W RMS POWER  
150W MAX POWER  
SENSITIVITY 88dB  
FREQ. RESPONSE 50 - 20kHz  
4 OHM IMPEDANCE



# HI-END SERIES



## AEX-62 6.5" Coaxial Speaker

35W RMS POWER  
70W MAX POWER  
SENSITIVITY 89dB  
FREQ. RESPONSE 77 - 20kHz  
4 OHM IMPEDANCE

# COAXIALS

## AX-5 5.25" Coaxial Speaker

50W RMS POWER  
100W MAX POWER  
SENSITIVITY 86dB  
FREQ. RESPONSE 60 - 20kHz  
4 OHM IMPEDANCE



## AX-6 6.5" Coaxial Speaker

60W RMS POWER  
120W MAX POWER  
SENSITIVITY 88dB  
FREQ. RESPONSE 56 - 20kHz  
4 OHM IMPEDANCE

AUDIO ART ON THE ROAD

AUDIO ART



# SOUND DEADENING MATERIALS

dragsteraudio.it


**DSM-2** Sound Deadening Mat.  
370x500x2mm  
Mechanical Loss Factor: 0,28




**DSM-2 PRO** Sound Deadening Mat.  
370x500x2mm  
Mechanical Loss Factor: 0,33




**DSM-8** Sound Absorber  
500x400x8MM  
Sound Absorption: 60%



**DSM-15** Sound Absorber  
500x400x15MM  
Sound Absorption: 70%



**DSM-ROLLER** Hand Tool  
for ease of application



**DSM-TAPE** Sound Deadening Tape  
W: 20mm L: 6m



# CABLES

dragsteraudio.it

**DP-0P** Power Cable  
0GA / OFC



**DP-2P** Power Cable  
2GA / OFC



**DP-4P** Power Cable  
4GA / OFC



**DP-8P** Power Cable  
8GA / OFC



**DP-12S** Speaker Cable  
12GA / OFC



**DP-14S** Speaker Cable  
14GA / OFC



**DP-16S** Speaker Cable  
16GA / OFC



**DP-18S** Speaker Cable  
18GA / OFC



**DP-5** RCA Cable  
2 Channel 5m RCA Cable



**DP-221** RCA Cable  
2 Channel 1m RCA Cable



**DP-222** RCA Cable  
2 Channel 2m RCA Cable



**DP-225** RCA Cable  
2 Channel 5m RCA Cable



**DP-445** RCA Cable  
4 Channel 5m RCA Cable



**DA-1M** HI-END RCA Cable  
2 Channel 1m RCA Cable



**DA-2M** HI-END RCA Cable  
2 Channel 2m RCA Cable



**DA-5M** HI-END RCA Cable  
2 Channel 5m RCA Cable



TINNED  
OFC

# CABINET

dragsteraudio.it

## DRAGSTER 20 CM

ENCLOSURE (DWE-8)  
18mm High Quality



## DRAGSTER 25 CM

SLIM ENCLOSURE (DWL-10D4F)  
18mm High Quality



## DRAGSTER 30 CM

L PORT ENCLOSURE (DWL-12D4)  
18mm High Quality



## DRAGSTER 30 CM

ENCLOSURE (DWB-12 S4 / DWE-12)  
18mm High Quality



# CABINET

dragsteraudio.it

## DRAGSTER 38 CM

L PORT ENCLOSURE (DWZ-15D4)  
18mm High Quality



## DRAGSTER 30 CM

L PORT ENCLOSURE (DWZ-12D4)  
18mm High Quality



## DRAGSTER 30CM

L PORT DOUBLE ENCLOSURE 120LT. (DWZ-12D2&D4)  
18mm High Quality



HAND MADE

AUDIO ART ON THE ROAD



academy  
DRAGSTER

[www.dragsteraudio.it](http://www.dragsteraudio.it)

[www.dragsteraudio.it](http://www.dragsteraudio.it)

TO BE  
CONTINUED



✉ [info@dragsteraudio.it](mailto:info@dragsteraudio.it) / [dragsteraudio](https://www.dragsteraudio.it) 📷